District I

1625 N. French Dr. Hobbs, NM 8824

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

 $\label{eq:July 21, 2008} July~21, 2008$ For temporary pits, closed-loop sytems, and below-grade

Form C-144

For temporary pits, closed-loop sytems, and below-gradtanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
X Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
OCHEW 14520
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538 Address: PO Box 4289, Farmington, NM 87499
Facility or well name: San Juan 30-6 Unit 473
API Number: 30-039-24476 OCD Permit Number
U/L or Qtr/Qtr: M(SW/SW) Section: 22 Township: 30N Range: 6W County: Rio Arriba
Center of Proposed Design: Latitude: 36.79371 °N Longitude: 107.45552 °W NAD: 1927 X 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A RCUD APR 23 '12 OIL CONS. DIV.
Lined Unlined Liner type. Thickness mil LLDPE HDPE PVC Other DIST. 3 String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D
3 X Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other
4 Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid
Tank Construction material
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other
5 Alternative Method:
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins. Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	titution or church)				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15 3 103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
Siting Criteria (regarding permitting) 19 15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society; Topographic map	Yes No				
Within a 100-year floodplain - FFMA man	Yes No				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15 17 9 NMAC and 19.15.17 13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC			
X Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC			
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC			
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9			
NMAC and 19.15 17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15 17.13 NMAC			
Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System			
Alternative			
Proposed Closure Method			
X Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
West Formation and Demonstrate Change Black Change in the			
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions Please identify the facility or facilities for the disposal of liquids, drilling j facilities are required				
Disposal Facility Name. Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00	10B	
Disposal Facility Name Basin Disposal Facility I	Disposal Facility Permit #.	NM-01-005		
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	s occur on or in areas that w	vill not be used for future so	ervice and	
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriat Re-vegetation Plan - based upon the appropriate requirements of Subsect Site Reclamation Plan - based upon the appropriate requirements of Subsect	tion I of 19 15.17.13 NMA	С	С	:
17				
Siting Criteria (Regarding on-site closure methods only: 19.15.17 10 NMAC Instructions. Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval. Justifications and/or demonstrations of equivalency are re-	or may be considered an except	tion which must be submitted to t		
Ground water is less than 50 feet below the bottom of the buried waste			Yes	No
- NM Office of the State Engineer - tWATERS database search; USGS Data obtain	ned from nearby wells		∐N/A	
Ground water is between 50 and 100 feet below the bottom of the buried waste			Yes	No
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtain	ned from nearby wells		□N/A	
Ground water is more than 100 feet below the bottom of the buried waste.			Yes	No
- NM Office of the State Engineer - IWATERS database search, USGS; Data obtain	ned from nearby wells		N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signification (measured from the ordinary high-water mark)	int watercourse or lakebed, su	nkhole, or playa lake	Yes	No
- Topographic map, Visual inspection (certification) of the proposed site		:	_	
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	istence at the time of initial ap	pplication	Yes	No
			Yes	No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exister - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	nce at the time of the initial ap	-		
Within incorporated municipal boundaries or within a defined municipal fresh water well pursuant to NMSA 1978, Section 3-27-3, as amended		pal ordinance adopted	Yes	No
 Written confirmation or verification from the municipality, Written approval obtain Within 500 feet of a wetland 	ned from the municipality		Yes	
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspec	ction (certification) of the proj	posed site		
Within the area overlying a subsurface mine			Yes	No
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mil	neral Division			
Within an unstable area	and Deserve LIGGS NIM (Carlo mant Consets	Yes	∟l ^{No}
 Engineering measures incorporated into the design, NM Bureau of Geology & Min Topographic map 	erai Resources, OSOS, NW	deological Society,		
Within a 100-year floodplain - FEMA map			Yes	No
18				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	of the following items mus	t bee attached to the closu	re plan. Pleas	e indicate,
Siting Criteria Compliance Demonstrations - based upon the appropriate	•			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 1		n F of 10 15 17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsect				
Site Peclamation Plan - based upon the appropriate requirements of Subs	ection G of 10 15 17 12 N	MAC		

Operator Application Cartification:
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Hal Talous Date 4/20/12
e-mail address crystal tafoya@conocophillips.com/ Telephone (505) 326-9837
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date:
Title: OM Plauce Offices OCD Permit Number:
Title: OM MUUCE V OFF, CEL OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
22
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached. Proof of Closure Notice (surface gunes and division)
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25 Operator Closure Certification:
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Title
Signature Date
e-mail address Telephone

Form C-144 Oil Conservation Division

Burlington Resources requests to modify the permit approved 8/04/08 for a Workover Pit. The permit was submitted incorrectly. The application is being modified for a Workover closed-loop.