District I

1625 N. French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

9953

1000 Rio Brazos Rd , Aztec, NM 87410 District IV	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
1220 S St Francis Dr , Santa Fe, NM 87505	losed-Loop System, Below-G	· · · · · · · · · · · · · · · · · · ·
	lternative Method Permit or C	
ab 9 I I I I I I I I I I I I I I I I I I	iternative iviethed remit of e	riosure i ian Application
Type of action: Perm	nit of a pit, closed-loop system, below-grad	de tank, or proposed alternative method
X Clos	ure of a pit, closed-loop system, below-gra	ade tank, or proposed alternative method
Mod	lification to an existing permit	
Clos	ure plan only submitted for an existing pe	rmitted or non-permitted pit, closed-loop system,
belov	w-grade tank, or proposed alternative method	hod
Instructions: Please submit one application	ı (Form C-144) per individual pit, closed	l-loop system, below-grade tank or alternative request
••		ions result in pollution of surface water, ground water or the
environment Nor does approval relieve the opera	ator of its responsibility to comply with any other applies	cable governmental authority's rules, regulations or ordinances
1 Operator: Burlington Resources Oil & Gas (Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 8		
Facility or well name: San Juan 30-6 Unit 47		
<u> </u>		
API Number: 30-039-244		
U/L or Qtr/Qtr: M(SW/SW) Section: 22	' <u></u> ~ ,	6W County: Rio Arriba
Center of Proposed Design: Latitude:	36.79391 °N Longitude:	107.45552
Surface Owner: X Federal S	tate Private Tribal Trust or Ir	ndian Allotment
2		
Pit: Subsection F or G of 19.15 17 11 NMAG	2	RCVD APR 23 '12
Temporary Drilling Workover		KUVD HEK 23 12
Permanent Emergency Cavitation	□P&A	OIL CONS. DIV.
Lined Unlined Liner type	Thickness mil LLDPE	HDPE PVC Other NIST 3
String-Reinforced		
Liner Seams Welded Factory	Other Volume	bbl Dimensions L x W x D
3	2.15.17.11.NMA.C	
		es to activities which require prior approval of a permit or
Type of Operation Texa Drining	notice of intent)	es to activities which require prior approval of a permit of
Drying Pad X Above Ground Steel Ta	anks Haul-off Bins Other	
Lined Unlined Liner type:	Thickness mil LLDPE	HDPE PVD Other
Liner Seams Welded Factory	Other	
4 Below-grade tank: Subsection I of 19 15 1	17.11 NMAC	
<u> </u>	ype of fluid	
	ype of field	
Tank Construction material	Visible sidewalls large Circle 10 or 1	autamatic avariant aff
Secondary containment with leak detection	Visible sidewalls, liner, 6-inch lift and	automatic overflow snut-off
	ible sidewalls only Other	
Liner Type Thicknessmil	HDPE PVC Other	
5		

Alternative Method:

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6 · · · · · · · · · · · · · · · · · · ·		
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insi	titution or chu	rch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet	manon or char	city
Alternate Please specify		
Antinate ricase specify		
7		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		-
Signs: Subsection C of 19 15.17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ap	proval
(Fencing/BGT Liner)		
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
10		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable	<u> </u>	
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	1	
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria	į	
does not apply to drying pads or above grade-tanks associated with a closed-loop system.	1	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	□Yes	□No
- NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells		L
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	□Yes	□No
(measured from the ordinary high-water mark).		_
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	No
application.		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	 	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)	│ □NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	□Yes	□No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	_	_
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No
 adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 		
Within 500 feet of a wetland.	∏Yes	□No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site		<u> </u>
Within the area overlying a subsurface mine.	Yes	No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		_
Within an unstable area.	Yes	No
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological		
Society; Topographic map	□ Vaa	M _o
Within a 100-year floodplain - FEMA map	Yes	∐No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17 9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17.9 NMAC and 19.15.17 13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9			
NMAC and 19 15.17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17 11 NMAC Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19.15 17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nussance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monttoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15.17 13 NMAC			
14 Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative			
Proposed Closure Method.			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC			
One regulation from the upon the appropriate requirements of objection of 17.13 17.13 INMAC			

Form C-144 Oil Conservation Division

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions Please identify the facility or facilities for the disposal of liquids, drill facilities are required				
Disposal Facility Name	Disposal Facility Permit #			
Disposal Facility Name				
Will any of the proposed closed-loop system operations and associated activ Yes (If yes, please provide the information No	nties occur on or in areas that will not be used for future	service and		
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Sub Ste Reclamation Plan - based upon the appropriate requirements of Sub	priate requirements of Subsection H of 19 15 17 13 NMA osection I of 19 15 17 13 NMAC	AC .		
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19 15 17 10 NM Instructions Each siting criteria requires a demonstration of compliance in the closure pi certain siting criteria may require administrative approval from the appropriate district of office for consideration of approval—Justifications and/or demonstrations of equivalency	lan Recommendations of acceptable source material are provided iffice or may be considered an exception which must be submitted to			
Ground water is less than 50 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - tWATERS database search, USGS Data of	obtained from nearby wells	∐N/A		
Ground water is between 50 and 100 feet below the bottom of the buried wa	aste	Yes No		
- NM Office of the State Engineer - (WATERS database search, USGS, Data of	obtained from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - 1WATERS database search, USGS, Data of	obtained from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark)	nificant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	. · · · · · · · · · · · · · · · · · · ·	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in ex - NM Office of the State Engineer - iWATERS database, Visual inspection (cer Within incorporated municipal boundaries or within a defined municipal fresh water	xistence at the time of the initial application tification) of the proposed site	∐Yes ∐No		
pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval of Within 500 feet of a wetland	obtained from the municipality	∏Yes ∏No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual ii	nspection (certification) of the proposed site	Ties Lino		
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and	d Minoral Duggion	∐Yes ∐No		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology &		Yes No		
Topographic map	Mineral Resources, obds, NW Geological Society,			
Within a 100-year floodplain - FEMA map		Yes No		
18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Ea	and of the following itams must be attached to the class	ura plan Plaasa indicata		
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate of the compliance of th		Trease material,		
Proof of Surface Owner Notice - based upon the appropriate requires	-			
Construction/Design Plan of Burial Trench (if applicable) based upo	on the appropriate requirements of 19 15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a c	drying pad) - based upon the appropriate requirements of	19 15 17 11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Confirmation Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Conf	riate requirements of Subsection F of 19 15 17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requiren	nents of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
5115 Recommended Francisco appointment appropriate requirements of	24052511511 6 01 17 15 17 15 111111116			

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail addressTelephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 7/24/20/2
Title: 6mp ance October Och Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 11/11/2008
22
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) X No
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Stal Talona Date 4/20/12
e-mail address crystal tafoya@conocophillips.com Telephone (505) 326-9837