<u>District I</u> 1625 N French Dr , Hobbs, NM 88240

District II
1301 W Grand Ave , Artesia, NM 88210

<u>District III</u> 1000 Rio Brazos Rd , Aztec, NM 87410 State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

 $\label{eq:July 21, 2008} \label{eq:July 21, 2008}$ For temporary pits, closed-loop sytems, and below-grade

Form C-144

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

| District IV 1220 S St Francis Dr , Santa Fe, NM 87505 | appropriate NMOCD District Office |
|---|---|
| | Pit, Closed-Loop System, Below-Grade Tank, or |
| asy Propo | sed Alternative Method Permit or Closure Plan Application |
| Type of action: | Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method |
| | Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method |
| | Modification to an existing permit (CANCELLATION Permit # 2946) |
| | Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, |
| | below-grade tank, or proposed alternative method |
| | plication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the |
| •• | ve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances |
| 1 Operator: ConocoPhillips Compan | OGRID#: 217817 |
| Address: PO Box 4289, Farmingto | ı, NM 87499 |
| Facility or well name: San Juan 32 | 7 Unit 246A |
| API Number: 36 | -045-32819 OCD Permit Number |
| U/L or Qtr/Qtr: A(NE/NE) Section | n: 18 Township: 32N Range: 7W County: San Juan |
| Center of Proposed Design: Latitude | |
| Surface Owner: Federal | State X Private Tribal Trust or Indian Allotment |
| X Lined Unlined Li X String-Reinforced | WAN IL VED TE |
| Type of Operation P&A Drying Pad Above Grou Lined Unlined Line | on H of 19 15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ad Steel Tanks Haul-off Bins Other type Thickness mil LLDPE HDPE PVD Other ctory Other |
| Below-grade tank: Subsection Volume b Tank Construction material Secondary containment with leak de Visible sidewalls and liner Liner Type Thickness | Type of fluid |
| 5 Alternative Method: Submittal of an exception request is req | nired Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval |

Form C-144

Oil Conservation Division

Page 1 of 5

| Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instance of barbed wire evenly spaced between one and four feet X Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top. | titution or chui | rch) |
|--|------------------|--------|
| Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent puts and permanent open top tanks) X Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) | | |
| Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC | | |
| Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: X Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval | ideration of ap | proval |
| Siting Criteria (regarding permitting): 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system. | | |
| Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells | Yes | X No |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site | Yes | XNo |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. | Yes | XNo |
| (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image | □NA | |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) | Yes XNA | No |
| Visual inspection (certification) of the proposed site; Aerial photo, Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. | Yes | XNo |
| - NM Office of the State Engineer - tWATERS database search; Visual inspection (certification) of the proposed site | | |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality | Yes | X No |
| Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site | Yes | XNo |
| Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division | Yes | X No |
| Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map | Yes | XNo |
| Within a 100-year floodplain - FEMA map | Yes | X No |

| Temporary Pits. Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. | | | | | |
|--|--|--|--|--|--|
| Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. X Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC | | | | | |
| X Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9 | | | | | |
| X Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC | | | | | |
| No. Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC | | | | | |
| X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC | | | | | |
| X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17 13 NMAC | | | | | |
| Previously Approved Design (attach copy of design) API | | | | | |
| Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC | | | | | |
| Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC | | | | | |
| Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC | | | | | |
| Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15.17.13 NMAC | | | | | |
| Previously Approved Design (attach copy of design) API | | | | | |
| Previously Approved Operating and Maintenance Plan API | | | | | |
| | | | | | |
| Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan | | | | | |
| Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19 15 17.13 NMAC | | | | | |
| Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type | | | | | |
| 15 | | | | | |
| Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. | | | | | |
| Please indicate, by a check mark in the box, that the documents are attached. Destroyle and Proceedings has dynamits are attached. | | | | | |
| Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC | | | | | |
| Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) | | | | | |
| Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC | | | | | |
| Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC | | | | | |
| Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC | | | | | |

Form C-144 Oil Conservation Division Page 3 of 5

| 16 | - | | | | | |
|---|---|-----------------------------------|--|--|--|--|
| Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required | Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Tuds and drill cuttings Use attachment if more than two | | | | | |
| Disposal Facility Name Disposal Facility Permit # | | | | | | |
| Disposal Facility Name Disposal Facility Permit # | | | | | | |
| Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No | | | | | | |
| Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsect Site Reclamation Plan - based upon the appropriate requirements of Subsect | tion I of 19.15 17 13 NMAC | AC | | | | |
| 17 | | | | | | |
| Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan. certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval Justifications and/or demonstrations of equivalency are referenced. | or may be considered an exception which must be submitted to | the Santa Fe Environmental Bureau | | | | |
| Ground water is less than 50 feet below the bottom of the buried waste | | Yes X No | | | | |
| - NM Office of the State Engineer - 1WATERS database search, USGS Data obtain | ned from nearby wells | ∐N/A | | | | |
| Ground water is between 50 and 100 feet below the bottom of the buried waste | | Yes X No | | | | |
| - NM Office of the State Engineer - 1WATERS database search, USGS, Data obtain | ned from nearby wells | □N/A | | | | |
| Ground water is more than 100 feet below the bottom of the buried waste | | X Yes No | | | | |
| - NM Office of the State Engineer - IWATERS database search, USGS, Data obtain | ned from nearby wells | ∏ _{N/A} | | | | |
| • | | Yes X No | | | | |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signification (measured from the ordinary high-water mark) | nt watercourse of takebed, stilkhole, or playa take | Yes _X_No | | | | |
| - Topographic map, Visual inspection (certification) of the proposed site | | Yes X No | | | | |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in ex - Visual inspection (certification) of the proposed site, Aerial photo, satellite image | istence at the time of initial application. | | | | | |
| | | Yes X No | | | | |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exister - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) | nce at the time of the initial application | | | | | |
| Within incorporated municipal boundaries or within a defined municipal fresh water well pursuant to NMSA 1978, Section 3-27-3, as amended | | Yes X No | | | | |
| - Written confirmation or verification from the municipality, Written approval obtain | led from the municipality | Yes X No | | | | |
| Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspe- | ction (certification) of the proposed site | Yes X No | | | | |
| Within the area overlying a subsurface mine | | Yes X No | | | | |
| - Written confiramtion or verification or map from the NM EMNRD-Mining and Mi | neral Division | | | | | |
| Within an unstable area | | Yes X No | | | | |
| - Engineering measures incorporated into the design, NM Bureau of Geology & Min | eral Resources, USGS, NM Geological Society, | | | | | |
| Topographic map Within a 100-year floodplain - FEMA map | | Yes X No | | | | |
| 18 | | | | | | |
| On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached. | of the following items must bee attached to the closi | ure plan. Please indicate, | | | | |
| X Siting Criteria Compliance Demonstrations - based upon the appropriate | requirements of 19 15.17.10 NMAC | | | | | |
| X Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC | | | | | | |
| Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC | | | | | | |
| Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC | | | | | | |
| X Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC | | | | | | |
| Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC | | | | | | |
| X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC | | | | | | |
| X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) | | | | | | |
| X Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC | | | | | | |
| X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC X Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC | | | | | | |
| LAL BUE RECIAMATION FIRM - DASED THOSE APPROPRIATE REQUIREMENTS OF NUM | SCCHOOL CLOLLY LOT LA LA INIVIAL. | | | | | |

Form C-144 Oil Conservation Division Page 4 of 5

| 19 Operator Application Cer | | ., | | |
|---|--|--|---|---|
| l | ation submitted with this application is true, accur | - | | ı |
| Name (Print): | Crystal Tafoya | Title | Staff Regulatory Technician | ĺ |
| Signature | stal lagage | Date | 4/20/12 | Ì |
| e-mail address | cn/stal tafoya@conocophillips com | Telephone | 7 505-326-9837 | |
| OCD Representative Signa | nit Application (including cloture plan) | Closure Plan (only | Approval Date: 4/24/2012 | |
| Instructions Operators are rec report is required to be submit | | o implementing any clo in of the closure activiti impleted | AC osure activities and submitting the closure report. The closure ues. Please do not complete this section of the form until an ure Completion Date: | |
| 22 Closure Method: Waste Excavation and If different from appro- | Removal On-site Closure Method ved plan, please explain | Alternative Closur | re Method Waste Removal (Closed-loop systems only) | |
| | aste Removal Closure For Closed-loop Systems the facility or facilities for where the liquids, drilli | | Ground Steel Tanks or Haul-off Bins Only: tings were disposed. Use attachment if more than two facilities | |
| Disposal Facility Name | | Disposal Facilit | ty Permit Number | 1 |
| Disposal Facility Name | | Disposal Facilit | ty Permit Number | |
| · — · · · | n operations and associated activities performed o | | not be used for future service and opeartions? | |
| | · | _]No | | |
| Required for impacted area Site Reclamation (Phot | is which will not be used for future service and op o Documentation) | erations | | |
| Soil Backfilling and Co | | | | |
| I 🚞 | ion Rates and Seeding Technique | | | Ī |
| 24 | ment Checklist: Instructions: Each of the follo | owing items must be at | ttached to the closure report. Please indicate, by a check mark in | |
| Proof of Closure Not | ice (surface owner and division) | | | |
| <u> </u> | e (required for on-site closure) | | | 1 |
| | closures and temporary pits) | | | |
| | ng Analytical Results (if applicable) | | | Ì |
| · 🛏 | oling Analytical Results (if applicable) | | | |
| Soil Backfilling and 0 | ne and Permit Number | | | |
| | ation Rates and Seeding Technique | | | l |
| Site Reclamation (Ph | = ' | | | |
| On-site Closure Loca | | Longitude | NAD 1927 1983 | |
| <u></u> | | | | |
| Operator Closure Certific: | | papart a tara assessed | te and complete to the best of my knowledge and belief I also certify that | |
| | pplicable closure requirements and conditions spe | | | ' |
| Name (Print) | | Title | | |
| Signature. | | Date. | | |
| a mail address | | Telephone: | | I |

Burlington Resources requests to cancel the permit #2946 for the application subject well due to it never being used.