

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

1009 Type of action: ☒ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: McElvain Oil & Gas Properties, Inc. OGRID #: 22044
Address: 1050 17th Street, Suite 1800, Denver, CO 80265
Facility or well name: FEDERAL COM 2R
API Number: 30-045-23512 OCD Permit Number: _____
U/L or Qtr/Qtr M Section 12 Township 28N Range 13W County: SAN JUAN
Center of Proposed Design: Latitude 36.67254 N Longitude -108.17825 W NAD: ☒ 1927 ☐ 1983
Surface Owner: ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotment

2.
☐ **Pit:** Subsection F or G of 19.15.17.11 NMAC
Temporary: ☐ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
☐ String-Reinforced
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

3.
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC
Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other _____
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____

4.
☒ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC
Volume: 60 bbl Type of fluid: Water
Tank Construction material: Steel
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☒ Visible sidewalls only ☐ Other _____
Liner type: Thickness _____ mil ☐ HDPE ☐ PVC ☐ Other _____

5.
☐ **Alternative Method:**
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.



| | | | | | | | | | | | | | | | | | | | | | |
|---|--|---|---|---|---|--|--|---|--|---|---|--|---|--|---|--|---|--|---|--|---|
| 6. | <p>Fencing: Subsection D of 19.15.17.11 NMAC (<i>Applies to permanent pits, temporary pits, and below-grade tanks</i>)</p> <p><input type="checkbox"/> Chain link, six feet in height, two strands of barbed wire at top (<i>Required if located within 1000 feet of a permanent residence, school, hospital, institution or church</i>)</p> <p><input type="checkbox"/> Four foot height, four strands of barbed wire evenly spaced between one and four feet</p> <p><input checked="" type="checkbox"/> Alternate. Please specify <u>4' Field Fence w/top rail</u></p> | | | | | | | | | | | | | | | | | | | | |
| 7. | <p>Netting: Subsection E of 19.15.17.11 NMAC (<i>Applies to permanent pits and permanent open top tanks</i>)</p> <p><input type="checkbox"/> Screen <input type="checkbox"/> Netting <input checked="" type="checkbox"/> Other <u>Wire Mesh</u></p> <p><input type="checkbox"/> Monthly inspections (If netting or screening is not physically feasible)</p> | | | | | | | | | | | | | | | | | | | | |
| 8. | <p>Signs: Subsection C of 19.15.17.11 NMAC</p> <p><input type="checkbox"/> 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers</p> <p><input checked="" type="checkbox"/> Signed in compliance with 19.15.3.103 NMAC</p> | | | | | | | | | | | | | | | | | | | | |
| 9. | <p>Administrative Approvals and Exceptions:</p> <p>Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.</p> <p>Please check a box if one or more of the following is requested, if not leave blank:</p> <p><input type="checkbox"/> Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.</p> <p><input type="checkbox"/> Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.</p> | | | | | | | | | | | | | | | | | | | | |
| 10. | <p>Siting Criteria (regarding permitting): 19.15.17.10 NMAC</p> <p>Instructions: <i>The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.</i></p> <table border="0" style="width: 100%;"> <tr> <td style="width: 85%;"> <p>Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.</p> <p>- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</p> </td> <td style="width: 15%; text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </td> </tr> <tr> <td> <p>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</p> <p>- Topographic map; Visual inspection (certification) of the proposed site</p> </td> <td style="text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </td> </tr> <tr> <td> <p>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to temporary, emergency, or cavitation pits and below-grade tanks</i>)</p> <p>- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p> </td> <td style="text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA </td> </tr> <tr> <td> <p>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to permanent pits</i>)</p> <p>- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p> </td> <td style="text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA </td> </tr> <tr> <td> <p>Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</p> <p>- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</p> </td> <td style="text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </td> </tr> <tr> <td> <p>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.</p> <p>- Written confirmation or verification from the municipality; Written approval obtained from the municipality</p> </td> <td style="text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </td> </tr> <tr> <td> <p>Within 500 feet of a wetland.</p> <p>- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</p> </td> <td style="text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </td> </tr> <tr> <td> <p>Within the area overlying a subsurface mine.</p> <p>- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</p> </td> <td style="text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </td> </tr> <tr> <td> <p>Within an unstable area.</p> <p>- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map</p> </td> <td style="text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </td> </tr> <tr> <td> <p>Within a 100-year floodplain.</p> <p>- FEMA map</p> </td> <td style="text-align: right; vertical-align: top;"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </td> </tr> </table> | <p>Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.</p> <p>- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <p>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</p> <p>- Topographic map; Visual inspection (certification) of the proposed site</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <p>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to temporary, emergency, or cavitation pits and below-grade tanks</i>)</p> <p>- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA | <p>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to permanent pits</i>)</p> <p>- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA | <p>Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</p> <p>- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <p>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.</p> <p>- Written confirmation or verification from the municipality; Written approval obtained from the municipality</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <p>Within 500 feet of a wetland.</p> <p>- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <p>Within the area overlying a subsurface mine.</p> <p>- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <p>Within an unstable area.</p> <p>- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | <p>Within a 100-year floodplain.</p> <p>- FEMA map</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| <p>Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.</p> <p>- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | |
| <p>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</p> <p>- Topographic map; Visual inspection (certification) of the proposed site</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | |
| <p>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to temporary, emergency, or cavitation pits and below-grade tanks</i>)</p> <p>- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA | | | | | | | | | | | | | | | | | | | | |
| <p>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to permanent pits</i>)</p> <p>- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA | | | | | | | | | | | | | | | | | | | | |
| <p>Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</p> <p>- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | |
| <p>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.</p> <p>- Written confirmation or verification from the municipality; Written approval obtained from the municipality</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | |
| <p>Within 500 feet of a wetland.</p> <p>- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | |
| <p>Within the area overlying a subsurface mine.</p> <p>- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | |
| <p>Within an unstable area.</p> <p>- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | |
| <p>Within a 100-year floodplain.</p> <p>- FEMA map</p> | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | |

11.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- ☒ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☒ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☒ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12.

Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
- ☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____

☐ Previously Approved Operating and Maintenance Plan API Number: _____ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Climatological Factors Assessment
- ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Quality Control/Quality Assurance Construction and Installation Plan
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
- ☐ Emergency Response Plan
- ☐ Oil Field Waste Stream Characterization
- ☐ Monitoring and Inspection Plan
- ☐ Erosion Control Plan
- ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14.

Proposed Closure: 19.15.17.13 NMAC**Instructions:** Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☒ Below-grade Tank ☐ Closed-loop System

☐ Alternative

Proposed Closure Method: ☒ Waste Excavation and Removal

☐ Waste Removal (Closed-loop systems only)

☐ On-site Closure Method (Only for temporary pits and closed-loop systems)

☐ In-place Burial ☐ On-site Trench Burial

☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)

Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please provide the information below) ☐ No

Required for impacted areas which will not be used for future service and operations:

☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No

☐ NA

Ground water is between 50 and 100 feet below the bottom of the buried waste

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No

☐ NA

Ground water is more than 100 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No

☐ NA

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☐ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☐ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☐ No

Within a 100-year floodplain.

- FEMA map

☐ Yes ☐ No

18.

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC

☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC

☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19.

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): Deborah K Powell

Title: Engineering Tech Supervisor

Signature: Deborah K PowellDate: 9-10-08

e-mail address: DebbyP@McElvain.com

Telephone: 303-893-0933

20.

OCD Approval: ☒ Permit Application (including closure plan) ☐ Closure Plan (only) ☒ OCD Conditions (see attachment)

OCD Representative Signature: John D. KellyApproval Date: 4/25/2012

Title: Deputy Oil & Gas Inspector,
District #3

OCD Permit Number: _____

21.

Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☐ Closure Completion Date: _____

22.

Closure Method:

☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain.

23.

Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:

Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____

Disposal Facility Permit Number: _____

Disposal Facility Name: _____

Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:

- ☐ Site Reclamation (Photo Documentation)
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique

24.

Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Proof of Closure Notice (surface owner and division)
☐ Proof of Deed Notice (required for on-site closure)
☐ Plot Plan (for on-site closures and temporary pits)
☐ Confirmation Sampling Analytical Results (if applicable)
☐ Waste Material Sampling Analytical Results (required for on-site closure)
☐ Disposal Facility Name and Permit Number
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique
☐ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude _____ Longitude _____ NAD: ☐ 1927 ☐ 1983

25.

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): _____

Title: _____

Signature: _____

Date: _____

e-mail address: _____

Telephone: _____

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102
Supersedes C-128
Effective 1-1-71

All distances must be from the outer boundaries of the Section.

| | | | | | |
|---|--------------------------------------|-----------------------------|--------------------------------|---|------------------------|
| Operator CURTIS LITTLE | | | Lease FEDERAL (Com.) | | Well No. 2-R |
| Unit Letter L | Section 12 | Township 28 NORTH | Range 13 WEST | County SAN JUAN | |
| Actual Footage Location of Well: 1085 feet from the SOUTH line and 285 feet from the WEST line | | | | | |
| Ground Level Elev. 5636 | Producing Formation Dakota | | Pool Basin Dakota | Dedicated Acreage: 344.28 Acres | |

- Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
- If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
- If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☒ Yes ☐ No If answer is "yes," type of consolidation communitization

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.

CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Curtis J. Little
Name

CURTIS J. LITTLE

Position
Operator.

Company
Curtis J. Little

Date
December 14, 1978


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed
13 December 1978

Registered Professional Engineer and Surveyor

James P. Leese
James P. Leese

Certificate No. **1463**



**New Mexico Office of the State Engineer
POD Reports and Downloads**

Township: 28N Range: 13W Sections: 1,2,11,12,13,14

NAD27 X: Y: Zone: ☐ Search Radius:

County: ☐ Basin: SJ(San Juan) ☐ Number: Suffix:

Owner Name: (First) (Last) ☒ Non-Domestic ☐ Domestic ☒ All

WATER COLUMN REPORT 08/25/2008

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are biggest to smallest)

| POD Number | Tws | Rng | Sec | q | q | q | Zone | X | Y | Depth Well | Depth Water | Water (in Column |
|------------|-----|-----|-----|---|---|---|------|---|---|---------------|----------------|---------------------|
|------------|-----|-----|-----|---|---|---|------|---|---|---------------|----------------|---------------------|

No Records found, try again

**New Mexico Office of the State Engineer
POD Reports and Downloads**

Township: 28N Range: 12W Sections: 6,7,18

NAD27 X: Y: Zone: Search Radius:

County: Basin: SJ(San Juan) Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

WATER COLUMN REPORT 08/25/2008

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are biggest to smallest)

| POD Number | Tws | Rng | Sec | q | q | q | Zone | X | Y | Depth Well | Depth Water | Water (in Column |
|------------|-----|-----|-----|---|---|---|------|---|---|---------------|----------------|---------------------|
|------------|-----|-----|-----|---|---|---|------|---|---|---------------|----------------|---------------------|

No Records found, try again

New Mexico Office of the State Engineer
POD Reports and Downloads

Township: Range: Sections:

NAD27 X: Y: Zone: ☐ Search Radius:

County: ☐ Basin: ☐ Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

WATER COLUMN REPORT 09/08/2008

(quarters are 1=NW 2=NE 3=SW 4=SE)
 (quarters are biggest to smallest)

| POD Number | Tws | Rng | Sec | q | q | q | Zone | X | Y | Depth Well | Depth Water | Water Column | Water (in feet) |
|--------------|-----|-----|-----|---|---|---|------|---|---|------------|-------------|--------------|-----------------|
| RG 23097 | 29N | 13W | 19 | 1 | 2 | 2 | | | | 100 | 30 | 70 | |
| RG 14227 | 29N | 13W | 29 | | | | C | | | 65 | 6 | 59 | |
| SJ 00344 | 29N | 13W | 01 | 3 | 1 | | | | | 75 | 40 | 35 | |
| SJ 00168 | 29N | 13W | 01 | 3 | 1 | | | | | 50 | 19 | 31 | |
| SJ 01363 | 29N | 13W | 01 | 3 | 1 | | | | | 85 | 34 | 51 | |
| SJ 02484 | 29N | 13W | 01 | 3 | 3 | 1 | | | | 40 | | | |
| SJ 02260 S | 29N | 13W | 01 | 3 | 4 | | | | | 10 | | | |
| SJ 02260 S-2 | 29N | 13W | 01 | 3 | 4 | | | | | 26 | | | |
| SJ 02260 | 29N | 13W | 01 | 3 | 4 | | | | | 25 | | | |
| SJ 03427 | 29N | 13W | 01 | 4 | 1 | 4 | | | | 60 | | | |
| SJ 03333 | 29N | 13W | 01 | 4 | 2 | 1 | | | | 48 | 18 | 30 | |
| SJ 03272 | 29N | 13W | 02 | 1 | 3 | 3 | | | | 140 | 35 | 105 | |
| SJ 03273 | 29N | 13W | 02 | 3 | 2 | 1 | | | | 120 | 20 | 100 | |
| SJ 03288 | 29N | 13W | 02 | 3 | 4 | 1 | | | | 120 | 90 | 30 | |
| SJ 02412 | 29N | 13W | 02 | 4 | 2 | | | | | 48 | 28 | 20 | |
| SJ 02751 | 29N | 13W | 02 | 4 | 2 | 4 | | | | 58 | 17 | 41 | |
| SJ 02750 | 29N | 13W | 02 | 4 | 2 | 4 | | | | 59 | 18 | 41 | |
| SJ 02281 | 29N | 13W | 02 | 4 | 3 | 4 | | | | 59 | 30 | 29 | |
| SJ 02328 | 29N | 13W | 04 | 3 | 3 | | | | | 40 | 10 | 30 | |
| SJ 02730 | 29N | 13W | 04 | 3 | 3 | 3 | | | | 40 | 16 | 24 | |
| SJ 02912 | 29N | 13W | 04 | 3 | 3 | 3 | | | | 50 | | | |
| SJ 02899 | 29N | 13W | 04 | 3 | 3 | 3 | | | | 45 | | | |
| SJ 03203 | 29N | 13W | 05 | 2 | 4 | 4 | | | | 59 | 20 | 39 | |
| SJ 03234 | 29N | 13W | 05 | 4 | 2 | 4 | | | | 60 | 20 | 40 | |
| SJ 02728 | 29N | 13W | 05 | 4 | 2 | 4 | | | | 52 | 12 | 40 | |
| SJ 01444 | 29N | 13W | 05 | 4 | 4 | 2 | | | | 55 | 10 | 45 | |
| SJ 02931 | 29N | 13W | 06 | 4 | 3 | 2 | | | | 50 | 12 | 38 | |
| SJ 02134 | 29N | 13W | 08 | 2 | 2 | | | | | 33 | 4 | 29 | |
| SJ 03346 | 29N | 13W | 08 | 4 | 3 | 4 | | | | 80 | 30 | 50 | |
| SJ 01333 | 29N | 13W | 09 | 1 | 1 | | | | | 38 | 20 | 18 | |
| SJ 01487 | 29N | 13W | 09 | 1 | 1 | | | | | 26 | 10 | 16 | |
| SJ 01038 | 29N | 13W | 09 | 1 | 1 | | | | | 42 | 10 | 32 | |
| SJ 01556 | 29N | 13W | 09 | 1 | 1 | 3 | | | | 27 | 10 | 17 | |
| SJ 03457 | 29N | 13W | 09 | 1 | 1 | 3 | | | | 29 | 9 | 20 | |
| SJ 02594 | 29N | 13W | 09 | 1 | 1 | 4 | | | | 44 | 17 | 27 | |
| SJ 02386 | 29N | 13W | 09 | 1 | 1 | 4 | | | | 30 | 10 | 20 | |

| | | | | |
|---------------------------|------------------|-----|----|-----|
| <u>SJ 01779</u> | 29N 13W 09 1 4 | 31 | 11 | 20 |
| <u>SJ 00512</u> | 29N 13W 09 1 4 1 | 41 | 15 | 26 |
| <u>SJ 02209</u> | 29N 13W 09 1 4 1 | | | |
| <u>SJ 00957</u> | 29N 13W 09 4 3 | 74 | 20 | 54 |
| <u>SJ 00894</u> | 29N 13W 09 4 3 1 | 30 | 15 | 15 |
| <u>SJ 02712</u> | 29N 13W 09 4 3 3 | 90 | 50 | 40 |
| <u>SJ 02367</u> | 29N 13W 09 4 3 4 | 50 | 20 | 30 |
| <u>SJ 02052</u> | 29N 13W 10 | 68 | 22 | 46 |
| <u>SJ 00775</u> | 29N 13W 10 2 1 4 | 36 | 14 | 22 |
| <u>SJ 01271</u> | 29N 13W 10 2 2 4 | 60 | 30 | 30 |
| <u>SJ 03404</u> | 29N 13W 10 2 3 4 | 42 | 22 | 20 |
| <u>SJ 01317</u> | 29N 13W 10 2 4 2 | 50 | 23 | 27 |
| <u>SJ 00852</u> | 29N 13W 10 2 4 2 | 50 | 24 | 26 |
| <u>SJ 00314 X</u> | 29N 13W 10 2 4 2 | 58 | 38 | 20 |
| <u>SJ 01402</u> | 29N 13W 10 3 2 | 25 | 15 | 10 |
| <u>SJ 03311</u> | 29N 13W 10 3 2 1 | 42 | 20 | 22 |
| <u>SJ 03314</u> | 29N 13W 10 3 2 3 | 32 | 18 | 14 |
| <u>SJ 02935</u> | 29N 13W 10 3 2 4 | 100 | 10 | 90 |
| <u>SJ 03578</u> | 29N 13W 10 3 3 1 | 240 | 23 | 217 |
| <u>SJ 03297</u> | 29N 13W 10 3 3 2 | 29 | 9 | 20 |
| <u>SJ 00720</u> | 29N 13W 10 3 3 3 | 29 | 15 | 14 |
| <u>SJ 03332</u> | 29N 13W 10 4 2 3 | 60 | | |
| <u>SJ 00776</u> | 29N 13W 10 4 4 | 25 | 10 | 15 |
| <u>SJ 02417</u> | 29N 13W 11 1 3 1 | 37 | 20 | 17 |
| <u>SJ 00955</u> | 29N 13W 11 1 4 | 59 | 30 | 29 |
| <u>SJ 02333</u> | 29N 13W 11 2 2 1 | 40 | 10 | 30 |
| <u>SJ 02136</u> | 29N 13W 11 2 2 2 | 50 | 20 | 30 |
| <u>SJ 01951</u> | 29N 13W 11 2 3 | 39 | 39 | |
| <u>SJ 02001</u> | 29N 13W 11 2 3 | 20 | 10 | 10 |
| <u>SJ 00758</u> | 29N 13W 11 2 3 | 35 | 15 | 20 |
| <u>SJ 00310</u> | 29N 13W 11 2 3 1 | 45 | 11 | 34 |
| <u>SJ 00301</u> | 29N 13W 11 3 | | 20 | |
| <u>SJ 02795</u> | 29N 13W 11 4 4 1 | 180 | | |
| <u>SJ 00716</u> | 29N 13W 14 1 | 30 | 12 | 18 |
| <u>SJ 02307</u> | 29N 13W 14 1 | 15 | 5 | 10 |
| <u>SJ 03097</u> | 29N 13W 14 1 1 3 | 18 | 6 | 12 |
| <u>SJ 02709</u> | 29N 13W 14 1 3 | 28 | 10 | 18 |
| <u>SJ 03625</u> | 29N 13W 14 1 4 1 | 27 | 6 | 21 |
| <u>SJ 01970</u> | 29N 13W 14 1 4 2 | 32 | 30 | 2 |
| <u>SJ 02024 EXPLOR-18</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-16</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-22</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-10</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-15</u> | 29N 13W 14 2 1 1 | 14 | 4 | 10 |
| <u>SJ 02024 EXPLOR-21</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-23</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-3</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-6</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-17</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-14</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-25</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-13</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-20</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-2</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-9</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-11</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-19</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-5</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-7</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-1</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-8</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-12</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |
| <u>SJ 02024 EXPLOR-4</u> | 29N 13W 14 2 1 1 | 12 | 4 | 8 |


| | | | | | | |
|---------------------------|------------------|--------|---------|-----|----|----|
| <u>SJ 02024 EXPLOR-24</u> | 29N 13W 14 2 1 1 | | | 12 | 4 | 8 |
| <u>SJ 01635</u> | 29N 13W 14 2 4 | | | 35 | 9 | 26 |
| <u>SJ 00176</u> | 29N 13W 14 3 1 3 | | | 35 | 10 | 25 |
| <u>SJ 03036</u> | 29N 13W 15 1 2 1 | | | 50 | | |
| <u>SJ 00030</u> | 29N 13W 15 3 | | | 29 | | |
| <u>SJ 00031</u> | 29N 13W 15 3 | | | 75 | | |
| <u>SJ 02297</u> | 29N 13W 15 3 2 2 | | | 8 | 4 | 4 |
| <u>SJ 03035</u> | 29N 13W 15 3 4 2 | | | 38 | 25 | 13 |
| <u>SJ 02602</u> | 29N 13W 16 1 3 2 | | | 38 | 24 | 14 |
| <u>SJ 00453</u> | 29N 13W 16 3 4 | | | 44 | 35 | 9 |
| <u>SJ 01443</u> | 29N 13W 16 3 4 4 | | | 40 | 21 | 19 |
| <u>SJ 03709 POD1</u> | 29N 13W 17 2 3 1 | | | 30 | 8 | 22 |
| <u>SJ 02938</u> | 29N 13W 17 4 3 2 | | | 80 | 20 | 60 |
| <u>SJ 02635</u> | 29N 13W 18 2 3 1 | | | 23 | 11 | 12 |
| <u>SJ 03817 POD1</u> | 29N 13W 21 1 4 3 | 261218 | 2079099 | 13 | 5 | 8 |
| <u>SJ 00167</u> | 29N 13W 21 2 1 | | | 31 | 6 | 25 |
| <u>SJ 01689</u> | 29N 13W 21 2 2 | | | 39 | 20 | 19 |
| <u>SJ 00737</u> | 29N 13W 21 4 2 2 | | | 20 | 7 | 13 |
| <u>SJ 03040</u> | 29N 13W 22 1 1 1 | | | 100 | | |
| <u>SJ 03814 POD1</u> | 29N 13W 22 1 1 1 | 261533 | 2080965 | 30 | 15 | 15 |
| <u>SJ 02097</u> | 29N 13W 22 1 2 | | | 48 | 28 | 20 |
| <u>SJ 02710</u> | 29N 13W 22 1 2 1 | | | 40 | 12 | 28 |
| <u>SJ 02892</u> | 29N 13W 22 1 2 3 | | | 39 | 19 | 20 |
| <u>SJ 02810</u> | 29N 13W 22 1 2 3 | | | 36 | 12 | 24 |
| <u>SJ 00891</u> | 29N 13W 22 1 3 4 | | | 33 | 10 | 23 |
| <u>SJ 01765</u> | 29N 13W 22 1 4 | | | 39 | 19 | 20 |
| <u>SJ 02174</u> | 29N 13W 22 1 4 | | | 36 | 19 | 17 |
| <u>SJ 00188</u> | 29N 13W 22 2 1 | | | 52 | 27 | 25 |
| <u>SJ 00784</u> | 29N 13W 22 2 1 | | | 43 | 21 | 22 |
| <u>SJ 01673</u> | 29N 13W 22 2 2 | | | 46 | 35 | 11 |
| <u>SJ 03547</u> | 29N 13W 22 2 3 4 | | | 42 | 20 | 22 |
| <u>SJ 01868</u> | 29N 13W 22 2 4 | | | 32 | 14 | 18 |
| <u>SJ 02334</u> | 29N 13W 22 2 4 1 | | | 40 | 20 | 20 |
| <u>SJ 02179</u> | 29N 13W 22 3 | | | 34 | 18 | 16 |
| <u>SJ 00535</u> | 29N 13W 22 3 1 1 | | | 35 | 15 | 20 |
| <u>SJ 00719</u> | 29N 13W 22 3 1 1 | | | 23 | 8 | 15 |
| <u>SJ 00757</u> | 29N 13W 22 3 1 2 | | | 32 | 15 | 17 |
| <u>SJ 00724 CLW225914</u> | 29N 13W 22 3 1 3 | | | 28 | 16 | 12 |
| <u>SJ 00725</u> | 29N 13W 22 3 1 3 | | | 26 | 15 | 11 |
| <u>SJ 00724</u> | 29N 13W 22 3 1 3 | | | 35 | 17 | 18 |
| <u>SJ 01151</u> | 29N 13W 22 3 1 4 | | | 32 | 15 | 17 |
| <u>SJ 02825</u> | 29N 13W 22 3 1 4 | | | 35 | 15 | 20 |
| <u>SJ 03100</u> | 29N 13W 22 3 1 4 | | | 50 | | |
| <u>SJ 02053</u> | 29N 13W 22 3 1 4 | | | 22 | 13 | 9 |
| <u>SJ 02004</u> | 29N 13W 22 3 1 4 | | | 24 | 13 | 11 |
| <u>SJ 01525</u> | 29N 13W 22 3 1 4 | | | 35 | 10 | 25 |
| <u>SJ 01825</u> | 29N 13W 22 3 4 | | | 25 | 12 | 13 |
| <u>SJ 00972</u> | 29N 13W 22 3 4 | | | 35 | 12 | 23 |
| <u>SJ 00588 S-3</u> | 29N 13W 22 4 4 2 | | | 21 | 7 | 14 |
| <u>SJ 01562</u> | 29N 13W 23 1 | | | 38 | 6 | 32 |
| <u>SJ 03294</u> | 29N 13W 23 2 1 2 | | | 60 | 30 | 30 |
| <u>SJ 03295</u> | 29N 13W 23 2 1 4 | | | 50 | 10 | 40 |
| <u>SJ 00352</u> | 29N 13W 23 2 2 | | | 62 | 30 | 32 |
| <u>SJ 01376</u> | 29N 13W 23 2 2 | | | 15 | 15 | |
| <u>SJ 00588 S</u> | 29N 13W 23 3 3 1 | | | 21 | 6 | 15 |
| <u>SJ 00588 S-2</u> | 29N 13W 23 3 3 1 | | | 23 | 7 | 16 |
| <u>SJ 01087</u> | 29N 13W 24 1 1 1 | | | 52 | 32 | 20 |
| <u>SJ 01665</u> | 29N 13W 25 2 3 3 | | | 146 | 75 | 71 |
| <u>SJ 01371</u> | 29N 13W 29 4 | | | 345 | | |

Record Count: 158

San Juan Mines, Mills And Quarries Web Map


Mines, Mills & Quarries Commodity Groups

-  Aggregate & Stone Mines
-  Coal Mines
-  Industrial Minerals Mines
-  Industrial Minerals Mills
-  Metal Mines and Mill Concentrate
-  Potash Mines & Refineries
-  Smelters & Refinery Ops.
-  Uranium Mines




SCALE 1 : 1,065,032





1:24,000




NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

SAN JUAN COUNTY,
NEW MEXICO
UNINCORPORATED AREAS

PANEL 515 OF 1450
(SEE MAP INDEX FOR PANELS NOT PRINTED)




PANEL LOCATION

COMMUNITY-PANEL NUMBER
350064 0515 B


EFFECTIVE DATE:
AUGUST 4, 1988





Federal Emergency Management Agency



1:12,000




Legend


-  McElvain Well & 200' Radius
-  McElvain Well & 300' Radius
-  McElvain Well & 500' Radius

Source: USGS 1:24,000 Scale
Topographic Map Series



San Juan Basin
New Mexico
Township 28N 13W
Section 12



1:6,000






Legend

-  McElvain Well & 300' Radius
-  McElvain Well & 1000' Radius

Aerial Source: NM Resource Geographic Information System
Program made available by the University of New Mexico
and the State of New Mexico 2005-2006 vintage Digital
Orthophoto Quarter-Quadrangles were derived from
the New Mexico Statewide Orthophotography Project.
Source imagery flown at 35,000' above average ground.

San Juan Basin
New Mexico
Township 28N 13W
Section 12



| |
|---|
|  <i>McElvain Oil & Gas Properties, Inc.</i> |
| 13' X 2.5' 60 BBL Single wall double bottom Steel Pit Tank with leak detection and closed top |
| 9-4-2008 |

Federal CDM #2R

Siting Criteria Compliance Demonstrations

Federal Com #2R well is not located in an unstable area. The location is not over a mine and is not on the side of a hill. The location of the excavated pit material is not located within 300' of any continuously flowing watercourse or 200' from any other water course.

McElvain Oil & Gas Properties, Inc.
San Juan Basin
Below Grade Tank Design and Construction

In accordance with Rule 19.15.17 NMAC the following describes the as-built construction of the Below Grade Tank on the McElvain Oil & Gas Properties, Inc (MOG) Federal Com #2R well located in the SWSW of Sec 12, T28N, 13W.

As-built Installation:

1. The existing tank pit consists of an approximate 15 foot by 15 foot earth walled hole into which a 13 foot by 2.5 foot single walled, steel, 60 bbl tank is installed.
2. The tank walls are open for visual inspection to identify the occurrence of leaks.
3. There is a wire mesh covering on the top of the below grade tank.
4. The tank pit is surrounded by a 30ft X 30ft X 2ft berm that is contained within a 50 ft X 140 ft berm that encloses the tank battery to prevent overflow or surface water run-on.
5. A general location sign is displayed on site.
6. The pit tank is fenced with 4 foot field fence.

McElvain Oil & Gas Properties, Inc.
San Juan Basin
Below Grade Tank Maintenance and Operating Plan

In accordance with Rule 19.15.17 NMAC the following describes the below grade tank operation and maintenance plan for the McElvain Oil & Gas Properties, Inc (MOG) on the Federal Com #2R well located in the SWSW of Sec 12, T28N, 13W.

General Plan:

1. MOG shall operate and maintain the below grade tank to contain liquids and solids and prevent contamination of fresh water to protect the public health and environment.
2. MOG shall not allow a below grade tank to overflow or allow surface water run-on to enter the below grade tank.
3. MOG shall continuously remove any visible or measurable layer of oil from the fluid surface of a below grade tank in an effort to prevent significant accumulation of oil over time.
4. MOG shall inspect the below grade tank monthly and maintain a written record of each inspection for five years.
5. MOG shall maintain adequate freeboard to prevent overtopping of the below grade tank.

McElvain Oil & Gas Properties, Inc.
San Juan Basin
Closure Plan

In accordance with Rule 19.15.17.1 NMAC the following procedure describes the closure plan for the McElvain Oil & Gas Properties, Inc (MOG) below grade tank on the Federal Com #2R well located in the SWSW of Sec 12, T28N, 13W.

Closure Requirements:

1. MOG shall close the below grade tank within the time periods provided in 19.15.17.13 NMAC or by an earlier date that the division requires because of imminent danger to fresh water, public health, or the environment.
2. MOG shall close an existing below grade tank that does not meet the requirements of Paragraph (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008 if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.
3. MOG shall close a permitted below grade tank within 60 days of cessation of the below ground tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on C-144.
4. All liquids will be removed from the temporary permit prior to closure and the liquids disposed of in a division approved facility.
5. MOG shall remove the below grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.
6. MOG will remove any on-site equipment associated with the below grade tank unless the equipment is required for some other purpose.
7. MOG shall test the soils beneath the below grade tank to determine whether a release has occurred. MOG shall collect a five point composite sample and individual grab samples from any area that is wet, discolored, or showing other evidence of a release. The samples will be analyzed for BTEX, TPH, and chlorides to demonstrate that the benzene concentration as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration as determined by EPA method 418.1 or other EPA method that the division approves does not exceed 100 mg/kg; and the chloride concentration as determined by EPA

method 300.1 or other EPA method that the division approves does not exceed 250 mg/kg or the background concentration, whichever is greater. MOG shall notify the division of its results on form C-141.

8. If MOG or the division determines that a release has occurred, then MOG shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC as appropriate.
9. If contamination is confirmed by field sampling. MOG will follow the Guidelines For Remediation Of Leaks, Spills, and Releases NMOCD August 1993 when remediating identified contaminants.
10. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, then MOG shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; re-contour, and re-vegetate the site.
11. Notice of closure will be given to the Aztec Division office between 72 hours and one week of closure via email or verbally. The notification of closure will include the following:
 - Operator's name
 - Location by Unit Letter, Section Township, and Range.
 - Well name and API number
12. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the blow grade tank. The closure report will be filed on C-144 and incorporate the following:
 - Details on capping and covering where applicable
 - Inspection reports
 - Sampling results
13. The site will be re-contoured to match the surrounding area. Natural drainages will be unimpeded and erosion control will be utilized where necessary.
14. MOG shall seed the disturbed areas the first growing season with a division approved seed mixture after pit closure. Seeding will be accomplished by drilling on the contour whenever possible or by other division approved methods. Repeat seeding or planting will be continued until successful vegetative growth occurs.
15. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the thickness of the topsoil native to the area , whichever is greater.

16. The surface owner shall be notified of MOG's closing of the below grade tank as per the approved closure plan using certified mail with return receipt requested.

BGT Closure Sampling Required by NMOCD

| Components | Method | Limit |
|------------|---------------------------|-----------|
| Benzene | EPA SW-846 8021B or 8260B | 0.2 mg/Kg |
| BTEX | EPA SW-846 8021B or 8260B | 50 mg/Kg |
| TPH | EPA SW-846 418.1 | 100 mg/Kg |
| Chlorides | EPA 300.1 | 250 mg/Kg |