State of New Mexico **Energy Minerals and Natural Resources** Form C-144 July 21, 2008

District II

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District 1V

Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

991	
ayı '	

Volume

Liner Type

District IV 1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
	System, Below-Grade Tank, or
Proposed Alternative N	Method Permit or Closure Plan Application
Type of action: Permit of a pit, clos	ed-loop system, below-grade tank, or proposed alternative method
	sed-loop system, below-grade tank, or proposed alternative method
Modification to an	
Closure plan only s	ubmitted for an existing permitted or non-permitted pit, closed-loop system,
	or proposed alternative method
	per individual pit, closed-loop system, below-grade tank or alternative request
**	e operator of hability should operations result in pollution of surface water, ground water or the tility to comply with any other applicable governmental authority's rules, regulations or ordinances
1	
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: Huerfano Unit 190	000 0
API Number: 30-045-20419	OCD Permit Number
U/L or Qtr/Qtr: B(NW/NE) Section: 1 Township:	
Center of Proposed Design: Latitude: 36.4346 Surface Owner: X Federal State Pri	oN Longitude: 107.84433 oW NAD: X 1927 1983 wate Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC	RCVD MAY 1 '12
Temporary Drilling Workover	OIL CONS. DIV.
Permanent Emergency Cavitation P&A	DIST. 3
Lined Unlined Liner type Thickness	mil LLDPE HDPE PVC Other
String-Reinforced	
Liner Seams Welded Factory Other	Volumebbl Dimensions Lx Wx D
Gland Lan Sustant Subsection H of 10 15 17 11 NIMA	
X Closed-loop System: Subsection H of 19 15.17 11 NMA Type of Operation P&A Drilling a new well X	Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad X Above Ground Steel Tanks Hau	I-off Bins Other
Lined Unlined Liner type Thickness	mil LLDPE HDPE PVD Other
Liner Seams Welded Factory Other	
4	
Below-grade tank: Subsection I of 19 15 17 11 NMAC	

5	<u>Alternative</u>	Method:

Form C-144

Tank Construction material

Secondary containment with leak detection

Thickness

Visible sidewalls and liner

bbl

mil

Type of fluid

Visible sidewalls only

HDPE

Oil Conservation Division

Other

PVC

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

Othér

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify			
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐ Yes ☐ NA	No	
 Visual inspection (certification) of the proposed site; Aerial photo, Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) Visual inspection (certification) of the proposed site, Aerial photo, Satellite image 	☐Yes ☐NA	No	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No	
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No	
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site 	Yes	No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No	
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map 	Yes	No	
Within a 100-year floodplain - FEMA map	Yes	□No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC	
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of	
19.15.17 9 NMAC and 19.15 17 13 NMAC	
Previously Approved Design (attach copy of design) APIor Permit	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions. Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9	
NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API	
Previously Approved Operating and Maintenance Plan API	
13	
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17 9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC ☐ Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC	
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15 17.13 NMAC	
14	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System	
Alternative	
Proposed Closure Method Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
On-site Closure Method (only for temporary pits and closed-loop systems)	
☐ In-place Burial ☐ On-site Trench	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.	
Please indicate, by a check mark in the box, that the documents are attached.	
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Bookfall and Court Positions - besid upon the appropriate requirements of Subsection H of 19.15.17.13 NIMAC	
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	
J. Site Accidentation Figure Dasca upon the appropriate requirements of Subsection O of 17.13.17.13 Market	

Form C-144 Oil Conservation Division Page 3 of 5

Wasta Ramayal Clasura For Clasad Joan Systems That Utiliza Abova Cround Steel Tanks on Haul off Dire Only (10.15.17.12 D.NIMAC)		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two	9	
facilities are required		
Disposal Facility Name Disposal Facility Permit #		
Disposal Facility Name Disposal Facility Permit #	 ,	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future Yes (If yes, please provide the information No	service and	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NM	AC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC	AC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC		
17		
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC		
Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided		
certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance	o ine Sania re Environmeniai bureau	
Ground water is less than 50 feet below the bottom of the buried waste	Yes No	
- NM Office of the State Engineer - 1WATERS database search, USGS Data obtained from nearby wells	N/A	
Ground water is between 50 and 100 feet below the bottom of the burjed waste		
- NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells		
Current sustance many their 100 feet heles, the heterory falls have a		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No	
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No	
Visual inspection (certification) of the proposed site, Aeriai photo, sateline image	☐Yes ☐No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering		
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No	
- Written confirmation or verification from the municipality, Written approval obtained from the municipality		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within the area overlying a subsurface mine	∏Yes ∏No	
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division		
Within an unstable area	Yes No	
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society, Topographic map		
Within a 100-year floodplain	☐Yes ☐No	
- FEMA map		
18		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the clos by a check mark in the box, that the documents are attached.	ure plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17.11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC		

Form C-144 Oil Conservation Division

19
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print) Title
Signature Date
e-mail address. Telephone
C main address.
OCD Approval: Permit Application (including closure plan) Cosure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 5/01/2007 Title: OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: 4/4/2012
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number. NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number. NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Salal Taloga Date. 5/1/2
e-mail address crystal tafoya@conocophillips com Telephone (505) 326-9837