

RCVD MAY 15 '12

OIL CONS. DIV.

DIST. 3

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 7 Copies

Fee Lease - 3 Copies

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

AS DRILLED PLAT☐ AMENDED REPORT**WELL LOCATION AND ACREAGE DEDICATION PLAT**

¹ API Number 30/039/31028	² Pool Code 72319 / 71599	³ Pool Name BLANCO MESAVERDE / BASIN DAKOTA
⁴ Property Code 7452	⁵ Property Name SAN JUAN 27-4 UNIT	⁶ Well Number 135B
⁷ GRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	⁹ Elevation 7275

¹⁰ SURFACE LOCATION

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	36	27-N	4-W		1947	NORTH	1538	EAST	RIO ARRIBA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	36	27-N	4-W		1877'	NORTH	701'	EAST	RIO ARRIBA

¹² Dedicated Acres 320.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN
CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶ S 89°14'55" W WELL FLAG NAD 83 LAT: 36.531799° N LONG: 107.199245° W NAD 27 LAT: 36°31.907306' N LONG: 107°11.918905' W		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a compulsory pooling agreement or a compulsory pooling order heretofore entered by the division. Signature Marie E. Jaramillo Printed Name Staff Regulatory Tech 5/14/12 Title and E-mail Address Date		
			¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: 6/2/09 Signature and Seal of Professional Surveyor: Certificate Number: NM 11393	
				E/2 DEDICATED ACREAGE USA SF-079527 SECTION 36, T-27-N, R-4-W

A



COP Deviation Report
SAN JUAN 27-4 UNIT #135B

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 27-4 UNIT #135B	API / UWI 3003931028	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 036-027N-004W-G	N/S Dist (ft) 1,947.00	N/S Ref FNL	E/W Dist (ft) 1,538.00	E/W Ref FEL

Survey Data					
Date	MD (ftKB)	Incl. (°)	Azm (°)	Method	Survey Company
7/25/2011	130.00	0.75	0.00	Inc-WL	MOTE
7/25/2011	235.00	0.75	0.00	Inc-WL	MOTE
9/7/2011	270.00	1.02	209.02	IncAzi-MWD	Scientific Drilling
9/7/2011	330.00	1.14	217.73	IncAzi-MWD	Scientific Drilling
9/7/2011	392.00	1.22	217.51	IncAzi-MWD	Scientific Drilling
9/7/2011	454.00	0.78	198.38	IncAzi-MWD	Scientific Drilling
9/7/2011	515.00	0.80	116.72	IncAzi-MWD	Scientific Drilling
9/7/2011	577.00	1.24	78.65	IncAzi-MWD	Scientific Drilling
9/7/2011	639.00	1.28	72.83	IncAzi-MWD	Scientific Drilling
9/7/2011	700.00	1.40	78.13	IncAzi-MWD	Scientific Drilling
9/7/2011	762.00	1.19	101.74	IncAzi-MWD	Scientific Drilling
9/7/2011	824.00	1.26	119.43	IncAzi-MWD	Scientific Drilling
9/7/2011	885.00	1.33	117.90	IncAzi-MWD	Scientific Drilling
9/8/2011	950.00	1.25	114.79	IncAzi-MWD	Scientific Drilling
9/8/2011	1,013.00	1.19	116.65	IncAzi-MWD	Scientific Drilling
9/8/2011	1,077.00	1.07	119.78	IncAzi-MWD	Scientific Drilling
9/8/2011	1,140.00	1.40	85.28	IncAzi-MWD	Scientific Drilling
9/8/2011	1,204.00	2.56	70.76	IncAzi-MWD	Scientific Drilling
9/8/2011	1,267.00	3.90	72.43	IncAzi-MWD	Scientific Drilling
9/8/2011	1,331.00	5.17	75.74	IncAzi-MWD	Scientific Drilling
9/8/2011	1,394.00	6.28	76.59	IncAzi-MWD	Scientific Drilling
9/8/2011	1,458.00	7.82	76.94	IncAzi-MWD	Scientific Drilling
9/8/2011	1,521.00	9.06	77.37	IncAzi-MWD	Scientific Drilling
9/8/2011	1,585.00	10.18	79.82	IncAzi-MWD	Scientific Drilling
9/8/2011	1,648.00	11.67	81.12	IncAzi-MWD	Scientific Drilling
9/8/2011	1,712.00	13.05	82.78	IncAzi-MWD	Scientific Drilling
9/8/2011	1,775.00	14.49	83.86	IncAzi-MWD	Scientific Drilling
9/8/2011	1,839.00	15.62	84.33	IncAzi-MWD	Scientific Drilling
9/8/2011	1,902.00	16.85	85.05	IncAzi-MWD	Scientific Drilling
9/8/2011	1,966.00	18.26	84.00	IncAzi-MWD	Scientific Drilling
9/8/2011	2,030.00	19.70	84.41	IncAzi-MWD	Scientific Drilling
9/8/2011	2,093.00	20.31	85.31	IncAzi-MWD	Scientific Drilling
9/8/2011	2,157.00	20.18	84.40	IncAzi-MWD	Scientific Drilling
9/8/2011	2,220.00	20.25	83.12	IncAzi-MWD	Scientific Drilling
9/8/2011	2,284.00	21.21	82.53	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

ROUE MAY 15 2012

OIL CONS. DIV.

DIST. 3

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

COP Deviation Report

SAN JUAN 27-4 UNIT #135B

Survey Data

Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
9/8/2011	2,347.00	22.76	83.43	IncAzi-MWD	Scientific Drilling
9/8/2011	2,411.00	23.05	85.17	IncAzi-MWD	Scientific Drilling
9/8/2011	2,474.00	23.50	85.35	IncAzi-MWD	Scientific Drilling
9/8/2011	2,538.00	23.45	84.40	IncAzi-MWD	Scientific Drilling
9/8/2011	2,602.00	23.27	84.32	IncAzi-MWD	Scientific Drilling
9/8/2011	2,665.00	23.20	84.36	IncAzi-MWD	Scientific Drilling
9/8/2011	2,729.00	23.31	86.09	IncAzi-MWD	Scientific Drilling
9/8/2011	2,792.00	22.91	86.23	IncAzi-MWD	Scientific Drilling
9/8/2011	2,856.00	22.50	85.87	IncAzi-MWD	Scientific Drilling
9/8/2011	2,919.00	21.74	85.60	IncAzi-MWD	Scientific Drilling
9/8/2011	2,983.00	21.40	85.52	IncAzi-MWD	Scientific Drilling
9/8/2011	3,046.00	20.96	85.89	IncAzi-MWD	Scientific Drilling
9/8/2011	3,110.00	20.91	85.80	IncAzi-MWD	Scientific Drilling
9/8/2011	3,173.00	19.98	85.17	IncAzi-MWD	Scientific Drilling
9/8/2011	3,237.00	20.07	84.57	IncAzi-MWD	Scientific Drilling
9/8/2011	3,300.00	20.11	84.09	IncAzi-MWD	Scientific Drilling
9/8/2011	3,364.00	20.26	83.65	IncAzi-MWD	Scientific Drilling
9/9/2011	3,428.00	19.30	84.64	IncAzi-MWD	Scientific Drilling
9/9/2011	3,491.00	17.30	87.48	IncAzi-MWD	Scientific Drilling
9/9/2011	3,555.00	16.35	88.54	IncAzi-MWD	Scientific Drilling
9/9/2011	3,618.00	15.05	87.72	IncAzi-MWD	Scientific Drilling
9/9/2011	3,682.00	13.80	87.67	IncAzi-MWD	Scientific Drilling
9/9/2011	3,745.00	12.73	88.06	IncAzi-MWD	Scientific Drilling
9/9/2011	3,809.00	12.17	89.80	IncAzi-MWD	Scientific Drilling
9/9/2011	3,873.00	11.33	91.16	IncAzi-MWD	Scientific Drilling
9/9/2011	3,936.00	9.76	90.87	IncAzi-MWD	Scientific Drilling
9/9/2011	4,000.00	7.50	88.99	IncAzi-MWD	Scientific Drilling
9/9/2011	4,063.00	5.52	86.87	IncAzi-MWD	Scientific Drilling
9/9/2011	4,127.00	4.18	85.52	IncAzi-MWD	Scientific Drilling
9/9/2011	4,190.00	3.07	69.51	IncAzi-MWD	Scientific Drilling
9/10/2011	4,254.00	3.11	65.52	IncAzi-MWD	Scientific Drilling
9/10/2011	4,351.00	2.97	67.32	IncAzi-MWD	Scientific Drilling
9/10/2011	4,404.00	2.89	68.30	IncAzi-MWD	Scientific Drilling
9/20/2011	4,978.00	1.00		Inc-MWD	Aztec Well Servicing Co Inc
9/20/2011	5,475.00	3.00		Inc-MWD	Aztec Well Servicing Co Inc
9/20/2011	5,963.00	3.00		Inc-MWD	Aztec Well Servicing Co Inc
9/20/2011	6,462.00	3.00		Inc-MWD	Aztec Well Servicing Co Inc
9/20/2011	6,803.00	2.00		Inc-MWD	Aztec Well Servicing Co Inc
9/20/2011	7,302.00	1.00		Inc-MWD	Aztec Well Servicing Co Inc

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data						
Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company	
9/21/2011	7,802.00	1.00		Inc-MWD	Aztec Well Servicing Co Inc	
9/22/2011	8,295.00	2.00		Inc-MWD	Aztec Well Servicing Co Inc	
9/22/2011	8,638.00	2.00		Inc-MWD	Aztec Well Servicing Co Inc	

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.



Subscribed and sworn to me this 5/14/12


Notary Public in and for San Juan County, New Mexico

My Commission expires 7/29/14



Scientific Drilling
Directional Drilling Operations

RCVD MAY 15 '12

OIL CONS. DIV.

DIST. 3

ConocoPhillips

SJB (NM Central)

SEC 36-T27N-R4W

SJ 27-4 #135B

Original Hole

API # 3003931028

Design: Original Hole


Standard Survey Report

19 September, 2011

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 19th of September, 2011.



Notary Signature
County of Natrona
State of Wyoming



ConocoPhillips



Project: SJB (NM Central)
Site: SEC 36-T27N-R4W
Well: SJ 27-4 #135B
Wellbore: Original Hole
Design: Original Hole



COMPANY DETAILS: ConocoPhillips
Calculation Method: Minimum Curvature
Error System: ISCWSA
Scan Method: Closest Approach 3D
Error Surface: Combined Covariances
Warning Method: Risk Ratio

PROJECT DETAILS: SJB (NM Central)
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico Central 3002
System Datum: Mean Sea Level

SITE DETAILS: SEC 36-T27N-R4W
Site Centre Latitude: 36° 31' 58.605 N
Longitude: 107° 12' 21.781 W
Positional Uncertainty: 7.5
Convergence: -0.57
Local North: True

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 27-4 #135B
Project:	SJB (NM Central)	TVD Reference:	AWS 673 @ 7290.0ft (15' DF + 7275' GL)
Site:	SEC 36-T27N-R4W	MD Reference:	AWS 673 @ 7290.0ft (15' DF + 7275' GL)
Well:	SJ 27-4 #135B	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Project	SJB (NM Central), New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		Using Well Reference Point
Map Zone:	New Mexico Central 3002		Using geodetic scale factor

Site	SEC 36-T27N-R4W		
Site Position:	Lat/Long	Northing:	2,014,602.04 ft
From:		Easting:	219,121.42 ft
Position Uncertainty:	15.0 ft	Slot Radius:	6-1/8"
		Latitude:	36° 31' 58.605 N
		Longitude:	107° 12' 21.781 W
		Grid Convergence:	-0.57 °

Well	SJ 27-4 #135B, S-Type MV/DK Well		
Well Position	+N/-S	0.0 ft	Northing:
	+E/-W	0.0 ft	Easting:
Position Uncertainty	3.5 ft	Wellhead Elevation:	ft
		Latitude:	36° 31' 54.438 N
		Longitude:	107° 11' 55.134 W
		Ground Level:	7,275.0 ft

Wellbore	Original Hole		
Magnetics	Model Name	Sample Date	Declination
	BGGM2011	8/4/2011	9.62
			Dip Angle
			63.39
			Field Strength
			50,650

Design	Original Hole		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(ft)	(ft)	(ft)
	0.0	0.0	0.0
			Direction
			(°)
			85.20

Survey Program	Date 9/19/2011		
From	To	Survey (Wellbore)	Tool Name
(ft)	(ft)		
270.0	4,351.0	Survey #1 (Original Hole)	MWD SDI
			Description
			MWD - Standard ver 1.0.1

Survey									
Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Vertical Section	Dogleg Rate	Build Rate	Turn Rate
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	(°/100ft)	(°/100ft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
270.0	1.02	209.02	270.0	-2.1	-1.2	-1.3	0.38	0.38	0.00
First SDI MWD Survey									
330.0	1.14	217.73	330.0	-3.0	-1.8	-2.0	0.34	0.20	14.52
392.0	1.22	217.51	392.0	-4.1	-2.6	-2.9	0.13	0.13	-61.40
454.0	0.78	198.38	454.0	-5.0	-3.1	-3.5	0.88	-0.71	-30.85
515.0	0.80	116.72	514.9	-5.6	-2.9	-3.3	1.69	0.03	-133.87
577.0	1.24	78.65	576.9	-5.6	-1.8	-2.3	1.27	0.71	-61.40
639.0	1.28	72.83	638.9	-5.3	-0.5	-0.9	0.22	0.06	-9.39
700.0	1.40	78.13	699.9	-4.9	0.9	0.5	0.28	0.20	8.69
762.0	1.19	101.74	761.9	-4.9	2.3	1.8	0.92	-0.34	38.08
824.0	1.26	119.43	823.9	-5.4	3.5	3.0	0.62	0.11	28.53
885.0	1.33	117.90	884.9	-6.0	4.7	4.2	0.13	0.11	-2.51

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 27-4 #135B
Project:	SJB (NM Central)	TVD Reference:	AWS 673 @ 7290.0ft (15' DF + 7275' GL)
Site:	SEC 36-T27N-R4W	MD Reference:	AWS 673 @ 7290.0ft (15' DF + 7275' GL)
Well:	SJ 27-4 #135B	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Bulld Rate (°/100ft)	Turn Rate (°/100ft)	
950.0	1.25	114.79	949.8	-6.7	6.0	5.4	0.16	-0.12	-4.78	
1,013.0	1.19	116.65	1,012.8	-7.3	7.2	6.6	0.11	-0.10	2.95	
1,077.0	1.07	119.78	1,076.8	-7.9	8.3	7.6	0.21	-0.19	4.89	
1,140.0	1.40	85.28	1,139.8	-8.1	9.6	8.9	1.27	0.52	-54.76	
1,204.0	2.56	70.76	1,203.8	-7.6	11.7	11.1	1.96	1.81	-22.69	
1,267.0	3.90	72.43	1,266.7	-6.4	15.1	14.5	2.13	2.13	2.65	
1,331.0	5.17	75.74	1,330.5	-5.1	20.0	19.5	2.03	1.98	5.17	
1,394.0	6.28	76.59	1,393.1	-3.6	26.1	25.7	1.77	1.76	1.35	
1,458.0	7.82	76.94	1,456.7	-1.8	33.7	33.5	2.41	2.41	0.55	
1,521.0	9.06	77.37	1,519.0	0.3	42.7	42.6	1.97	1.97	0.68	
1,585.0	10.18	79.82	1,582.1	2.4	53.2	53.2	1.86	1.75	3.83	
1,648.0	11.67	81.12	1,643.9	4.3	65.0	65.1	2.40	2.37	2.06	
1,712.0	13.05	82.78	1,706.5	6.2	78.6	78.8	2.23	2.16	2.59	
1,775.0	14.49	83.86	1,767.6	8.0	93.5	93.8	2.32	2.29	1.71	
1,839.0	15.62	84.33	1,829.4	9.7	110.0	110.4	1.78	1.77	0.73	
1,902.0	16.85	85.05	1,889.9	11.3	127.5	128.0	1.98	1.95	1.14	
1,966.0	18.26	84.00	1,950.9	13.2	146.7	147.3	2.26	2.20	-1.64	
2,030.0	19.70	84.41	2,011.5	15.3	167.5	168.1	2.26	2.25	0.64	
2,093.0	20.31	85.31	2,070.7	17.2	188.9	189.7	1.08	0.97	1.43	
2,157.0	20.18	84.40	2,130.7	19.2	211.0	211.8	0.53	-0.20	-1.42	
2,220.0	20.25	83.12	2,189.8	21.5	232.6	233.6	0.71	0.11	-2.03	
2,284.0	21.21	82.53	2,249.7	24.4	255.1	256.2	1.54	1.50	-0.92	
2,347.0	22.76	83.43	2,308.1	27.3	278.5	279.8	2.52	2.46	1.43	
2,411.0	23.05	85.17	2,367.1	29.7	303.3	304.7	1.15	0.45	2.72	
2,474.0	23.50	85.35	2,424.9	31.8	328.1	329.6	0.72	0.71	0.29	
2,538.0	23.45	84.40	2,483.6	34.1	353.5	355.1	0.60	-0.08	-1.48	
2,602.0	23.27	84.32	2,542.4	36.6	378.7	380.5	0.29	-0.28	-0.13	
2,665.0	23.20	84.36	2,600.3	39.0	403.5	405.3	0.11	-0.11	0.06	
2,729.0	23.31	86.09	2,659.1	41.1	428.6	430.6	1.08	0.17	2.70	
2,792.0	22.91	86.23	2,717.0	42.8	453.3	455.3	0.64	-0.63	0.22	
2,856.0	22.50	85.87	2,776.1	44.5	478.0	480.0	0.68	-0.64	-0.56	
2,919.0	21.74	85.60	2,834.4	46.2	501.6	503.7	1.22	-1.21	-0.43	
2,983.0	21.40	85.52	2,893.9	48.0	525.1	527.3	0.53	-0.53	-0.13	
3,046.0	20.96	85.89	2,952.7	49.8	547.8	550.0	0.73	-0.70	0.59	
3,110.0	20.91	85.80	3,012.5	51.4	570.6	572.9	0.09	-0.08	-0.14	
3,173.0	19.98	85.17	3,071.5	53.1	592.5	594.9	1.52	-1.48	-1.00	
3,237.0	20.07	84.57	3,131.6	55.1	614.3	616.8	0.35	0.14	-0.94	
3,300.0	20.11	84.09	3,190.8	57.2	635.9	638.4	0.27	0.06	-0.76	
3,364.0	20.26	83.65	3,250.9	59.6	657.8	660.5	0.33	0.23	-0.69	
3,428.0	19.30	84.64	3,311.1	61.8	679.4	682.2	1.59	-1.50	1.55	
3,491.0	17.30	87.48	3,370.9	63.2	699.1	701.9	3.47	-3.17	4.51	
3,555.0	16.35	88.54	3,432.2	63.8	717.6	720.4	1.56	-1.48	1.66	
3,618.0	15.05	87.72	3,492.8	64.4	734.7	737.5	2.09	-2.06	-1.30	
3,682.0	13.80	87.67	3,554.8	65.0	750.6	753.4	1.95	-1.95	-0.08	
3,745.0	12.73	88.06	3,616.1	65.6	765.0	767.8	1.70	-1.70	0.62	
3,809.0	12.17	89.80	3,678.6	65.8	778.8	781.6	1.05	-0.88	2.72	
3,873.0	11.33	91.16	3,741.3	65.7	791.9	794.6	1.38	-1.31	2.13	
3,936.0	9.76	90.87	3,803.2	65.5	803.4	806.1	2.49	-2.49	-0.46	
4,000.0	7.50	88.99	3,866.5	65.5	813.0	815.6	3.56	-3.53	-2.94	
4,063.0	5.52	86.87	3,929.1	65.8	820.1	822.7	3.17	-3.14	-3.37	
4,127.0	4.18	85.52	3,992.8	66.1	825.5	828.2	2.10	-2.09	-2.11	
4,190.0	3.07	69.51	4,055.7	66.9	829.4	832.1	2.37	-1.76	-25.41	
4,254.0	3.11	65.52	4,119.6	68.2	832.6	835.4	0.34	0.06	-6.23	
4,351.0	2.97	67.32	4,216.5	70.3	837.3	840.2	0.17	-0.14	1.86	

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 27-4 #135B
Project:	SJB (NM Central)	TVD Reference:	AWS 673 @ 7290.0ft (15' DF + 7275' GL)
Site:	SEC 36-T27N-R4W	MD Reference:	AWS 673 @ 7290.0ft (15' DF + 7275' GL)
Well:	SJ 27-4 #135B	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDMCOP

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
Last SDI MWD Survey										

Checked By: _____ Approved By: _____ Date: _____