District I 1625 N French Dr , Hobbs, NM 88240

## State of New Mexico Energy Minerals and Natural Resources

Form C-144 July 21, 2008

District II 1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd , Aztec, NM 87410

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

District IV

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S St Francis Dr , S	anta Fe, NM 87505
<b>7</b> 0	Propo

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
	Pit, Closed-Loop System, Below-Grade Tank, or
oo50 Propo	sed Alternative Method Permit or Closure Plan Application
Type of action.	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one ap	plication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of	this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the ve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil	& Gas Company, LP OGRID#: 14538
Address PO Box 4289, Farmington	ı, NM 87499
Facility or well name: McGrath 4 SV	WD
API Number30	-045-25923 OCD Permit Number
U/L or Qtr/Qtr: B(NW/NE) Section	
Center of Proposed Design: Latitude.  Surface Owner: X Federal	
Surface Owner: X Federal	State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17	11 NMAC RCVD MAY 15 '12
Temporary Drilling Work	7,048 INI 20 22
	UIL GUND. UIV.
	ner type Thickness mil LLDPE HDPE PVC Other
String-Reinforced	
Liner Seams Welded Fac	ctory Other Volume bbl Dimensions L x W x D
3	
	on H of 19 15 17 11 NMAC
Type of Operation P&A	Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad X Above Groun	d Steel Tanks Haul-off Bins Other
Lined Unlined Liner	type ThicknessmilLLDPEHDPEPVDOther
Liner Seams Welded Fac	ctory Other
4	
	of 19 15 17 11 NMAC  Type of fluid
Volumebb Tank Construction material	1 Type of hala
Secondary containment with leak dete	ection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls and liner	Visible sidewalls only Other
Liner Type Thickness	mil HDPE PVC Other
5 Alternative Method:	
Submittal of an exception request is requ	ured Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify  Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA		
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		_	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	∐No	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		_	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No	
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No	
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No	
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mineral Resources, USGS, NM Geological Society, Topographic map</li> </ul>	Yes	No	
Within a 100-year floodplain - FEMA map	Yes	No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC	
Instructions 1:ach of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC	
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC	
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC	
Previously Approved Design (attach copy of design)  API  or Permit	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9	
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC	
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC	
Previously Approved Design (attach copy of design)  API	
Previously Approved Operating and Maintenance Plan API	
13	
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC	
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC	
14 P. 101 - 1015 (710) P.44 C	
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System	
Alternative   Proposed Closure Method   Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
On-site Closure Method (only for temporary pits and closed-loop systems)	
In-place Burial On-site Trench	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
15	
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.	
Please indicate, by a check mark in the box, that the documents are attached.	
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC	
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	
1   Sile Regalitation France dascu upon the appropriate redunctions of Subsection C of 19 13 17 13 (MAC)	

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, drilli	ng fluids and drill cuttings Use attachment if more than two			
Disposal Facility Name	ttes are required			
Disposal Facility Name				
Will any of the proposed closed-loop system operations and associated activity	· · · · · · · · · · · · · · · · · · ·	service and		
Yes (If yes, please provide the information No  Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
17				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data of	otained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried was	te	Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data ob	tained from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - (WATERS database search, USGS, Data ob	tained from nearby wells	□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signif (measured from the ordinary high-water mark)	icant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site	austance at the time of install and astron	∏Yes ∏No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite image		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist.  - NM Office of the State Engineer - iWATERS database, Visual inspection (certified Within incorporated municipal boundaries or within a defined municipal fresh water within the NMSA 1978, Section 3-27-3, as amended	stence at the time of the initial application fication) of the proposed site vell field covered under a municipal ordinance adopted	Yes No		
<ul> <li>Written confirmation or verification from the municipality, Written approval ob</li> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual ins</li> </ul>		Yes No		
Within the area overlying a subsurface mine	pection (certification) of the proposed site	∏Yes ∏No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & N	Mineral Resources, USGS, NM Geological Society,	Yes No		
Topographic map				
Within a 100-year floodplain - FEMA map		Yes No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,				
by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropria	ate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a dr	ying pad) - based upon the appropriate requirements of	19 15 17 11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropria	·			
Waste Material Sampling Plan - based upon the appropriate requirement				
Disposal Facility Name and Permit Number (for liquids, drilling fluids	-	annot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 5/16/2012  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  X Closure Completion Date: 5/7/2012
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B  Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compiliane to the items below) X No  Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude  Longitude  NAD  1927  1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Signature SISI2012
e-mail address <u>crystal tafoya@conocophillips com</u> Telephone (505) 326-9837