District I 1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

District III

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

1000 Rio Brazos Rd , Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the			
District IV 1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD District Office			
Pit, Closed-Loop System, Below-Grade Tank, or					
Proposed .	Alternative Method Permit or Clos	ure Plan Application			
Type of action: X Pe	ermit of a pit, closed-loop system, below-grade tar	nk, or proposed alternative method			
CI	losure of a pit, closed-loop system, below-grade to	ank, or proposed alternative method			
М	odification to an existing permit				
	losure plan only submitted for an existing permitt clow-grade tank, or proposed alternative method	ed or non-permitted pit, closed-loop system,			
Instructions: Please submit one applicati	ion (Form C-144) per individual pit, closed-loop	o system, below-grade tank or alternative request			
	uest does not relieve the operator of liability should operations re				
environment Nor does approval relieve the op	perator of its responsibility to comply with any other applicable g	governmental authority's rules, regulations or ordinances			
Operator: Burlington Resources Oil & Ga	s Company, LP	OGRID#: <u>14538</u>			
Address: PO Box 4289, Farmington, NM	87499				
Facility or well name: Culpepper Martin	SRC 4				
API Number: 30-045-1	OCD Permit Number	·			
U/L or Qtr/Qtr: N(SE/SW) Section:	28 Township: 32N Range: 1	2W County: Rio Arriba			
Center of Proposed Design: Latitude:	36.95239 °N Longitude:	108.10336 °W NAD: X 1927 1983			
Surface Owner: Federal	State X Private Tribal Trust or Indian	Allotment			
2					
Pit: Subsection F or G of 19 15 17 11 NM	IAC	RCUD MAY 17'12			
Temporary. Drilling Workover		OIL CONS. DIV.			
Permanent Emergency Cavitatio		Other DIST. 3			
Lined Unlined Liner type	in anorth / Pierry	Oulei			
String-Reinforced	Othe BY: Jonathan Kelly Othe BY: Jonathan Kelly PATE: 5/22/2012505) 334-6178 Ext 1				
Liner Seams Welded Factory	Othe DATE: 722720 volume	bbl Dimensions Lx Wx D			
3					
	f 19 15 17 11 NMAC ng a new well Workover or Drilling (Applies to a	activities which require prior approval of a permit or			
Type of operation X Tex	notice of intent)	activities with require prior approval of a permit of			
Drying Pad X Above Ground Steel	Tanks Haul-off Bins Other				
Lined Unlined Liner type Thicknessmil LLDPE HDPE PVD Other					
Liner Seams Welded Factory	Other				
4					
Below-grade tank: Subsection I of 19 1					
Volumebbl Type of fluid					
Tank Construction material					
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off					
Liner Type Thickness mi	Visible sidewalls onlyOther ilHDPEPVCOther				
Alternative Method:					
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
l	mass of sacrificatio the bank to Elivironii	The state of the s			

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
Siting Criteria (regarding permitting) 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map 	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	∐No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Penert (Polesy, grade Torks), besed men the requirements of Pergraph (A) of Subsection R of 10.15.17.0 NIMAC				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17.9 NMAC and 19.15 17.13 NMAC				
Previously Approved Design (attach copy of design) APIor Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC				
X Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15 17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC				
☐ Dike Protection and Structural Integrity Design—based upon the appropriate requirements of 19.15.17 11 NMAC ☐ Leak Detection Design—based upon the appropriate requirements of 19.15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19.15 17 13 NMAC				
Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Seel People illustration of Course People Provides the control of Subsection H of 10.15.17.12 NIMAC				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC				

Form C-144 Oil Conservation Division

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground	l Steel Tanks or Haul-off Bins On	lv: (19 15 17 13 D NMAC)			
Instructions Please identify the facility or facilities for the disposal of liquids, difacilities are required					
Disposal Facility Name Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00)10B		
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #	NM-01-005	<u>.</u>		
Will any of the proposed closed-loop system operations and associated act Yes (If yes, please provide the information No	avities occur on or in areas that v	vill not be used for future	service and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
17					
Siting Criteria (Regarding on-site closure methods only: 19 15 17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste			Yes	No	
- NM Office of the State Engineer - IWATERS database search, USGS Data	a obtained from nearby wells		∐N/A	_	
Ground water is between 50 and 100 feet below the bottom of the buried v			Yes	∐No	
- NM Office of the State Engineer - IWATERS database search, USGS, Data	obtained from nearby wens		∐N/A		
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data	obtained from nearby wells		Yes	∐No	
*	-	11 de contena teles			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other si (measured from the ordinary high-water mark)	gnificant watercourse or lakebed, sii	nkhole, or playa lake	Yes	∐No	
- Topographic map, Visual inspection (certification) of the proposed site	h acceptance at the time of mittel or	anliantian	□Yes	□No	
Within 300 feet from a permanent residence, school, hospital, institution, or churc - Visual inspection (certification) of the proposed site, Aerial photo, satellite is		opheation	1 cs	□140	
			Yes	No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended			Yes	No	
 Written confirmation or verification from the municipality, Written approval Within 500 feet of a wetland 	obtained from the municipality		□Yes	\square_{No}	
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual	inspection (certification) of the pro-	posed site	_		
Within the area overlying a subsurface mine	114 175		Yes	No	
 Written confirantion or verification or map from the NM EMNRD-Mining a Within an unstable area 	ind Mineral Division		Yes	\square_{No}	
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,					
Topographic map Within a 100-year floodplain - FEMA map			Yes	No	
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: It by a check mark in the box, that the documents are attached.	Each of the following items mus	st bee attached to the closi	ure plan. Pleas	se indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based up	oon the appropriate requirements	of 19 15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Su	-			,	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

19 Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate	and complete to the be	est of my knowledge and belief			
Name (Print) Dollie L Busse	Title.	Staff Regulatory Technician			
Signature Julia J. Susse	Date	5/16/12			
e-mail address dollie I busse@conocophillips com	Telephone	505-324-6104			
20					
OCD Approval: Permit Application (including clc .	ENI	ns (see attachment)			
OCD Representative Signature:		C D l Date:			
Title:					
Title:					
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed Closure Completion Date:					
22					
Closure Method:	1.,				
Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain	Alternative Closure l	Method Waste Removal (Closed-loop systems only)			
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.					
Disposal Facility Name	Disposal Facility	Permit Number			
Disposal Facility Name	Disposal Facility				
Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliant to the items below)		be used for future service and opeartions?			
Reguired for impacted areas which will not be used for future service and opera					
Site Reclamation (Photo Documentation)					
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique					
24					
Closure Report Attachment Checklist: Instructions: Each of the following	ng items must be atta	ched to the closure report. Please indicate, by a check mark in			
the box, that the documents are attached. Proof of Closure Notice (surface owner and division)					
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)					
Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location Latitude	Longitude	NAD 1927 1983			
Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that					
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan					
Name (Print)	Title				
Signature	Date				
e-mail address	Telephone				

Form C-144 Oil Conservation Division