

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well  
GAS

2. Name of Operator  
**BURLINGTON**  
RESOURCES OIL & GAS COMPANY LP

3. Address & Phone No. of Operator  
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M  
1840' FSL, 1620' FEL, Sec.29, T-31-N, R-10-W, NMPM

5. Lease Number  
NMNM-0606  
6. If Indian, All. or  
Tribe Name

7. Unit Agreement Name

8. Well Name & Number  
Atlantic A #7A

9. API Well No.  
30-045-22730

10. Field and Pool  
Blanco Pictured Cliffs/  
Blanco Mesaverde

11. County and State  
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment

Type of Action

☐ Abandonment ☐ Change of Plans  
☒ Recompletion ☐ New Construction  
☐ Plugging Back ☐ Non-Routine Fracturing  
☐ Casing Repair ☐ Water Shut off  
☐ Altering Casing ☐ Conversion to Injection  
☒ Other - Commingle

13. Describe Proposed or Completed Operations

It is intended to recomplate the subject well to the Pictured Cliffs formation according to the procedure below and the attached wellbore diagrams. The well will then be commingled. A down hole commingle application will be submitted for approval.

Move in, rig up. Trip out of hole with tubing. Trip in hole, set cast iron bridge plug at approximately 4215'. Test casing to 2500 psi. Perforate and fracture stimulate the Pictured Cliffs formation. Trip in hole and mill out cast iron bridge plug. Clean out well to PBTD. Land tubing and return to production.

CONDITIONS OF APPROVAL  
Adhere to previously issued stipulations.

2005 MAR 3 PM 3 17  
RECEIVED  
OTO FARMINGTON NM

14. I hereby certify that the foregoing is true and correct.

Signed Nancy Olthman Title Senior Staff Specialist Date 3/2/05

(This space for Federal or State Office use)

APPROVED BY Petr. Eng Title Petr. Eng Date 3/9/05  
CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001 makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOC

**District I**

1625 N. French Dr., Hobbs, NM 88240

**District II**

1301 W. Grand Ave., Artesia, NM 88210

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410

**District IV**1220 S. St Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Permit 7635

### WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number <b>30-045-22730</b>	Pool Name <b>BLANCO PICTURED CLIFFS (GAS)</b>	Pool Code <b>72359</b>
Property Code <b>6800</b>	Property Name <b>ATLANTIC A</b>	Well No. <b>007A</b>
OGRID No. <b>14538</b>	Operator Name <b>BURLINGTON RESOURCES OIL &amp; GAS CO</b>	Elevation <b>6039</b>

### Surface And Bottom Hole Location

UL or Lot <b>J</b>	Section <b>29</b>	Township <b>31N</b>	Range <b>10W</b>	Lot Idn	Feet From <b>1840</b>	N/S Line <b>S</b>	Feet From <b>1620</b>	E/W Line <b>E</b>	County <b>San Juan</b>
Dedicated Acres <b>167.32</b>		Joint or Infill		Consolidation Code		Order No.			

		□	

#### OPERATOR CERTIFICATION

*I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.*

Electronically Signed By: *Nancy Olthmann*

Title: Senior Staff Specialist

Date: 3/2/05

#### SURVEYOR CERTIFICATION

*I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.*

Surveyed By: David Vilven

Date of Survey: 03/10/1977

Certificate Number: 1760

# Atlantic A #7A

1840' S, 1620' E

J-29-31N-10W

San Juan County, NM

LAT: 36 deg 52.05'

LONG: 107 deg 54.10'

GL = 6,039'

KB= 6,054'

## Current Wellbore

### Surface Casing:

9-5/8" 36#

KS

Cement: 236 cuft

Set @ 223'

TOC @ Circ to surf

223'

### Intermediate Casing:

7" 20#

KS

Cement: 400 cuft

Set @ 3,123'

TOC @ Surf - sqz @ 1000'

3123'

### Current Tubing:

2 3/8" 4.7#

J-55

Set @

5366

Seat Nipple @ 0

### Production Liner:

4-1/2" liner 10.5#

K-55

Cement: 430 cuft

Set @ 2980'-5452'

TOC @ 3248' CBL

2980'-5452'

Ojo Alamo	2,350'
Kirtland	2,422'
Fruitland Coal	2,870'
Pictured Cliffs	3,250'
Lewis	3,541'
Huer Bent	4,313'
Navajo City	
Chacra	4,763'
Cliff House	5,185'
Menefee	5,550'
Point Lookout	5,761'
Mancos	
Gallup	
Greenhorn	
Graneros	
Dakota	

### CH/MN

4265' - 4883'

Frac'd w/82,992 gallons water and 83,000# sand

### PLO

4979' - 5353'

Frac'd w/84,000 gallons water and 84,000# sand

PBTD= 5,435'

TD= 5,452'

ARI

02/03/05

# Atlantic A #7A

1840' S, 1620' E

J-29-31N-10W

San Juan County, NM

LAT: 36 deg 52.05'

LONG: 107 deg 54.10'

GL = 6,039'

KB= 6,054'

## Proposed Wellbore

### Surface Casing:

9-5/8" 36#

KS

Cement: 236 cuft

TOC @ Circ to surf

Set @ 223'

223'

### Intermediate Casing:

7" 20#

KS

Cement: 400 cuft

TOC @ Surf - sqz @ 1000'

Set @ 3,123'

3123'

### Proposed Tubing:

2 3/8" 4.7#

J-55

Set @

5366

Seat Nipple @ 5365

### Production Liner:

4-1/2" liner 10.5#

K-55

Cement: 430 cuft

TOC @ 3248' CBL

Set @ 2980'-5452'

2980'-5452'

PBTD= 5,435'

TD= 5,452'

Ojo Alamo 2,350'  
Kirtland 2,422'  
Fruitland Coal 2,870'  
Pictured Cliffs 3,250'  
Lewis 3,541'  
Huer Bent 4,313'  
Navajo City  
Chacra 4,763'  
Cliff House 5,185'  
Menefee 5,550'  
Point Lookout 5,761'  
Mancos  
Gallup  
Greenhorn  
Graneros  
Dakota

### PROPOSED PC:

+/-3250' - +/-3320'

100,000 lbs 70 Q 20# LG foam

### CH/MN

4265' - 4883'

Frac'd w/82,992 gallons water and 83,000# sand

### PLO

4979' - 5353'

Frac'd w/84,000 gallons water and 84,000# sand

ARI

02/03/05