

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator
BURLINGTON
RESOURCES OIL & GAS COMPANY LP

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
1500' FNL, 1500' FEL, Sec.26, T-28-N, R-5-W, NMJM

2005 FEB 28 AM 11:44

RECEIVED
070 FARMINGTON NM

5. Lease Number
NMSF-079520A
6. If Indian, All. or
Tribe Name
7. Unit Agreement Name

8. San Juan 28-5 Unit
Well Name & Number
San Juan 28-5 U #36
9. API Well No.
30-039-60074
10. Field and Pool
Tapacito Pict Cliffs/
Blanco Mesaverde
11. County and State
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment
☐ Abandonment
☒ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other -
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut off
☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to recompleate the subject to the Pictured Cliffs formation according to the procedure below and the attached wellbore diagrams. The well will then be returned to production as a Pictured Cliffs only for three to four months. Then the well will be down hole commingled. A down hole commingle application will be submitted for approval.

Move in, rig up. Trip out of hole with tubing. Trip in hole with CIBP, set at 5048'. Test casing to 3000 psi for 15 minutes. Perforate and fracture stimulate Pictured Cliffs formation. Flow back well. Land tubing as Pictured Cliffs only. Rig down. Move off. Put well on production.

Move in, rig up. Trip out of hole with tubing. Trip in hole with mill and mill out CIBP. Clean up well to PBTD. Land tubing as a Pictured Cliffs/Mesaverde commingle. Rig down. Move out. Put well to production.

CONDITIONS OF APPROVAL
Adhere to previously issued stipulations.

14. I hereby certify that the foregoing is true and correct.

Signed Nancy Olthmans Title Senior Staff Specialist Date 2/24/05

(This space for Federal or State Office use)

APPROVED BY Petr. Eng Title Petr. Eng Date 3/9/05
CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOC

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102

Permit 7314



WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-039-60074	Pool Name TAPACITO PICTURED CLIFFS (PRO GAS)	Pool Code 85920
Property Code 7460	Property Name SAN JUAN 28 5 UNIT	Well No. 036
OGRID No. 14538	Operator Name BURLINGTON RESOURCES OIL & GAS CO	Elevation 7226

Surface And Bottom Hole Location

UL or Lot G	Section 26	Township 28N	Range 05W	Lot Idn	Feet From 1500	N/S Line N	Feet From 1500	E/W Line E	County Rio Arriba
Dedicated Acres 160		Joint or Infill		Consolidation Code		Order No.			

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Electronically Signed By: *Nancy Olthman*

Title: Senior Staff Specialist

Date: 2/24/05

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: David Vilven

Date of Survey: 02/24/1959

Certificate Number:

San Juan 28-5 #36

1500' N, 1500' E

G-26-28N-5W

Rio Arriba County, NM

LAT: 36 deg 38.13'

LONG: 107 deg 19.50'

GL = 7,226'

KB= 7,236'

Current Wellbore

Surface Casing:

10-3/4" 32.75#

SW

Cement: 165

TOC @ Circ to surf

Set @ 253'

Intermediate Casing:

7-5/8" 26.4

J-55

Cement: 135 sx

TOC @ 3420' CBL

Set @ 4,388'

Current Tubing:

2 3/8" 4.7#

J-55

Set @

6424

Seat Nipple@ 6391

Production Liner:

5-1/2" liner 15.5#

J-55

Cement: 340 sx

TOC @ 4295' CBL

Set @ 4295'-6534'

Ojo Alamo 3,402'
Kirtland 3,654'
Fruitland Coal 3,922'
Pictured Cliffs 4,131'
Lewis 4,236'
Huer Bent
Navajo City
Chacra
Second Otero Bench
Cliff House 5,908'
Menefee 5,976'
Point Lookout 6,286'
Mancos 6,458'

Lewis

5098' - 5679'

Frac'd w/1949 bbls linear gel and 72,200# sand

Cliff House

5880' - 5973'

Frac'd w/2208 bbls water and 71,600# sand

Menefee

6053' - 6248'

Frac'd w/1476 bbls water and 32,300# sand

Point Lookout

6294' - 6449'

Frac'd w/1364 bbls water and 64,000# sand

PBTD= 6,491'

TD= 6,536'

ARI

01/25/05

San Juan 28-5 #36

1500' N, 1500' E

G-26-28N-5W

Rio Arriba County, NM

LAT: 36 deg 38.13'

LONG: 107 deg 19.50'

GL = 7,226'

KB= 7,236'

Proposed Wellbore

Surface Casing:

10-3/4" 32.75#

SW

Cement: 165

TOC @ Circ to surf

Set @ 253'

253'

Intermediate Casing:

7-5/8" 26.4

J-55

Cement: 135 sx

TOC @ 3420' CBL

Set @ 4,388'

4388'

Proposed Tubing:

2 3/8" 4.7#

J-55

Set @ 6424

Seat Nipple @ 6423

Production Liner:

5-1/2" liner 15.5#

J-55

Cement: 340 sx

TOC @ 4295' CBL

Set @ 4295'-6534'

4295'-6534'

Ojo Alamo 3,402'
Kirtland 3,654'
Fruitland Coal 3,922'
Pictured Cliffs 4,131'
Lewis 4,236'
Huer Bent
Navajo City
Chacra
Second Otero Bench
Cliff House 5,908'
Menefee 5,976'
Point Lookout 6,286'
Mancos 6,458'

PROPOSED PC:

+/-4133' - +/-4213'

100,000 lbs 70 Q 20# LG foam

Lewis

5098' - 5679'

Frac'd w/1949 bbls linear gel and 72,200# sand

Cliff House

5880' - 5973'

Frac'd w/2208 bbls water and 71,600# sand

Menefee

6053' - 6248'

Frac'd w/1476 bbls water and 32,300# sand

Point Lookout

6294' - 6449'

Frac'd w/1364 bbls water and 64,000# sand

PBTD= 6,491'

TD= 6,536'

ARI

01/25/05