

RECEIVED

Form 3160-5
(April 2004)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

MAY - 3 2012

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well, <input checked="" type="checkbox"/> Gas Well, <input type="checkbox"/> Other		5. Lease Serial No. Jicarilla Contract 102
2. Name of Operator EnerVest Operating, LLC		6. If Indian, Allottee, or Tribe Name Jicarilla Apache Tribe
3a. Address 1001 Fannin St, Suite 800 Houston, TX 77002-6707	3b. Phone No. (include area code) 713-659-3500	7. If Unit or CA. Agreement Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 845' FNL & 1980' FWL, Unit C, Sec 03, T26N, R04W		8. Well Name and No. Jicarilla 102 # 7N
		9. API Well No. 30-039- 30068
		10. Field and Pool, or Exploratory Area Blanco Mesa Verde / Basin Dakota
		11. County or Parish, State Rio Arriba, NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA



TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/ Resume)	<input type="checkbox"/> Water Shut-off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input checked="" type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths or pertinent markers and sands Attach the Bond under which the work will be performed or provide the Bond No. on file with the BLM/ BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notice shall be filed only after all requirements, including reclamantion, have been completed, and the operator has determined that the site is ready for final inspection.)

EnerVest Operating, LLC respectfully submits this request to modify the Drilling Plan to allow the use of 2000 psi BOP equipment instead of the 3000 psi BOP equipment listed in the APD.

RCVD MAY 25 '12
OIL CONS. DIV.


DIST. 3

14. I hereby certify that the foregoing is true and correct.	
Name (Printed/ Typed) Loren Diede	Title Contract Agent
Signature 	Date May-3-2012
THIS SPACE FOR FEDERAL OR STATE OFFICE USE	
Approved by 	Title AFM
Conditions of approval, if any are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Date 5/15/12
Office FFO	
Title 18 U.S.C. Section 1001 AND Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.	
(Instructions on page 2)	

NMOCD

**EnerVest
Jicarilla 2012
Drilling Program
Blowout Preventer
2000 psi**

Exhibit A



Components

1. Wellhead 9 5/8"
2. Drilling Spool
3. Pipe Rams
4. Blind Rams
5. Bell Nipple
6. 2" Check Valve
7. 3" Manual Valves
8. Rotating Head, when needed for Air Drilling
9. Blooie Line will be used for air drilling

Exhibit B

EnerVest Jicarilla 2012 Drilling Program 2000 psi Choke Manifold

Components

1. 2" Valves (2M)
2. Adjustable Chokes
3. Gauge

