District I 1625 N French Dr , Hobbs, NM 88240 District II

State of New Mexico Energy Minerals and Natural Resources

Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

 $1301\;W\;$ Grand Ave , Artesia, NM $\;88210\;$

Department Oil Conservation Division

tanks, submit to the appropriate NMOCD District Office

District III		in St. Francis Dr.	For normal and avanture subject to the	Easta Ca
1000 Rio Brazos Rd , Aztec, NM 87410 District IV	Santa F	e, NM 87505	For permanent pits and exceptions submit to the S Environmental Bureau office and provide a copy to appropriate NMOCD District Office	
1220 S St Francis Dr , Santa Fe, NM 87505	Pit, Closed-Loop S	vstem Relow-Gr		
.c Pron			losure Plan Application	
, γ ₀				
Type of action		-	e tank, or proposed alternative method	
	Closure of a pit, closed-	-loop system, below-gra	de tank, or proposed alternative method	
	Modification to an exist			
	Closure plan only subm below-grade tank, or pr	٠.	mitted or non-permitted pit, closed-loop systen od	1,
Instructions: Please submit one a	pplication (Form C-144) pe	r individual pit, closed-	loop system, below-grade tank or alternative	request
Please be advised that approval of	of this request does not relieve the oper	rator of liability should operation	ons result in pollution of surface water, ground water or the	
environment Nor does approval rel	ieve the operator of its responsibility to	o comply with any other applic	able governmental authority's rules, regulations or ordinances	
Operator. ConocoPhillips Compan	У		OGRID# <u>217817</u>	
Address PO Box 4289, Farmington	on, NM 87499			
Facility or well name FC Decker I	rimo Com 2A			
API Number 3	0-045-32159	OCD Permit Nu	mber	
U/L or Qtr/Qtr P(SE/SE) Secti	on 19 Township	32N Range	10W County: San Juan	
Center of Proposed Design Latitude	36.9671	°N Longitude	107.91573 °W NAD X 1927	1983
Surface Owner. Federal	State X Private	Tribal Trust or In	dian Allotment	
Permanent Emergency Continued London Continued Continued London Continued London Continued London Continued London Continued Continue Cont	7 11 NMAC rkover Cavitation P&A iner type Thickness actory Other	mıl LLDPE [Volume	PCVD JU OIL COM HDPE PVC Other DIST	I P I I I I I I I I I I I I I I I I I I
Type of Operation X P&A Drying Pad X Above Grou Lined Unlined Line	_ ~	ice of intent)	s to activities which require prior approval of a perm	ut or
	I of 19 15 17 11 NMAC bbl Type of fluid etection Visible sidew Visible sidewalls only mil HDPE	valls, liner, 6-inch lift and a	automatic overflow shut-off	

Form C-144

Alternative Method:

Oil Conservation Division

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify						
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)						
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC						
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner). Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval						
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request. Please refer to 19 15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes	No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□NA					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No				
Within 500 horizonal fect of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No				
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	□No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No				
Within an unstable area. - Engineering measures incorporated into the design, NM Burcau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes	□ No				
Within a 100-year floodplain	∐ Yes	∐No				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9				
NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC				
Instructions Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative Proposed Closure Method Waste Excavation and Removal				
Waste Excavation and Removal				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions. Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

	Closed-loop Systems That Utilize Above Ground the facility of facilities for the disposal of liquids, dri				
facilities are required		0,	•		
1	Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #		<u>010B</u>	
· · ·	Basın Disposal Facility	Disposal Facility Permit #			
Yes (If yes, please p	osed-loop system operations and associated acti rovide the information No		will not be used for future	service and	
Soil Backfill and Co Re-vegetation Plan	which will not be used for future service and operation over Design Specification - based upon the appropriate requirements of Suan - based upon the appropriate requirements of an -based upon the appropriate requirements of	opriate requirements of Subsect bsection I of 19 15 17 13 NMA	C	AC	
Instructions Each siting criteria certain siting criteria may requir	g on-site closure methods only: 19 15 17 10 N in requires a demonstration of compliance in the closure re administrative approval from the appropriate district and Justifications and/or demonstrations of equivalency	olan Recommendations of acceptable office or may be considered an excep	tion which must be submitted to		
	0 feet below the bottom of the buried waste Engineer - iWATERS database search, USGS Data	obtained from nearby wells		Yes No	
	,	·			
i	0 and 100 feet below the bottom of the buried w			Yes No	
- NWI Office of the State	Engineer - iWATERS database search, USGS, Data	obtained from hearby wells			
	100 feet below the bottom of the buried waste			∐Yes ∐No	
- NM Office of the State I	Engineer - iWATERS database search, USGS, Data	obtained from nearby wells			
(measured from the ordinary h	-	mificant watercourse or lakebed, si	nkhole, or playa lake	Yes No	
	al inspection (certification) of the proposed site				
-	nent residence, school, hospital, institution, or church cation) of the proposed site, Aerial photo, satellite in		pplication	Yes No	
purposes, or within 1000 horiz - NM Office of the State E Within incorporated municipal pursuant to NMSA 1978, Sect		existence at the time of the initial apertification) of the proposed site or well field covered under a munic	pplication	Yes No	
Within 500 feet of a wetlan	 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site 				
Within the area overlying a	Vithin the area overlying a subsurface mine		Yes No		
	- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division				
	corporated into the design, NM Bureau of Geology &	è Mineral Resources, USGS, NM (Geological Society,	Yes No	
Topographic map Within a 100-year floodplai - FEMA map	in			Yes No	
l "	ecklist: (19 15 17 13 NMAC) Instructions: E	ach of the following items mus	st bee attached to the clos	ure plan Please indicate,	
Siting Criteria Comp	pliance Demonstrations - based upon the approp	oriate requirements of 19 15 17	10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design	Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
_ <u> </u>	based upon the appropriate requirements of Su- based upon the appropriate requirements of Su-				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Dolly L Bysse Title Staff Regulatory Technician
Signature Date 6/4/12
e-mail address dollie busse@conocophillips.com Telephone 505-324-6104
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed Closure Completion Date:
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed Use attachment if more than two facilities were utilized Disposal Facility Name Disposal Facility Permit Number Disposal Facility Name Disposal Facility Permit Number Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions. Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification: Thereby certify that the information and attachments submitted with this closure report is time, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title
Signature Date
e-mail address Telephone

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.