District I 1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

	~ / [	8
1	),,	

District IV 1220 S St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
Pit, Closed-Loc	p System, Below-Grade Tank, or
Proposed Alternative	Method Permit or Closure Plan Application
	osed-loop system, below-grade tank, or proposed alternative method losed-loop system, below-grade tank, or proposed alternative method n existing permit
<b>—</b>	submitted for an existing permitted or non-permitted pit, closed-loop system, or proposed alternative method
Please be advised that approval of this request does not relieve	(4) per individual pit, closed-loop system, below-grade tank or alternative request the operator of hability should operations result in pollution of surface water, ground water or the ability to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator. Burlington Resources Oil & Gas Company, L  Address PO Box 4289, Farmington, NM 87499	P OGRID#: 14538
Facility or well name: Vasaly 2 SWD	
API Number 30-045-29936	OCD Permit Number
U/L or Qtr/Qtr B(NW/NE) Section 22 Townshi Center of Proposed Design Latitude 36.486408 Surface Owner Federal State X F	p: 30N Range: 11W County San Juan  on Longitude: 107.58372 ow NAD X 1927 1983  rivate Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness String-Reinforced Liner Seams Welded Factory Other	RCVD JUN 14'12           OIL CONS. DIV.           mil         LLDPE         HDPE         PVC         Other         DIST. 3           Volume         bbl         Dimensions L         x W         x D
X Closed-loop System: Subsection H of 19 15 17 11 NM Type of Operation P&A Drilling a new well	AC  X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad X Above Ground Steel Tanks Ha Lined Unlined Liner type Thickness Liner Seams Welded Factory Other	nul-off Bins Other mil LLDPE HDPE PVD Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume	sidewalls, liner, 6-inch lift and automatic overflow shut-off
Liner Type Thicknessmil	PVC Other
5 Alternative Method:	

Form C-144

Oil Conservation Division

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

6		
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	titution or chu	ch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		•
Alternate Please specify		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8 Signs: Subsection C of 19 15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	proval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
10		
Siting Criteria (regarding permitting) 19 15 17 10 NMAC		
Instructions: The applicant must demonstrate compliance for each string criteria below in the application. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance Stting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No
(measured from the ordinary high-water mark).		_
- Topographic map, Visual inspection (certification) of the proposed site		_
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		_
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine.	Yes	No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.	Yes	No
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	_	_
Within a 100-year floodplain - FEMA map	Yes	No

Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instruction: Each of the following items must be attached to the application: Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design)  API				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9				
NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14 Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
▼ Waste Removal (Closed-loop systems only)  On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop System: Instructions Please identify the facility of facilities	s That Utilize Above Ground St for the disposal of liquids, drilli	teel Tanks or Haul-off Bins On ng fluids and drill cuttings - Use	ly: (19 15 17 13 D NMAC) attachment if more than two		
facilities are required					
Disposal Facility Name Envirotech / JFJ L		Disposal Facility Permit #		10B	
Disposal Facility Name Basin Disposal Fa		Disposal Facility Permit #			
Will any of the proposed closed-loop system of Yes (If yes, please provide the information	ion No		vill not be used for future s	service and	
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
17  Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC  Instructions Each string criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bot	tom of the buried waste			Yes	No
- NM Office of the State Engineer - (WATERS	database search, USGS Data o	btained from nearby wells		N/A	
Ground water is between 50 and 100 feet below	v the bottom of the buried was	ste		Yes	No
- NM Office of the State Engineer - IWATERS	database search, USGS, Data of	otained from nearby wells		☐N/A	
Ground water is more than 100 feet below the l	oottom of the buried waste			Yes	No
- NM Office of the State Engineer - IWATERS	database search, USGS, Data ob	otained from nearby wells		□N/A	
Within 300 feet of a continuously flowing watercour (measured from the ordinary high-water mark)		ficant watercourse or lakebed, su	nkhole, or playa lake	Yes	No
- Topographic map, Visual inspection (certifica	,			<b>—</b>	
Within 300 feet from a permanent residence, school - Visual inspection (certification) of the propose			pplication	∐Yes	∐No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - tWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the r	ed		pal ordinance adopted	Yes	No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification in			posed site	Yes	No
Within the area overlying a subsurface mine			Yes	No	
- Written confirantion or verification or map fro	m the NM EMNRD-Mining and	Mineral Division			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,			Geological Society,	Yes	∐No
Topographic map Within a 100-year floodplain - FEMA map				Yes	No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrati	ons - based upon the appropri	ate requirements of 19 15 17	10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division

Operator Application Cartification:	
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and compared to the compared to t	olete to the best of my knowledge and belief
Name (Print) Title	
Signature Date	
e-mail address Telepi	none
OCD Approval: Permit Application (including closure plan)	Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	1/5700
OCD Representative Signature:	Approval Date: 4/5/2012
Title: Omplance Office	OCD Permit Number:
21	
Closure Report (required within 60 days of closure completion): Subsection K of 19	15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implement	ing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the clos approved closure plan has been obtained and the closure activities have been completed	ure activities Please do not complete this section of the form timil an
	Closure Completion Date: 6/9/2012
22 Closure Method:	
Waste Excavation and Removal On-site Closure Method Alterna	tive Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain	
23	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utiliz	
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids at were utilized	ad drill cuttings were disposed Use attachment if more than two facilities
	osal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disp	oosal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas	that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)	
Required for impacted areas which will not be used for future service and operations	
Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	
24	
Closure Report Attachment Checklist: Instructions: Each of the following items	must be attached to the closure report Please indicate, by a check mark in
the box, that the documents are attached.	
Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longit	ude NAD
On-site closure location Lantide Longit	1775
25	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report is tu- the closure complies with all applicable closure requirements and conditions specified in the	
Name (Print) Denise Journey	itle Regulatory Technician
Signature Durnet Durnet	Date
e-mail address <u>Denise Journey@conocophNips.com</u> Tcl	ephone 505-326-9556