District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised October 10, 2003


Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

☐ Initial Report

Release Notification and Corrective Action

OPERATOR

	npany Williams Pr	oduction			Contact Michael K. Lane					
	Address PO Box 640				Telephone No. 505-634-4219					
Facility Name	e Cox Canyon #00)1 <mark>A (API:</mark> 3	0-045-2208	6)	Facility Type Well Site					
Suefo on Our	DIM		Min and O		T ages No				<u>-</u> .	
Surface Owne	er blivi		Mineral O	wner i	er BLM Lease No.					
	,		LOCA	TIOI	N OF REI	LEASE				
	Section Township	-	et from the	North/	South Line	Feet from the	e East/V	Vest Line	County	,
С	16 32 N	11W							San Juan	
<u> </u>									<u> </u>	
		Latit	ude 36.990	08	Longitude	-107.9975	59			
					OF RELI					
Type of Releas	se Dissolved Phase Hy	drocarbons i				Release UNI	K	Volume F	Recovered	
Source of Relea	ase Below-grade T	ank			Date and H	our of Occurre	ence		Hour of Discovery BGT Closure	
Was Immediate	e Notice Given?				If YES, To	Whom?		Daning	501 0.000.0	
		Yes No	Not Rec	quired		Powell-N	MOCD (e	mail)	1415161718	1920
By Whom? M					Date and H	our	- "		100 PM	_ <u>~</u>
Was a Waterco	ourse Reached?	Yes 🛭 No)		If YES, Vo	lume Impactin	g the Wate	ercourse.	BGT Closure	ED 2324 252 Spill 42
	se was Impacted, Descri								AUG 20	4 00
Describe Cause	e of Problem and Remed	lial Action Tal	cen.					1	ON COME DIV	DICT 2 ST
Lab results fro	om BGT closure indica	ated historic i	elease occui	rred. N	No visual evi	dence of spill	observed	at time of	tank removal? 444	parted A
solis excavate	ea ana taken to omsite	commerciai	ianotarm. Co	ontirma	ation sample	es taken tollov	ving excav	vation and	recognition	Spill 19
Rule. Pit area	a to be reclaimed follo	wing approve	ed Pit Closure	e Plan.	. Composite	sample resu	its and sit	e map atta	acheo	-60°
Describe Area	Affected and Cleanup A	ction Taken.							- IEC	
	Criteria		50 400 (0-		e Condition			Ranking	Score	
	epth to Groundwater		50-100 (Ca	thodic -	60 ft BGS)		10			
	ellhead Protection Area		None +)			- 1
	otal Ranking		>1000 ft				10			1 1
100	Lab				Results			mediation A	Action Level	1
Be:	enzene (ppb)		<0.9		Nesures	- 	10,000	inculation A	teres	
	EX (ppb)		158				50,000			1
	PH by EPA - 418.1 (ppm)		412				1000			1
	(ppm)		5					1		
I hereby certify	that the information giv	en above is tr	ue and comple	te to th	e best of my	knowledge and	l understan	d that purs	uant to NMOCD rul	es and
	operators are required to									
public health or	r the environment. The	acceptance of	a C-141 repor	t by the	NMOCD ma	rked as "Final	Report" de	oes not reli	eve the operator of li	ability
	erations have failed to ac									
	nent. In addition, NMO		of a C-141 re	port do	oes not relieve	the operator of	of responsil	bility for co	ompliance with any o	other
federal, state, or	or local laws and/or regul	ations.							<u></u>	
	212	/ /	1			OIL CO	NSERV.	<u>ATION</u>	<u>DIVISION</u> ,	
- /			-	- 1			\wedge	- 1	1 11	
Signature:	264		22_				/ \	11/	$\sim 1/11$	ľ
				I	Approved by I	District Superv	risor:	Soll)/	
Printed Name:	Michael K. Lane						<i>N</i>	1000	P. MVW	
Tida STD EL	U&S Specialist				Approval Date	5701	700 (F	Expiration I	Date:	
Title: SJB EH&S Specialist					-TP	V/21/	ary -		T	
E-mail Address: myke.lane@wlliams.com			. ا	Conditions of Approval:				1		
E-mail Address	s: myke lane@wllian	15.com		- 10	Conditions of	Approval:			_	1
- 4		ns.com		⊢ ′	Conditions of	Approval:			Attached	
- 4)5) 330 <u>-</u> 319						Attached	
Date: 7/6/	110	Phone: (50	05) 330-319				255	7	Attached	
Date: 7/6/		Phone: (50	95) 330-319			Approval:	7550	3 _	Attached	10





EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	WPX	Project #:	04108-0136
Sample ID:	Cox Canyon #1A	Date Reported:	06-28-10
Laboratory Number:	54868	Date Sampled:	06-22-10
Chain of Custody No:	9432	Date Received:	06-24-10
Sample Matrix:	Soil	Date Extracted:	06-24-10
Preservative:		Date Analyzed:	06-25-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	238	0.2
Diesel Range (C10 - C28)	138	0.1
Total Petroleum Hydrocarbons	376	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: Cox Canyon #1A

Ánalyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC		Project #:		N/A
Sample ID:	06-25-10 QA/	QC	Date Reported:		06-28-10
Laboratory Number:	54828		Date Sampled:		N/A
Sample Matrix:	Methylene Chlo	ride	Date Received:	;	N/A
Preservative:	N/A		Date Analyzed:		06-25-10
Condition:	N/A		Analysis Reque	ested:	TPH
All the state of t	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Blank Conc. (mg/L - mg/Kg)		Concentration		Detection Limit	
Gasoline Range C5 - C10		ND		0.2	
Diesel Range C10 - C28		ND		0.1	
Total Petroleum Hydrocarbons		ND		0.2	
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range	
Gasoline Range C5 - C10	393	392	0.3%	0 - 30%	
Diesel Range C10 - C28	437	447	2.3%	0 - 30%	
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	393	250	649	101%	75 - 125%
Diesel Range C10 - C28	437	250	686	100%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 54785-54787; 54828-54830; 54850; 54854-54855 & 54868

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	WPX	Project #:	04108-0136
Sample ID:	Cox Canyon #1A	Date Reported:	06-28-10
Laboratory Number:	54868	Date Sampled:	06-22-10
Chain of Custody:	8432	Date Received:	06-24-10
Sample Matrix:	Soil	Date Analyzed:	06-25-10
Preservative:		Date Extracted:	06-24-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)			
Benzene	ND	0.9		
Toluene	10.7	1.0		
Ethylbenzene	8.3	1.0		
p,m-Xylene	99.6	1.2		
o-Xylene	39.6	0.9		
Total BTEX	158			

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments: Cox Canyon #1A

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

addressed a die between programme.					
Client:	N/A		Project #:		N/A
Sample ID: 0625BBLK_QA/QC			Date Reported:		
Laboratory Number		Date Sampled:		N/A	
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	N/A		Date Analyzed:		06-25-10
Condition:	N/A		Analysis:		BTEX
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect.
Detection Limits (ug/L)		Accept. Rar	nge 0 - 15%	Conc	Limit
Benzene	1.4619E+00G	1.4648E+006	0.2%	ND	0.1
Toluene	1.3371E+006	1.3398E+006	0.2%	ND	0.1
Ethylbenzene	1,2048E+006	1.2072E+006	0.2%	ND	0.1
p,m-Xylene	3 0291E+006	3.0351E+006	0.2%	ND	0.1
o-Xylene	1.1249E+006	1,1272E+006	0.2%	ND	0.1
,Düplicate Cònc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	142	149	4.7%	0 - 30%	0.9
Toluene	2.7	3.0	11.1%	0 - 30%	1.0
Ethylbenzene	1.5	1.7	13.3%	0 - 30%	1.0
p,m-Xylene	2.5	3.0	20.0%	0 - 30%	1.2
o-Xylene	4.3	5.5	27.9%	0 - 30%	0.9
Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	142	50.0	187	97.4%	39 - 150
Toluene	2.7	50.0	50.8	96.3%	46 - 148
Ethylbenzene	1.5	50.0	50.2	97.5%	32 - 160
•	2.5	100	98.6	96.2%	46 - 148
p,m-Xylene					· · · · · -
o-Xylene	4.3	50.0	49.4	91.0%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 54828-54830; 54850; 54854; 54861; 54868 &\54785

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

)

Client:	WPX	Project #:	04108-0136
Sample ID:	Cox Canyon #1A	Date Reported:	06-28-10
Laboratory Number:	54868	Date Sampled:	06-22-10
Chain of Custody No:	9432	Date Received:	06-24-10
Sample Matrix:	Soil	Date Extracted:	06-24-10
Preservative:		Date Analyzed:	06-24-10
Condition:	Intact	Analysis Needed:	TPH-418.1

,		Det.
	Concentration	Limit
Parameter	(mg/kg)	_ (mg/kg)

Total Petroleum Hydrocarbons 412 10.8

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Analyet



Calibration

TPH

EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC .	Date Reported:	06-28-10
Laboratory Number:	06-25-TPH.QA/QC 54868	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	06-25-10
Preservative:	N/A	Date Extracted:	06-25-10
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
	06-03-10	06-25-10	1,686	1,770	5.0%	+/- 10%

Blank Conc. (mg/Kg) TPH	Concentration ND		Detection Limit 10.8	
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Ra

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	412	2,000	2,090	86.7%	80 - 120%

412

398

3.3%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 54854 &54868



Total Chloride

Chloride

5

Parameter		Concentration (mg/Kg)		
Condition:	Intact	Chain of Custody:	9432	
Preservative:		Date Analyzed:	06-25-10	
Sample Matrix:	Soil	Date Received:	06-24-10	
Lab ID#:	54868	Date Sampled:	06-22-10	
Sample ID:	Cox Canyon #1A	Date Reported:	06-28-10	
Client:	WPX	Project #:	04108-0136	

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Analyst

Review

CHAIN OF CUSTODY RECORD 09432 Project Name / Location: **ANALYSIS / PARAMETERS** BTEX (Method 8021) Client Address: TPH (Method 8015) VOC (Method 8260) RCRA 8 Metals Cation / Anion TCLP with H/P Client Phone No.: Client No.: TPH (418.1) Sample Cool CHLORIDE Sample No./Volume Preservative Sample Lab No. Containers HgC, HC Identification Date Time Matrix 62410 12:00 54868 Solid Sludge Aqueous Soil Sludge Solid Aqueous Time Date Received by: (Signature) Relinquished by: (Signature) Date Time 6/24/10 3:56 PM 6-24-10 Relinquished by: (Signature) Received by: (Signature) Relinguished by: (Signature) Received by: (Signature) envirotech **Analytical Laboratory** 5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com