District I

1625 N French Dr., Hobbs, NM 88240

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Santa Fe, NM 87505 District IV 1220 S St Francis Dr , Santa Fe, NM 87505 Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances Operator ConocoPhillips Company OGRID#: 217817 Address P.O. Box 4289, Farmington, NM 87499 Facility or well name: SAN JUAN 29-5 UNIT 235 30-039-30879 API Number OCD Permit Number County: U/L or Qtr/Qtr. L(NW/SW) Section 15 Township: 29 Range Rio Arriba Center of Proposed Design Latitude. 36.72311 ٥N Longitude. 107.35016 °W NAD· [Surface Owner. X Private Tribal Trust or Indian Allotment Federal 1 X Pit: Subsection F or G of 19 15 17 11 NMAC X Drilling Workover Temporary Permanent Emergency Cavitation P&A X Lined Thickness 20 mil X LLDPE HDPE PVC Other Unlined Liner type X String-Reinforced X Welded X Factory Other Volume 7700 bbl Dimensions L 120' x W 55' Subsection H of 19 15 17 11 NMAC Closed-loop System: Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) 1819202 Above Ground Steel Tanks Haul-off Bins Other LLDPE HDPE Unlined Liner type Thickness mıl Liner Seams Welded Factory Below-grade tank: Subsection 1 of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Liner Type. mıl HDPE Alternative Method:

Form C-144

Oil Conservation Division

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
8 Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	leration of app	roval			
Siting Criteria (regarding permitting) 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search; USGS, Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	□NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	Yes NA	No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site		_			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality. Written approval obtained from the municipality	Yes	∐No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC
1 11 1

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S	teel Tanks or Hauloff Rins Only (10 15 17 13 D NMAC)				
Instructions—Please identify the facility or facilities for the disposal of liquids, drilling	ng fluids and drill cuttings. Use attachment if more than two	,			
facilities are required	Dignocal Facility Powers #.				
Disposal Facility Name					
Disposal Facility Name					
Will any of the proposed closed-loop system operations and associated acti Yes (If yes, please provide the information No		service and			
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the approximately approximately and the service and operation.		IMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subs		IWAC			
Site Reclamation Plan - based upon the appropriate requirements of S	ubsection G of 19 15 17 13 NMAC				
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NM/ Instructions Each siting criteria requires a demonstration of compliance in the closure plan of certain sting criteria may require administrative approval from the appropriate district office office for consideration of approval. Justifications and/or demonstrations of equivalency are re-	Recommendations of acceptable source material are provided below or may be considered an exception which must be submitted to the S	Requests regarding changes to annual Eureau			
Ground water is less than 50 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - (WATERS database search, USGS) Data of	btained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried w	aste	Yes No			
- NM Office of the State Engineer - (WATERS database search, USGS, Data of	otained from nearby wells	N/A			
Ground water is more than 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - iWATERS database search, USGS, Data of	otained from nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark)	ificant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in Visual inspection (certification) of the proposed site, Aerial photo, satellite image.	••	Yes No			
		Yes No			
Within 500 horizontal feet of a private, doinestic fresh water well or spring that less to purposes, or within 1000 horizontal fee of any other fresh water well or spring, in example 2. NM Office of the State Engineer - iWATERS database, Visual inspection (cert	sistence at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water variation to NMSA 1978. Section 3-27-3, as amended	·	Yes No			
- Written confirmation or verification from the municipality, Written approval of	obtained from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual in	aspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine	operation (commentation) or the proposed site	∏Yes ∏No			
- Written confirantion or verification or map from the NM EMNRD-Mining and	d Mineral Division				
Within an unstable area		Yes No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Topographic map	Mineral Resources, USGS. NM Geological Society,				
Within a 100-year floodplain		∏Yes ∏No			
- FEMA map					
18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Ea.	ch of the following items must bee attached to the clo	osure plan. Please indicate.			
by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the approp	•				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upo	••••				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requires	•	IAC			
Waste Material Sampling Plan - based upon the appropriate requires		de connat he achieved)			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					

19 Operator Application Certification:
l hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Instructions Operators are required to obtain an approved closure plan p to 10 implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: May 10, 2011
22 Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location Latitude 36.7233 °N Longitude 107.35009 °W NAD 1927 X 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Jamie Goodwin Title Regulatory Tech.
Signature amic GOODWC Date 7/18/11
e-mail address / jamie goodwin@conocophillips com Telephone 505-326-9784

ConocoPhillips Company San Juan Basin Closure Report

Lease Name: SAN JUAN 29-5 UNIT 235

API No.: 30-039-30879

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of COPC's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via certified mail. (See Attached)(Well located on Private Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4 Within 6 months of the Rig Off status occurring COPC will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. ConocoPhillips will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

ConocoPhillips mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	ND ug/kG
TPH	EPA SW-846 418.1	2500	89.2mg/kg
GRO/DRO	EPA SW-846 8015M	500	ND mg/Kg
Chlorides	EPA 300.1	1000/500	160 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19 15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with 5/23/2011 seeding requirements as allowed by the BLM/OCD MOU.

14. COPC shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with 5/23/2011 seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: COP, Fee, SAN JUAN 29-5 UNIT 235, UL-L, Sec. 15, T 29N, R 5W, API # 30-039-30879



ConocoPhillips Company
GRFS / PTRRC – San Juan Business Unit
Juanita Farrell
3401 East 30th Street
Farmington, NM 87402
Telephane (500) 206 2507

Telephone: (505) 326-9597 Facsimile: (505) 324-6136

December 11, 2009

VIA CERTIFIED MAIL - RETURN RECEIPT REQUESTED

71791000164200513298

Lupita Gomez PO Box 1355 Bloomfield, NM 87413

Subject:

San Juan 29-5 Unit 235

Sec. 15, T29N R5W Rio Arriba County, New Mexico

Dear Landowner:

Pursuant to Paragraph 1 (b) of Subsection F of 19.15.17.13 NMAC, an operator shall provide the surface owner of the operator's proposal to close a temporary pit on-site in compliance with the on-site closure methods specified in the same Subsection of the NMAC. In compliance of this requirement, please consider this notification of ConocoPhillips' intent to close the temporary pit on the above referenced location.

If you have any questions, please contact Elmo Seabolt @ (505) 326-9554 or the PTRRC Department @ (505) 324-6111.

Sincerely,

Juanita Farrell

Juanita Farrell Staff Associate, PTRRC

STATE OF NEW MEXICO	§
	§
COUNTY OF RIO ARRIBA	§

RECORDATION NOTICE OF PIT BURIAL

In accordance with Section 19.15.17.13.F.1.f of the NMAC, operator hereby provides notice in the public

record of an on-site burial of a temporary pit at the f	following location:
Well Name: Latitude (<i>DDD° MM.MMM'</i>):	San Juan 29-5 Unit 235 N36.72342
Longitude (DDD° MM.MMM'):	
Unit Letter(1/4, 1/4):	
Section:	15
Township:	
Range:	
· · · · · · · · · · · · · · · · · · ·	Rio Arriba
State:	New Mexico
indicated below by the undersigned.	on Notice of Pit Burial has been executed on the date
CONOCOPHILLIPS COMPANY	
Elme Serbo H	; , ,
By <u>Elmo Seabolt</u>	
Title: PTRRC Agent	
STATE OF New Mexico §	
COUNTY OF San Juan §	
This instrument was acknowledged before me this 2 Chipping on behalf of said corporation. A Commission English 11.9.2013 B: 53 06/27/2 Receipt Holsse R	Notary Public 4 P: 3007 Doc Id: 2011-03007 Katrina 1161 Page 1 of 1 Doc Code: RECNPB Morella Jr. County Clerk & Recorder Rio Arcibe, New Mexico

District I 1625 N French Dr., Hobbs, NM 88240

District II 1301 W Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Rd , Aztec, NM 87410

District IV 1220 S St Francis Dr. Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department

> OIL CONSERVATION DIVISION 1220 South St Francis Dr. Santa Fe. NM 87505

Form C-102 Revised October 12, 2005 Instructions on back Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT


'API Number	²Pool Code		
	77440 / 71629	GOBERNADOR PICTURED CLIFFS / BASIN	FRUITLAND COAL
*Property Code		Property Name	*Well Number
31325		235	
'OGRID No		"Operator Name	*Elevation
217817	CONOCOPHILLIPS COMPANY		6774

¹⁰ Surface Location

UL or lat no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	15	29N	5W		1750	SOUTH	1045	WEST	RIO ARRIBA
			1		l		l	i	AUUTDA
		11 E	3ottom	Hole L	ocation I	f Different	From Surf	ace	
UL or lot no	Sect ion	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
							1		İ
12 Dedicated Acres	160.0	٨٥٥٥٥	- SW/4	(PC)	13 Joint or Infill	¹⁴ Consolidation Code	* Order No		-
	- 320 C) Acres	- W/2	(FC)		1			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION







EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve:Pit	Date Reported:	04-06-11
Laboratory Number:	57801	Date Sampled:	04-04-11
Chain of Custody No:	11437	Date Received:	04-04-11
Sample Matrix:	Soil	Date Extracted:	04-04-11
Preservative:	Cool	Date Analyzed:	04-05-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 29-5 Unit 235

Analyst

Review



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	04-06-11
Laboratory Number:	57802	Date Sampled:	04-04-11
Chain of Custody No:	11437	Date Received:	04-04-11
Sample Matrix:	Soil	Date Extracted:	04-04-11
Preservative:	Cool	Date Analyzed:	04-05-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 29-5 Unit 235

Analyst

Review



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Diesel Range C10 - C28		ND		0.1	
Gasoline Range C5 - C10		ND		0.2	
Blank Conc. (mg/L - mg/l	(g)	Concentration		Detection Limit	
Diesel Range C10 - C28	04-05-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Gasoline Range C5 - C10	04-05-11	1.0067E+003	1.0071E+003	0.04%	0 - 15%
And the second s	I-Cal Date	I-Cal RF: ; ?	C-Cal RF:	% Difference	Accept Range
Condition:	N/A		Analysis Requeste	d:	TPH
Preservative:	N/A		Date Analyzed:		04-05-11
Sample Matrix:	Methylene Chlori	de	Date Received:		N/A
Laboratory Number:	57801		Date Sampled:		N/A
Sample 1D:	04-05-11 QA/0	C	Date Reported:		04-06-11
Client:	QA/QC		Project #:		N/A

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	216	86.4%	75 - 125%
Diesel Range C10 - C28	ND	250	270	108%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 57801-57806

Apalyst

Review

L/GAIGA



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	04-06-11
Laboratory Number:	57801	Date Sampled:	04-04-11
Chain of Custody:	11437	Date Received:	04-04-11
Sample Matrix:	Soil	Date Analyzed:	04-05-11
Preservative:	Cool	Date Extracted:	04-04-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND,	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	

p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
	^	

. Total BTEX ND₃

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	112 %
	1,4-difluorobenzene	89.4 %
	Bromochlorobenzene	102 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 29-5 Unit 235

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	04-06-11
Laboratory Number:	57802	Date Sampled:	04-04-11
Chain of Custody:	11437	Date Received:	04-04-11
Sample Matrix:	Soil	Date Analyzed:	04-05-11
Preservative:	Cool	Date Extracted:	04-04-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dildion.	10	
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.4 %
	1,4-difluorobenzene	107 %
	Bromochlorobenzene	111 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 29-5 Unit 235

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A		Project#:	1	N/A
Sample ID:	0405BBLK QA/QC		Date Reported:	(04-05-11
Laboratory Number:	57801		Date Sampled:	ļ	N/A
Sample Matrix:	Soil		Date Received:		A/N
Preservative:	N/A		Date Analyzed:	(04-05-11
Condition:	N/A		Analysis:	1	BTEX
			Dilution:	1	0
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect.
Detection Limits (ug/L)	The state of the s	Accept. Ran	ge 0 - 15%	Conc	Limit
Benzene	3.1209E+006	3.1272E+006	0.2%	ND	0.1
Toluene	9.5261E+005	9.5452E+005	0.2%	ND	0.1
Ethylbenzene	7.4501E+005	7.4650E+005	0.2%	ND	0.1
p,m-Xylene	1.6002E+006	1.6034E+006	0.2%	ND	0.1
o-Xylene	6.1239E+005	6.1362E+005	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample Du	plicate	%Diff:	- Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	· % Recovery	Accept Range
Benzene	ND	500	573	115%	39 - 150
Toluene	ND	500	539	108%	46 - 148
Ethylbenzene	ND	500	585	117%	32 - 160
p,m-Xylene	ND	1000	1,190	119%	46 - 148
o-Xylene	ND	500	578	116%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 57801-57806

Review Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve-Pit	Date Reported:	04/05/11
Laboratory Number:	57801	Date Sampled:	04/04/11
Chain of Custody No:	11437	Date Received:	04/04/11
Sample Matrix:	Soil	Date Extracted:	04/04/11
Preservative:	Cool	Date Analyzed:	04/04/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons



5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: San Juan 29-5 Unit 235

Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	04/05/11
Laboratory Number:	57802	Date Sampled:	04/04/11
Chain of Custody No:	11437	Date Received:	04/04/11
Sample Matrix:	Soil	Date Extracted:	04/04/11
Preservative:	Cool	Date Analyzed:	04/04/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

113

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 29-5 Unit 235

Ŕeview



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS **QUALITY ASSURANCE REPORT**

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

04/05/11

Laboratory Number:

04-04-TPH.QA/QC 57797

Date Sampled:

N/A

Sample Matrix:

Freon-113 N/A

Date Analyzed:

04/04/11

Preservative: Condition:

N/A

Date Extracted: Analysis Needed: 04/04/11 TPH

Calibration

I-Cal Date

C-Cal Date

I-Cal RF: C-Cal RF: % Difference Accept. Range

03/01/11

04/04/11

1,660

1,560

6.0%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

5.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference Accept. Range

TPH

TPH

117

115

2.330

2.3%

+/- 30%

Spike Conc. (mg/Kg)

Sample 117

Spike Added Spike Result % Recovery 2,000

110%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 57797, 57801-57806

Review



Chloride

Client:

ConocoPhillips

Project #:

96052-1706

Sample ID:

*Reserve Pit

Date Reported:

04/05/11

Lab ID#:

57801

Date Sampled:

04/04/11

Sample Matrix:

Soil

Date Received:

04/04/11

Preservative:

Condition:

Cool Intact

Date Analyzed:

Chain of Custody:

04/05/11 11437

Parameter

Concentration (mg/Kg)

Total Chloride

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 29-5 Unit 235

Review

5796 US Highway 64, Farmington, NM 87401



Chloride

Client: Sample ID: ConocoPhillips

Project #:

96052-1706

Lab ID#:

Back Ground 57802

Date Reported:

04/05/11

Sample Matrix:

Soil

Date Sampled: Date Received: 04/04/11 04/04/11

Preservative: Condition:

Cool Intact Date Analyzed:

04/05/11

Chain of Custody:

11437

Parameter

Concentration (mg/Kg)

Total Chloride

20

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 29-5 Unit 235

Review

Submit To Appropriat Two Copies District I 1625 N French Dr. H District II								Form C-105 July 17, 2008 1. WELL API NO.							
1301 W Grand Avenu District III 1000 Rio Brazos Rd, District IV 1220 S St Francis Dr	Aztec, NM 8	7410	Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505					30-039-30879 2 Type of Lease ☐ STATE ☐ FED/INDIAN 3 State Oil & Gas Lease No							
4 Reason for filing				ETION RE			LOG		5 Lease Name or Unit Agreement Name SAN JUAN 19-5 UNIT						
COMPLETIO C-144 CLOSU #33, attach this and Type of Complet	RE ATTA	CHMENT (Fill in boxe	s#1 thr	ough #9, #15 D	ate Rıg	Released		or	6 Well Num 235					
NEW WE 8 Name of Operato ConocoPhillips 10 Address of Oper	r Compa		□ DEEPI	ENING	□PLUGBAC	K □ I	DIFFERE	NT RESERV	OIR	9 OGRID 217817	e or W	ıldçat			
PO Box 4298, Farm		1 87499			•										
12.Location U	nıt Ltr	Section	Towns	hip	Range	Lot		Feet from th	he	N/S Line	Feet	from the	E/W	Line	County
Surface:															
ВН:															
13 Date Spudded		ΓD Reached	10/0	3/2010	Released					(Ready to Pro		1	RT, GR	, etc)	and RKB,
18 Total Measured	Depth of V	Vell	19 1	'lug Bac	k Measured De	pth	20	Was Directi	iona	l Survey Made	;7	21 Ty	pe Elec	tric and O	ther Logs Run
22 Producing Inter-	val(s), of th	us completior	ı - Top, Bo	ttom, Na	ame							ļ			
23				CAS	ING REC	ORI	(Rep	ort all str	ing	gs set in w	rell)				
CASING SIZE		WEIGHT L	B /FT DEPTH SET				HC	OLE SIZE		CEMENTI	NG RE	CORD	/	AMOUNT	PULLED
				ļ		\dashv									
				 											
				<u> </u>											
SIZE	TOP		ВОТТОМ	LIN	ER RECORD SACKS CEM		SCREE	J	SIZ			NG REC		PACK	ER SET
SIZE	101		OTTOM		BACKS CLIV	LIVI	SCICLL	`	312	- L	+	LI 111 31	<u> </u>	TACK	LKSLI
26 Perforation re	cord (inter	val, size, and	number)						FR.	ACTURE, C					
							DEPTH	INTERVAL		AMOUNT	AND	CIND M	ATERIA	AL USED	-
										 					·
28							DDUC								
Date First Production	on	Prod	uction Met	hod (Fle	owing, gas lift, p	oumpin	g - Sıze ar	nd type pump)	,	Well Statu	is <i>(Pro</i>	d or Shu	t-ın)		
Date of Test	Hours Te	sted	Choke Size		Prod'n For Test Period		Oıl - Bb		Gas	s - MCF	W	ater - Bb	1	Gas - C	Dil Ratio
Flow Tubing Press	Casing Pr	4	Calculated Hour Rate	24-	Oıl - Bbl		Gas	- MCF		Water - Bbl		Oıl Gı	avity -	API - (Cor	r)
29 Disposition of C	Gas (Sold, u	sed for fuel, v	ented, etc ,)							30	Test Witi	essed E	Ву	
31 List Attachment	ts														
32 If a temporary p	it was used	at the well, a	ittach a pla	t with th	e location of the	e tempo	rary pit								
33 If an on-site but	ial was use	d at the well,	report the	exact lo	cation of the on-	site bu	rial								
	1	Latitude 30		Lon	gitude 107.350	09°W	NAD 🔲	1927 🖾 1983	3			1 7		11 1	
I hereby certify Signature	inat the t	information LGO	i snown (XW)	Pri	h sides of thi. nted ne Jamie G	_		<i>and compl</i> tle: Regul				<i>knowle</i> .te: 7/18	_		Ī
E-mail Address	ıamıe 1	_, _ goodwin@	conocon	_				.		-					

ConocoPhillips

Pit Closure Form:
Date: 5/10/2011
Well Name: 53 29-5 235
Footages: 1750 FSL, 1045 FWL Unit Letter: L
Section: 15, T-29-N, R-5-W, County: R.A State: NM
Contractor Closing Pit: 3.b. R:Her
Construction Inspector: Norman Faver Date: 5/10/2011 Inspector Signature: 1/4 man Faver Date: 5/10/2011
Revised 11/4/10
Office Use Only: Subtask DSM Folder

Goodwin, Jamie L

From: Payne, Wendy F

Sent: Wednesday, May 04, 2011 1:07 PM

To: (Brandon.Powell@state.nm.us); Eli (Cimarron) (eliv@qwestoffice.net); GRP SJBU

Regulatory; Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe,

Terry; Payne, Wendy F; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W;

Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R, Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J., Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY, Work, Jim A; Corey Alfandre, 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com), Blair, Maxwell O; Blakley, Mac; Farrell, Juanita R; Gillette, Steven L (PAC); Hines, Derek J; Maxwell, Mary Alice; McWilliams, Peggy L; Saiz,

Kooper (Finney Land Co.); Seabolt, Elmo F; Stallsmith, Mark R; Thayer, Ashley A

Cc: 'JDRITT@aol.com'

Subject: Reclamation Notice: San Juan 29-5 Unit 235

Importance: High

Attachments: San Juan 29-5 Unit 235.pdf

JD Ritter Construction will move a tractor to the **San Juan 29-5 Unit 235** to start the reclamation process on Monday, May 9, 2011. Please contact Norm Faver (320-0670) if you have any questions or need further assistance.



San Juan 29-5 Unit 235.pdf (14...

ConocoPhillips Company Well - Network # 10285171 - Activity Code D250 (reclamation) & D260 (pit closure) - PO: Kaitlw

Rio Arriba County, NM

San Juan 29-5 Unit 235 - FEE surface/BLM minerals

Onsited. Mike Flaniken 8-20-09 Twin. San Juan 29-5 Unit 48 (existing) 1750' FSL, 1045' FWL Sec. 15, T29N, R5W Unit Letter " L "

Lease # SF-080069 Latitude: 36° 43' 23" N (NAD 83)

Longitude 107° 21' 00" W (NAD 83)

Elevation 6774'

Total Acres Disturbed: 2 38 acres

Access Road: n/a API # 30-039-30879 Within City Limits: **NO**

Pit Lined: YES


Note: Arch Monitoring is NOT required


Wendy Payne ConocoPhillips-SJBU 505-326-9533


Wendy.F.Payne@conocophillips.com

ConocoPhillips

Reclamation Form:
Date: 6/7/1)
Well Names 53 29-5 235
Footages: 1750 FSL, 1045 FWL Unit Letter: L
Section: 15, T-29-N, R-5-W, County: R.A. State: NM
Reclamation Contractor: Ritter
Reclamation Date: 5/16/11
Road Completion Date: 5/25/11
Seeding Date: <u>5 /23 / 11</u>
PIT MARKER STATUS (* *******************************
MARKER PLACED: 6/9/11 (DATE) LATATUDE:
MARKER PLACED: 6/9/11 (DATE) LATATUDE: LONGITUDE: DATE Pit Manifold removed 5/15/11 (DATE)
MARKER PLACED: 6/9/11 (DATE) LATATUDE: LONGITUDE: Pit Manifold removed 5/15/11 (DATE) Construction Inspector: Norman Faver Date: 6/7/11
MARKER PLACED: 6/9/11 (DATE) LATATUDE: LONGITUDE: DATE Pit Manifold removed 5/15/11 (DATE)









<u> </u>	WELL NAME:	OPEN P	IT INSPE	CTION I	FORM			Com	ocoPh	illina
	SAN JUAN 29-5 235	1	11 11131 E	CIIOI				Cone	SCOPN	mps
	INSPECTOR		Jon Berenz	Jon Berenz	Jon Berenz	Jon Berenz	Jon Berenz	Jared Chavez		Jared Chavez
<u> </u>	DATE		09/10/10	09/17/10	09/24/10	10/01/10	10/08/10	10/14/10	10/25/10	11/03/10
┡	*Please request for pit extention after 26 weeks	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8	Week 9
		Drilled	☐ Drilled	☐ Drilled	☐ Drilled	☐ Drilled	☑ Drilled	☑ Drilled	☑ Drilled	☑ Drilled
	PIT STATUS	Completed	Completed		Completed	Completed	Completed	Completed	Completed	Completed
		☐ Clean-Up	☐ Clean-Up	Clean-Up	Clean-Up	☐ Clean-Up	Clean-Up	☐ Clean-Up	Clean-Up	Clean-Up
TION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
LOCATION	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes □ No	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes No
	Is the top of the location bladed and in good operating condition?	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes □ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
_	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No
MENT	Does the pit contain two feet of free board? (check the water levels)	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes □ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
ENV	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No
ပ္ပ	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	Location not complete	No diversion ditch	loose,road needs	No diversion ditch,fence loose,road needs bladed		Location good	Manifold is missing a male hose fitting, contacted Blakley Oilfield	GOOD	LOCATION IS IN GOOD CONDITION

	WELL NAME:									
	SAN JUAN 29-5 235					F				
-	DATE	JARED CHAVEZ 11/16/10	JARED CHAVEZ 11/21/10	JARED CHAVEZ 11/30/10	JARED CHAVEZ 12/07/10	12/14/10	JARED CHAVEZ 12/17/10	JARED CHAVEZ 12/27/10	Norman Faver 01/05/11	Norman Faver 01/07/11
	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
	PIT STATUS	☐ Drilled☐ Completed☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No
/ 10C	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
OMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No
Ü	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
AENŢ	Does the pit contain two feet of free board? (check the water levels)	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	· ☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes 🗌 No	✓ Yes 🗌 No
၁၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	Yes V No	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
		LOCATION IS IN GOOD CONDITION	LOCATION IS IN GOOD CONDITION		LOCATION IS IN GOOD CONDITION		LOCATION IS IN GOOD CONDITION	LOCATION IS IN GOOD CONDITION	Location good shape/snow covered	location good shape/snow covered

	WELL NAME:									
	SAN JUAN 29-5 235			_						
_		Norman Faver	Norman Faver	Norman Faver						
\vdash	*Please request for pit extention after 26 weeks	01/19/11 Week 19	01/26/11 Week 20	02/01/11 Week 21	02/11/11 Week 22	02/17/11 Week 23	02/21/11 Week 24	02/28/11 Week 25	03/07/11 *Week 26*	03/16/11 Week 27
	PIT STATUS	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up					
ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No			
7001	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No			
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes □ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No			
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
OMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No					
U	is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No				
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
RON	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No						
≧	Are the pits free of trash and oil?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No			
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No			
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No			
ى د	Was the OCD contacted?	Yes 🗹 No	Yes I No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes ✓ No	☐ Yes ☑ No
	COMMENTS	Good condition snow covered	good condition	good shape	good shape	good shape				

<u> </u>	WELL NAME:									
	SAN JUAN 29-5 235 INSPECTOR DATE *Please request for pit extention after 26 weeks		Norman Faver 03/30/11 Week 29	Elmer Perry 04/05/11 Week 30	Norman Faver 04/12/11 Week 31	E. Perry 05/03/11 Week 32	E. Perry 05/06/11 Week 33	05/13/11 Week 34	Week 35	Week 36
	PIT STATUS	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ✓ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
L COMPLIANCE	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	Yes No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	✓ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No
	is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
AENTA	Does the pit contain two feet of free board? (check the water levels)	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are the pits free of trash and oil?	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes □ No	Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there a Manifold on location?	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ပ္ပ	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	Yes No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	Yes No
	COMMENTS	Pıt good	Small tear in linner about 7 feet above water,crossfire to repair 31st	liner repaired,location ruff	location rutted	1	Rd and Loc Rutted Sign on Facility	CLOSED		