State of New Mexico **Energy Minerals and Natural Resources** Form C-144 July 21, 2008

District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St Francis Dr , Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
Pit, Closed-Loop System, Be	elow-Grade Tank, or
Proposed Alternative Method Perm	nit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, b	pelow-grade tank, or proposed alternative method
X Closure of a pit, closed-loop system,	below-grade tank, or proposed alternative method
Modification to an existing permit	
Closure plan only submitted for an element below-grade tank, or proposed altern	existing permitted or non-permitted pit, closed-loop system, native method
Instructions: Please submit one application (Form C-144) per individual p	oit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability si environment. Nor does approval relieve the operator of its responsibility to comply with an	
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: <u>14538</u>
Address: P.O. Box 4289, Farmington, NM 87499	
Facility or well name: Riddle B 11N	
API Number: 30-045-34810 OCD	Permit Number.
U/L or Qtr/Qtr: F(SE/NW) Section: 23 Township: 30N	Range: 10W County: San Juan
	ngitude: 107.857665 °W NAD: 1927 X 1983
Surface Owner: X Federal State Private Tribal	Trust or Indian Allotment
2	
X Pit: Subsection F or G of 19 15 17 11 NMAC	
Temporary X Drilling Workover Permanent Emergency Cavitation P&A	
	LLDPE HDPE PVC Other
X String-Reinforced	
	blume 4400 bbl Dimensions L 65' x W 45' x D 10'
3 Closed-loop System: Subsection H of 19 15 17 11 NMAC	
Type of Operation P&A Drilling a new well Workover or Drill notice of intent)	ling (Applies to activities which require prior approval of a permit or
Drying Pad Above Ground Steel Tanks Haul-off Bins O	Other
Lined Unlined Liner type. Thicknessmil	LLDPE HDPE PVD Other
Liner Seams Welded Factory Other	56189101172732
4	
Below-grade tank: Subsection I of 19 15 17 11 NMAC	RECEIVED 3
Volume bbl Type of fluid	
Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-ii	nch lift and automatic overflow shut-off
Visible sidewalls and liner Visible sidewalls only Other	non me and automatic overnow snar-on
Liner Type Thickness mil HDPE PVC	Other Separate 17


Form C-144

Alternative Method:

Oil Conservation Division

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5



6 7 Parising Colored De 510 15 17 11 NBAC (Authority of the Colored Co				
Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	itution or chui	·ch)		
Four foot height, four strands of barbed wire evenly spaced between one and four feet		,		
Alternate Please specify				
7				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19.15 17 11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19 15 3 103 NMAC]		
9				
Administrative Approvals and Exceptions:		}		
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		İ		
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	proval		
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
10				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the	ŀ			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	\square_{N_0}		
- NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	<u> </u>			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No		
(measured from the ordinary high-water mark).				
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	No		
application.				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)	Ŭ NA			
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
		□ _{NTe}		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	∐Yes	∐No		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	∐No		
Within the area overlying a subsurface mine.	Yes	□No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	L	⊔™		
Within an unstable area.	□Yes	□No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	LJ . •	□		
Society; Topographic map				
Within a 100-year floodplain	Yes	No		
- FEMA map	_	_		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15.17 13 NMAC Previously Approved Design (attach copy of design) API or Permit	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API	
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC	
14 Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type	

Form C-144 Oil Conservation Division Page 3 of 5

16	,			
<u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> (19 15 17 13 D NMAC Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two	vo			
facilities are required.				
Disposal Facility Name: Disposal Facility Permit #				
Disposal Facility Name Disposal Facility Permit #-				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future. Yes (If yes, please provide the information No	re service and			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NN	AAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
17				
Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NMAC				
Instructions Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provide certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted				
office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 10 NMAC for guidance	to the Sania Pe Environmental Dureau			
Ground water is less than 50 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - tWATERS database search; USGS Data obtained from nearby wells				
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐ Yes ☐No			
- NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo; satellite image	Yes No			
<u>.</u>	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.				
- NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland	Yes No			
- US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine	Yes No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area	☐Yes ☐No			
Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,				
Topographic map				
Within a 100-year floodplain	. Yes No			
- FEMA map				
18				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the cloby a check mark in the box, that the documents are attached.	osure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC	·			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC				

19 Operator Application Certification:
1 hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title.
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date:
Title: Compiance Office OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: May 26, 2009
Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only; Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Disposal Facility Permit Number Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits) .
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location. Latitude <u>36.007694 °N</u> Longitude <u>107.85736 °W</u> NAD <u>1927 X</u> 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Ethel Tally Title Staff Regulatory Technician
Signature Date 210/10
e-mail address ethel.tally@conocophillips.com Telephone 505-599-4027

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: Riddle B 11N API No.: 30-045-34810

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	6.9 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	50.3 ug/kG
TPH	EPA SW-846 418.1	2500	396mg/kg
GRO/DRO	EPA SW-846 8015M	_500	53 mg/Kg
Chlorides	EPA 300.1	(1000/500	190 mg/L

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, Riddle B 11N, UL-F, Sec. 23, T 30N, R 10W, API # 30-045-34810.

Tafoya, Crystal

From:

Tafoya, Crystal

Sent:

Wednesday, October 08, 2008 3:44 PM 'mark_kelly@nm.blm.gov'

To:

Subject:

Surface Notification

The temporary pits for the locations listed will be closed on-site. Please let me know if you have any questions.

San Juan 28-6 Unit 98P San Juan 28-6 Unit 204N San Juan 28-6 Unit 164P Riddle B 11N San Juan 28-7 Unit 188N San Juan 28-6 Unit 179N JC Davidson D 1S

Thanks,

Crystal L. Tafoya Regulatory Technician ConocoPhillips Company San Juan Business Unit Phone: (505) 326-9837

Email: Crystal.Tafoya@conocophillips.com

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u>

1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fc, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 7 Copies Fee Lease - 3 Copies

MAMMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


1 A	PI Number		2	Pool Code		BA		od Name BLANCO MESAVE	ERDE
⁴ Property Cod	e l	·			⁵ Property RIDD				⁶ Well Number 11N
7 OGRID No		•	BURL	INGTON	8 Operator	Name OIL AND GAS C	OMPANY LP		⁹ Elevation 6302
					10 SURFACE I	LOCATION			
JL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	23	30-N	10-W		1515	NORTH	1430	WEST	SAN JUAN
			11 E	Bottom H	ole Location I	f Different Fro	m Surface		
JL or lot no.	Section	Township	Range		Feet from the	North/South line	Feet from the	East/West line	County
D	23	30-N	10-W		800	NORTH	710	WEST	SAN JUAN
Dedicated Acres 315.56	13 Joint	or Infill	Consolidation	n Code	Onder No.			. ~	_

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

,		
2202.7. (#) 7-7.527 8000' 88.27. # 88.27. # 7515' A	5171.7' (M) 5179.7' (R)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my browledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling agreement or a compulsory pooling order heretofore entered by the division
1430° BOTTOM HOLE NAD 83 LAT: 36.802649° N LONG: 107.860076° W NAD 27 LAT:35°48.158689' N LONG: 107°51.567451' W	WELL FLAG NAD 83 LAT: 36,800695° N LONG: 107.857665° W NAD 27 LAT:36°48.041443' N LONG: 107°51.422768' W	Signature Printed Name Title and E-mail Address Date 18 SURVEYOR CERTIFICATION
W/2 DEDICATED ACREAGE SF - 078200-B SECTION 23 T-30-N, R-10-W		I bereby certify that the well location shown on this plat was plated from field notes of actual surveys unde by me or under my supervision, and that the same is true and correct to the best of my behef. Date of Survey: 2/22/08 Signature and Sed of Professional Surveyor.
N 1'12'11" E		Certificate Number: NM 11393

BURLINGTON RESOURCES OIL AND GAS COMPANY LP

RIDDLE B 11N



PIT CROSS SECTION

NAD 83 LAT.: 36.800895°N/LONG.: 107.857665°W

EXISTING ACCESS ROAD

CCI

P.O BOX 328

CHENAULT CONSULTING INC. BLOOMFIELD, NM, 8741

BLOOMFIELD,NM, 87413

SHALLOW ABOVE S WIDE (OVERFLOW-3 <u>OKE:</u>

UNDERGROUND

OR ACCESS

CONSTRUCTION.

PRIOR

UNMARKED BURIED (2) WORKING DAYS

330' x 400' = 3.03 ACRES



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID.	Ridddle B #11N	Date Reported:	03-26-09
Laboratory Number:	49405	Date Sampled	03-11-09
Chain of Custody No:	6458	Date Received:	03-23-09
Sample Matrix	Soil	Date Extracted:	03-23-09
Preservative:	Cool	Date Analyzed:	03-24-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	53.0	0.1
Total Petroleum Hydrocarbons	53.0	0.2

ND - Parameter not detected at the stated detection limit

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Drilling Pit Sample.

Analyst

Thistung Walter Review

_

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #	96052-0026
Sample ID:	Ridddle B #11N Background	Date Reported.	03-26-09
Laboratory Number:	49406	Date Sampled:	03-11-09
Chain of Custody No:	6458	Date Received:	03-23-09
Sample Matrix:	Soil	Date Extracted:	03-23-09
Preservative:	Cool	Date Analyzed ⁻	03-24-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: Drilling Pit Sample.

Analyst

Muster Marten Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID [.]	03-24-09 QA/QC	Date Reported:	03-26-09
Laboratory Number:	49403	Date Sampled [.]	N/A
Sample Matrix.	Methylene Chloride	Date Received [.]	N/A
Preservative.	N/A	Date Analyzed:	03-24-09
Condition:	N/A	Analysis Requested:	TPH

and the second s	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept: Range
Gasoline Range C5 - C10	05-07-07	9 9797E+002	9 9837E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9 9502E+002	9.9542E+002	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	7.5	7.7	2.6%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept: Range
Gasoline Range C5 - C10	ND	250	248	99.2%	75 - 125%
Diesel Range C10 - C28	7.5	250	260	101%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 49403 - 49412.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	ConocoPhillips	Project #:	96052-0026
Sample ID	Riddle B #11N	Date Reported	03-26-09
Laboratory Number:	49405	Date Sampled:	03-11-09
Chain of Custody:	6458	Date Received:	03-23-09
Sample Matrix:	Soil	Date Analyzed	03-24-09
Preservative:	Cool	Date Extracted:	03-23-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	6.9	0.9	
Toluene	8.7	1.0	
Ethylbenzene	4.3	1.0	
p,m-Xylene	21.2	1.2	
o-Xylene	9.2	0.9	
Total BTEX	50.3		

ND - Parameter not detected at the stated detection limit

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996

Comments:

Drilling Pit Sample

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client.	ConocoPhillips	Project #:	96052-0026
Sample ID.	Riddle B #11N Background	Date Reported:	03-26-09
Laboratory Number:	49406	Date Sampled.	03-11-09
Chain of Custody:	6458	Date Received.	03-23-09
Sample Matrix:	Soil	Date Analyzed:	03-24-09
Preservative.	Cool	Date Extracted [.]	03-23-09
Condition:	Intact	Analysis Requested	BTEX

		Det.	
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References¹

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996

Comments:

Drilling Pit Sample

Analyst

Review Weltles



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

N/A	Project #	N/A
03-24-BT QA/QC	Date Reported	03-26-09
19403	Date Sampled	N/A
Soil	Date Received	N/A
N/A	Date Analyzed	03-24-09
N/A	Analysis	BTEX
1 1 1	3-24-BT QA/QC 9403 oil I/A	3-24-BT QA/QC Date Reported 9403 Date Sampled oil Date Received I/A Date Analyzed

Calibration and Detection Limits (ug/L)	LCal RF:	C-Cal RF: Accept. Rang	%Diff. je 0 - 15%	Blank Conc	Detect. Limit
Benzene	5 1721E+005	5 1824E+005	0.2%	ND	0.1
Toluene	4 5117E+005	4 5208E+005	0.2%	ND	0.1
Ethylbenzene	9 1178E+005	9 1361E+005	0.2%	ND	0.1
p,m-Xylene	9 1178E+005	9 1361E+005	0.2%	ND	0.1
o-Xylene	3 8657E+005	3 8735E+005	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample Du	plicate	%Diff,	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	1.2	1.1	8.3%	0 - 30%	1.0
Ethylbenzene	2.3	2.2	4.3%	0 - 30%	1.0
p,m-Xylene	9.3	7.9	15.1%	0 - 30%	1.2
o-Xylene	4.0	3.7	7.5%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spil	red Sample	% Recovery	Accept Range
Benzene	ND	50.0	49.5	99.0%	39 - 150
Toluene	1.2	50.0	47.2	92.2%	46 - 148
Ethylbenzene	2.3	50.0	50.3	96.2%	32 - 160
p,m-Xylene	9.3	100	107	98.2%	46 - 148
o-Xylene	4.0	50.0	50.0	92.6%	46 - 148

ND - Parameter not detected at the stated detection limit

References Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments: QA/QC for Samples 49403 - 49412.

Review

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Riddle B #11N	Date Reported:	03-25-09
Laboratory Number:	49405	Date Sampled:	03-11-09
Chain of Custody No:	6458	Date Received:	03-23-09
Sample Matrix:	Soil	Date Extracted:	03-23-09
Preservative:	Cool	Date Analyzed:	03-23-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

396

7.5

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Drilling Pit Sample.

Analyst

Mustum Weller Review

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Riddle B #11N Background	Date Reported:	03-25-09
Laboratory Number:	49406	Date Sampled:	03-11-09
Chain of Custody No:	6458	Date Received:	03-23-09
Sample Matrix:	Soil	Date Extracted:	03-23-09
Preservative:	Cool	Date Analyzed:	03-23-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

321

7.5

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Drilling Pit Sample.

Analyst

Mustum Wates



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client: QA/QC Project #: N/A Date Reported: 03-25-09 Sample ID: QA/QC Date Sampled: N/A Laboratory Number: 03-23-TPH.QA/QC 49403 Sample Matrix: Freon-113 Date Analyzed: 03-23-09 Date Extracted: 03-23-09 Preservative: N/A Condition: N/A Analysis Needed: TPH

Calibration | IfCal Date | C_Cal Date | I_Cal RF: | Difference | Accept Range | O3-23-09
Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

7.5

Duplicate Conc. (mg/Kg) Sample Duplicate Sample Accept Range TPH 129 107 16.7% +/- 30%

Spike Conc. (mg/Kg)
Sample Spike Added Spike Result Recovery Accept Range
TPH
129
2,000
1,770
83.2%
80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 49403 - 49412.

Reviev



Chloride

Client: ConocoPhillips Project #: 96052-0026 Sample ID: Riddle B #11N Date Reported: 03-24-09 Lab ID#: 49405 Date Sampled: 03-11-09 Sample Matrix: Soil Date Received: 03-23-09 Preservative: Cool Date Analyzed: 03-24-09 Condition⁻ Intact Chain of Custody: 6458

Parameter Concentration (mg/Kg)

Total Chloride 190

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Drilling Pit Sample.

Analyst Review Review



Chloride

Client.	ConocoPhillips	Project #:	96052-0026
Sample ID:	Riddle B #11N Background	Date Reported:	03-24-09
Lab ID#:	49406	Date Sampled:	03-11-09
Sample Matrix:	Soil	Date Received:	03-23-09
Preservative:	Cool	Date Analyzed:	03-24-09
Condition:	Intact	Chain of Custody:	6458

Parameter Co	ncentration (mg/Kg)
--------------	---------------------

Total Chloride 75

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Drilling Pit Sample.

nalyst Review Review

Submit To Appropri Two Copies	ate District O	ffice	State of New Mexico					Form C-105							
District I 1625 N French Dr,	Energy, Minerals and Natural Resources				July 17, 2008 1. WELL API NO.										
District II 1301 W Grand Ave	nue, Artesia,	NM 88210		Oi	l Conservat	tion I	Divicio	m		30-045-34810					
District III 1000 Rio Brazos Rd	. Aztec. NM	87410			20 South S					2. Type of Lease					
District IV 1220 S St Francis I				12	Santa Fe, N			1.		STATE FEE FED/INDIAN 3. State Oil & Gas Lease No.					
	· · · · ·								_					Marie College	
4. Reason for filin		TION O	RRECO	OMPL	ETION RE	POR	TANL	LOG		5. Lease Nam		nit Agree	ment No	ame	ner je jo j a
										Riddle B		mi Agice	ment ive		
☐ COMPLETI	ON REPOI	RT (Fill in bo	oxes #1 thro	ugh #31	for State and Fee	e wells	only)			6 Well Numb	er.				
C-144 CLOS #33; attach this an	d the plat to								d/or						
7 Type of Comp ✓ NEW V		VORKOVE	R 🗖 DEEP	ENING	□PLUGBACE	кПр	IFFERE	NT RESER	VOIR	R OTHER					
8 Name of Opera	tor									9 OGRID					,
Burlington Resou 10. Address of Op		s Company,	LP							14538 11. Pool name	or Wi	ldcat			
-															
12.Location	Unit Ltr	Section	Town	ship	Range	Lot		Feet from	the	N/S Line	Feet	from the	E/W I	Line	County
Surface:		ļ													
ВН:					1								<u> </u>		
13. Date Spudded	14. Date	T.D. Reache		Date Rig 19/2009	g Released		16.	Date Comp	oleted	I (Ready to Prod	luce)		7 Elevat T, GR, e		and RKB,
18. Total Measure	d Depth of	Well	19.	Plug Ba	ck Measured Dep	oth	20.	Was Direc	tiona	al Survey Made		21. Typ	e Electr	ic and O	her Logs Run
22. Producing Inte	erval(s), of t	his completion	on - Top, Bo	ttom, N	ame										
23.				CAS	SING REC	ORD	(Ren	ort all st	tring	gs set in w	ell)				
CASING SIZ	ZE	WEIGHT	LB /FT.		DEPTH SET			LE SIZE		CEMENTIN		CORD	Al	MOUNT	PULLED
				ļ						-					
															- · · · · · · · · · · · · · · · · · · ·
					ED DECORD				1	<u> </u>	N 112 E2	IC PEG	ODD		
SIZE	TOP	Т	ВОТТОМ	LIN	ER RECORD SACKS CEM	ENT	SCREEN	1	25.		_	IG REC		PACK	ER SET
															-
26. Perforation	ragard (into	aval sign on	d number)				27 40	ID CHOT	ED	ACTURE CE	MEN	T COLL	REZE	ETC	
26. Perforation	record (inte	ivai, size, aii	u number)			ŀ		ID, SHOT INTERVAL		ACTURE, CE AMOUNT A					
		•	-			[***				•				
										_					
28.						PRO	DUC'	TION							
Date First Produc	tion .	Pro	duction Me	thod (Fl	lowing, gas lıft, p				p)	Well Status	(Proc	l. or Shut	-ın)		
Date of Test	Hours To	ested	Choke Size	e	Prod'n For		Oıl - Bb	1	Ga	ıs - MCF	Wa	ater - Bbl		Gas - (Dil Ratio
					Test Period										
Flow Tubing Press.	Casing F	ressure	Calculated Hour Rate	24-	Oil - Bbl.		Gas	- MCF	١	Water - Bbl.		Oil Gra	vity - A	PI - <i>(Cor</i>	r.)
29. Disposition of	Gas (Sold,	used for fuel	vented, etc)							30. T	est Witne	essed By	,	
31. List Attachme															
32. If a temporary	pit was use	d at the well	, attach a pla	t with th	he location of the	tempo	rary pit								
33. If an on-site b	urial was us	ed at the wel	l, report the	exact lo	cation of the on-	site bur	ial:								
,			36.007694°1	N Lo	ongitude 107 857	736°W	NAD 🗆	1927 🛛 19	983	7 1	<u></u>	,	,	11 **	<i>.</i>
I hereby certif	y that the $\bigcap_{n} \bigcap_{n}$	information	on shown	Pri	th sides of this nted me Ethel Tal			•		to the best of ory Technicia	•	knowled Date:	~	-	
E-mail Addres	s ethel to	U /	cophilling	Γ	me Emei Iai	пу	ine: S	nan Kegi	uiäl(ny recimien	111	Date:	حل	101	10
L-man Addres	o cinci.la	my (we come	cohminbs	,.com											

ConocoPhillips

Pit Closure Form:		
Date: <u>5/26/20</u>		
Well Name: R'del	le B IIN	-
Footages:		Unit Letter:
•	-N, RW, County: _ <u>S</u>	
Contractor Closing Pit:	JD R:Her	
Construction Inspector:	Norman Favor	Date: 5/26/2009
Inspector Signature:	Noman for	7

Tally, Ethel

From: Silverman, Jason M < Jason.M. Silverman@conocophillips.com>

Sent: Wednesday, May 20, 2009 3:42 PM

Brandon.Powell@state.nm.us <Brandon.Powell@state.nm.us>; Mark Kelly <Mark Kelly@blm.gov>; To:

Robert Switzer < Robert_Switzer@blm.gov>; Sherrie Landon < Sherrie_Landon@blm.gov>

Cc: 'jdritt@aol.com' <jdritt@aol.com>; Art Sanchez <art9sranch@msn.com>; Faver Norman

(faverconsulting@yahoo.com) <faverconsulting@yahoo.com>; Jared Chavez

<jared chavez@live.com>; KENDAL BASSING <Kendal.R.Bassing@conocophillips.com>; Scott

Smith <harleysmith_99@yahoo.com>; Silverman, Jason M

<Jason.M.Silverman@conocophillips.com>; Smith Eric (sconsulting.eric@gmail.com) <sconsulting.eric@gmail.com>; Stan Mobley <kyvekasm@qwestoffice.net>; Terry Lowe

<loweconsulting@msn.com>; Becker, Joey W < Joe.W.Becker@conocophillips.com>; Bonilla, Amanda <Amanda.Bonilla@conocophillips.com>; Bowker, Terry D <Terry.D.Bowker@conocophillips.com>;

Busse, Dollie L < Dollie L. Busse@conocophillips.com>; Chavez, Virgil E

<Virgil.E.Chavez@conocophillips.com>; Gordon Chenault <gordon@ccinm.com>; GRP:SJBU

Production Leads <SJBUProductionLeads@conocophillips.com>; Hockett, Christy R

<Christy.R.Hockett@conocophillips.com>; Kennedy, Jim R < JIM.R.Kennedy@conocophillips.com>;

Larry Thacker < Ithackerccinm@hotmail.com>; Lopez, Richard A <Richard.A.Lopez@conocophillips.com>; Loudermilk, Jerry L

<Jerry.L.Loudermilk@conocophillips.com>; Nelson, Terry J <Terry.J.Nelson@conocophillips.com>;

O'Nan, Mike J. <Mike.J.O'Nan@conocophillips.com>; Peace, James T

<James.T.Peace@conocophillips.com>; Pierce, Richard M <Richard.M.Pierce@conocophillips.com>;

Poulson, Mark E < Mark. E. Poulson@conocophillips.com>; Richards, Brian

<Brian.Richards@conocophillips.com>; Smith, Randall O <Randy.O.Smith@conocophillips.com>;

Stamets, Steve A <Steve.A.Stamets@conocophillips.com>; Work, Jim A

<Jim.A. Work@conocophillips.com>; Blair, Maxwell O <Maxwell.O.Blair@conocophillips.com>;

Blakley, Mac < Maclovia Blakley@conocophillips.com>; Clark, Joni E

<Joni.E.Clark@conocophillips.com>; Cornwall, Mary Kay <Mary K.Cornwall@conocophillips.com>;

Farrell, Juanita R < Juanita R. Farrell@conocophillips.com>; Greer, David A

<David.A.Greer@conocophillips.com>; Maxwell, Mary Alice <Mary.A.Maxwell@conocophillips.com>;

McWilliams, Peggy L < Peggy L McWilliams@conocophillips.com>; Seabolt, Elmo F

<Elmo.F.Seabolt@conocophillips.com>

Subject: Reclamation Notice: Riddle B 11N

Importance: High

Attachments: Riddle B 11N.pdf

JD Ritter will move a tractor to the Riddle B 11Non Tuesday, May 26th, 2009 to start the Reclamation Process.

Please contact Norm Faver (320-0670) if you have any questions or need further assistance.

Thanks, Jason Silverman

Burlington Resources Well- Network # 10232855 Riddle B Unit 11N_BLM surface/BLM minerals

Twin: n/a

1515'FNL, 1430'FWL Sec. 23T,30N, R10W

Unit Letter 'F'

Lease #: USA SF-078200-B


API #: 30-045-34810

Latitude: 36 degrees 48 min 02.50200 sec N (NAD 83) Longitude: 107 degrees 51 min 27.59400 sec W (NAD83)

Elevation: 6302'

SQUANTE SOUTON

600	77/9//	<u> </u>		Laner Laver	yl-		Construction
				P001/2	2/11		ard galosse
		, , , , , , , , , , , , , , , , , , , ,	· · · · · · · · · · · · · · · · · · ·	5002/11	Ø.	:sked noise	Rosd Compl
				5002	7/11	:ajeG	nobemblasfi
•				-12/	FY	Contractor:	Reclamation
	WN	- ems	28	m· Compa:	一句 '例		Seotion:
		- Leider:	Hall				Footages:
				M	7	K: 2801c	well Heide:
					Ţ	007/91	[Date: 12]
						W FORM:	Reciewa





WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: Riddle B 11N

API#: 30-045-34810

DATE	INSPECTOR	SAFETY CHECK	LOCATION	PICTURES TAKEN	COMMENTS
12/18/08	Jared Chavez	Х	X		Pit and location in good condition
1/7/09	Jared Chavez	Х	!		MO-TE is on location setting surface
1/23/09	Jared Chavez	Х	X		Holes in liner and trash on location - contacted Crossfire for repairs
1/30/09	Jared Chavez	Х	Х		Holes in liner - contacted Crossfire for repairs
2/5/09	Jared Chavez	Х	X	•	Holes in liner, fence needs tightened - contacted Crossfire for repairs, water needs pulled - contacted Noble
2/12/09	Jared Chavez	Х	X		Holes in liner, fence needs tightened, trees behind blowwall needs washed
2/19/09	Jared Chavez				Drake #28 in on location
3/3/09	Jared Chavez	Х	X		Fence needs tightened - contacted Crossfire for repairs
3/12/09	Jared Chavez	Х	X		Pit and location in good condition
3/18/09	Scott Smith	Х	, X	X	Crew installing facilities; fence needs work, lots of equipment on location
3/23/09	Scott Smith	Х	X	Х	Liner in good condition; fence loose, M clips, barbed- wire cut; no diversion ditch @ pit; cellar liner left on location
4/8/09	Scott Smith	Х	X	X	Fence & liner in good condition
4/15/09	Scott Smith	Х	X	X	Fence in good condition; small tear on W side of reserve pit liner
4/21/09	Scott Smith	Х	X	Х	Fence & liner in good condition; no diversion ditch @ pit
4/29/09	Scott Smith	Х	Х	Х	Fence & liner in good condition; cellar liner left on location; no diversion ditch @ pit
5/6/09	Scott Smith	X	X	X	Fence & liner in good condition; no diversion ditch @ pit
5/27/09	Scott Smith				Pit being closed today

DATE: 6/21/12

WELL NAME: RIDDLE B 11N

API# 30-045-34810 PERMIT #: 5227

MISSING DATA: PICTURES OF RECLAMATION

ATTACHED: PICTURES OF RECLAMATION

RCVD JUN 25 12

Annual Persons

DIST. 3

Jamie Goodwin ConocoPhillips 505-326-9784



