District I 1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
5783 <u>Prop</u>	Pit, Closed-Loop System, Below-Grade Tank, or osed Alternative Method Permit or Closure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one a	pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment Nor does approval relieve the operator of its responsibility to comply with any other a	oplicable governmental authority's rules, regulations or ordinances
1 Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: P.O. Box 4289, Farmington, NM 87499	
Facility or well name: LEO MANNING 100	
API Number: 30-045-34628 OCD Permit	Number
U/L or Qtr/Qtr: P(SE/SE) Section: 11 Township: 29N Range	: 11W County: San Juan
Center of Proposed Design: Latitude: 36.73552 °N Longitude	e: <u>107.95515</u> °W NAD: <u>1927</u> X 1983
Surface Owner: X Federal State Private Tribal Trust o	r Indian Allotment
X Pit: Subsection F or G of 19.15 17 11 NMAC Temporary X Drilling Workover Permanent Emergency Cavitation P&A X Lined Unlined Liner type Thickness 20 mil X LLDF X String-Reinforced Liner Seams X Welded X Factory Other Volume	7000 bbl Dimensions L 120' x W 55' x D 12'
Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Apnotice of Intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDP Liner Seams Welded Factory Other	70-20-37
Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift a visible sidewalls and liner Visible sidewalls only Other Liner Type Thickness mil HDPE PVC Other	PECEIVED OIL CONS. DIV. DIST. 3 ONLY OF THE STATE OF TH
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe I	

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15.17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	itution or chu	rch)
Netting: Subsection E of 19 15 17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	aderation of ap	pproval
Siting Criteria (regarding permitting): 19.15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes	□No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	∏No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	" NA"	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	□No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain	Yes	□No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15,17 9 NMAC
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9
NMAC and 19.15 17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19 15.17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
☐ Erosion Control Plan
Erosion Control Plan ———————————————————————————————————
Closure Plan = based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Closure Plan_based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Proposed Closure: 19 15 17.13 NMAC
Closure Plan = based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Closure Plan_based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Proposed Closure: 19 15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Closure Plan_based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 14
Closure Plan_based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 14
Closure Plan_based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Proposed Closure: 19 15 17.13 NMAC
Closure Plan_based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 14
Closure Plan_based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Proposed Closure: 19 15 17.13 NMAC
Closure Plan_based.upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC A
Closure Plan = based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Proposed Closure: 19 15 17.13 NMAC
Closure Plan_based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Closure Plan = based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Proposed Closure: 19 15 17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16		
Waste Removal Closure For Closed-loop Systems That Utilize Above G Instructions. Please identify the facility or facilities for the disposal of liqui	round Steel Tanks or Haul-off Bins Only: (19 15 17.13.D NMAC) ds, drilling fluids and drill cuttings. Use attachment if more than two)
facilities are required		
Disposal Facility Name		
Disposal Facility Name.	Disposal Facility Permit #	 -
Will any of the proposed closed-loop system operations and associate Yes (If yes, please provide the information No	ed activities occur on or in areas that will not be used for future	service and
Required for impacted areas which will not be used for future service and of	•	
Re-vegetation Plan - based upon the appropriate requirements	e appropriate requirements of Subsection H of 19 15 17 13 NM.	AC
Site Reclamation Plan - based upon the appropriate requirement		
		<u> </u>
17. Siting Criteria (Regarding on-site closure methods only: 19 15 17	7.10 NMAC	
Instructions Each siting criteria requires a demonstration of compliance in the c	losure plan Recommendations of acceptable source material are provided	
certain siting criteria may require administrative approval from the appropriate of office for consideration of approval—Justifications and/or demonstrations of equi		o the Santa Fe Environmental Bured
Ground water is less than 50 feet below the bottom of the buried was	ste ·	Yes No
- NM Office of the State Engineer - IWATERS database search, USGS	S. Data obtained from nearby wells	∏ _{N/A}
Ground water is between 50 and 100 feet below the bottom of the bu	iried waste	Yes No
 NM Office of the State Engineer - 1WATERS database search; USGS 		
Ground water is more than 100 feet below the bottom of the buried v		Yes No
- NM Office of the State Engineer - IWATERS database search; USGS	, Data obtained from nearby wells	∐N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any of (measured from the ordinary high-water mark)	her significant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the proposed sit	e	
Within 300 feet from a permanent residence, school, hospital, institution, or - Visual inspection (certification) of the proposed site, Aerial photo, sate	••	Yes No
	· ·	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring to purposes, or within 1000 horizontal fee of any other fresh water well or spring to the control of the cont	ng, in existence at the time of the initial application	
 NM Office of the State Engineer - IWATERS database; Visual inspect Within incorporated municipal boundaries or within a defined municipal fres 		Yes No
pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written app	proval obtained from the municipality	
Within 500 feet of a wetland		Yes No
- US Fish and Wildlife Wetland Identification map, Topographic map;	Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine		Yes No
 Written confirantion or verification or map from the NM EMNRD-Mi Within an unstable area 	ning and Mineral Division	
within an unstable area Engineering measures incorporated into the design; NM Bureau of Get	plagy & Mineral Resources LISGS: NM Geological Society:	Yes No
Topographic map	Nogy & Milliotal Resources, Obdo, 1111 declogical Society,	
Within a 100-year floodplain. - FEMA map		Yes No
18	·	
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructio by a check mark in the box, that the documents are attached.	ns: Each of the following items must bee attached to the clos	ure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the	appropriate requirements of 19 15 17 10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate r		
Construction/Design Plan of Burial Trench (if applicable) bas	•	
	al of a drying pad) - based upon the appropriate requirements of	19 15 17 11 NMAC
Protocols and Procedures - based upon the appropriate require		
	appropriate requirements of Subsection F of 19 15 17 13 NMAG	
Waste Material Sampling Plan - based upon the appropriate re		
	ing fluids and drill cuttings or in case on-site closure standards of	cannot be achieved)
Soil Cover Design - based upon the appropriate requirements		,
Re-vegetation Plan - based upon the appropriate requirements	of Subsection I of 19 15 17 13 NMAC	
Site Reclamation Plan - based upon the appropriate requirement	ante of Subsection C of 10 15 17 13 NMAC	

Operator Application Certification
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (och Conditions (see attachment) OCD Representative Signature: Approval Date:
Title: ON Jane C C Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. [V] Closure Completion Date:
X Closure Completion Date: June 3, 2009
22 Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility Permit Number Disposal Facility Permit Number
Disposal Facility Name. Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below) Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
X Proof of Closure Notice (surface owner and division)
X Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number
X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude <u>36.735319</u> <u>on Longitude</u> <u>107.955125</u> <u>ow NAD</u> 1927 X 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Marie E Jaramillo / Title: Staff Regulatory Tech
Signature Date 29[[
e-mail address. marie.e.jaramillo@cbnocophillips.com Telephone 505-326-9865

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: LEO MANNING 100

API No.: 30-045-34628

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface öwner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	20.4 ug/kG
TPH	EPA SW-846 418.1	2500	39.4mg/kg
GRO/DRO	EPA SW-846 8015M	500_	ND mg/Kg
Chlorides	EPA 300.1	1000 500	60.0 mg/L

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

 Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, LEO MANNING 100, UL-P, Sec. 11, T 29N, R 11W, API # 30-045-34628.

Tafoya, Crystal

From:

Tafoya, Crystal

Sent:

Wednesday, July 02, 2008 12:40 PM 'mark_kelly@nm.blm.gov'

To: Cc:

'brandon.powell@state.nm.us'

Subject:

OCD Pit Closure Notification

The Leo Manning #100 will have a temporary pit that will be closed on-site. The new OCD Pit Rule 17 requires the surface owner be notified of the closure since it is on-site. Please feel free to contact me at any time if you have any questions.

Thank you,

Crystal L. Tafoya Regulatory Technician ConocoPhillips Company San Juan Business Unit Phone: (505) 326-9837

Email: Crystal.Tafoya@conocophillips.com

DISTRICT | 1625 H. French Dr., Hobbs, N.M. 68240

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 12, 2005

DISTRICT II.
1301 W. Grand Avenue, Artenia, M.M. 88210

Submit to Appropriate District Office

DISTRICT III
1000 Rio Brazos Rd., Artec, N.M. 87410

State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	*Pool Code Pool Name BASIN FRUITLAND COAL/BLANCO PICT		PICTURED CLIFFS	
⁴ Property Code	⁶ Property Name		Well Number	
A722267	LEO MANNING		100	
OGRID No.	Operator Name		² Elevation	
	BURLINGTON RESOURCES	OIL AND GAS COMPANY LP	5665'	


¹⁰ Surface Location


VL or lot no.	Section	Township	Range	. Lot Idn	Feet from the	North/South line	Fest from the	East/West line	County	١
P	11	29N	11W	,	926'	SOUTH	963'	EAST	SAN JUAN	

11 Rottom Hole Location of Different From Surface

Docton note rocation in phierent from ourface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West Line	County
į l									ŀ
Dedicated Acres			"Joint or	lofill	16 Consolidation (ode	15 Order No.		
320.00 Acre									
160.00 Acre	s - (SE	(4) PC							

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION







EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Leo Manning 100	Date Reported:	01-06-09
Laboratory Number:	48581	Date Sampled:	12-30-08
Chain of Custody No:	5880	Date Received:	12-30-08
Sample Matrix:	Soil	Date Extracted:	01-02-09
Preservative:	Cool	Date Analyzed:	01-05-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND	0.2	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Drilling Pit Sample

5796 US Highway 64, Farmington, NM 87401 Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Leo Manning 100 Background	Date Reported:	01-06-09
Laboratory Number:	48582	Date Sampled:	12-30-08
Chain of Custody No:	5880	Date Received:	12-30-08
Sample Matrix:	Soil	Date Extracted:	01-02-09
Preservative:	Cool	Date Analyzed:	01-05-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	, ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Drilling Pit Sample

5796 US Highway 64, Farmington, NM 87401 Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



Total Petroleum Hydrocarbons

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

0.2

Client:	QA/QC		Project #:		N/A
Sample ID:	01-05-09 QA/0	QC .	Date Reported:		01-06-09
Laboratory Number:	48579		Date Sampled:		N/A
Sample Matrix:	Methylene Chlor	ride	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		01-05-09
Condition:	N/A		Analysis Request	ed:	TPH
Gasoline Range C5 - C10	1-08l Date 05-07-07	9.9808E+002	©=Cal RE 9.9848E+002	% Difference 0.04%	Accept Range 0 - 15%
Diesel Range C10 - C28	05-07-07	9.8530E+002	9.8569E+002	0.04%	0 - 15%
Earlasance (nagle insul	()	Concentation		Delagion Un	ă i
Gasoline Range C5 - C10		ND		0.2	
Diesel Range C10 - C28		ND		0.1	

Eigelleaciteans (med/6)	Samples	Dualicate	% Difference	Accept Renge
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Contrationalism and	Shirtple	Spike Adderd	Spikerresult	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	246	98.4%	75 - 125%
Diesel Range C10 - C28	ND	250	252	101%	75 - 125%

ND

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Sample 48579 - 48584, 48588, and 48596.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Leo Manning 100	Date Reported:	01-06-09
Laboratory Number:	48581	Date Sampled:	12-30-08
Chain of Custody:	5880	Date Received:	12-30-08
Sample Matrix:	Soil	Date Analyzed:	01-05-09
Preservative:	Cool	Date Extracted:	01-02-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	9.6	1.0	
Ethylbenzene	1.6	1.0	
p,m-Xylene	6.0	1.2	
o-Xylene	3.2	0.9	
Total BTEX	20.4		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochiorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pit Sample.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Leo Manning 100 Background	Date Reported:	01-06-09
Laboratory Number:	48582	Date Sampled:	12-30-08
Chain of Custody:	5880	Date Received:	12-30-08
Sample Matrix:	Soil	Date Analyzed:	01-05-09
Preservative:	Cool	Date Extracted:	01-02-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	•
Toluene	ND	1.0	•
Ethylbenzene	· ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pit Sample.

Analyst

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	01-05-BT QA/QC	Date Reported:	01-06-09
Laboratory Number:	48579	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	01-05-09
Condition:	N/A	Analysis:	BTEX

Calibration and Defection Limits (ug/	TAN MOORE	C-Cal RE Accept Rain	% %DIF je 0 - 15%		Delect.
Benzene	1.0874E+006	1.0895E+006	0.2%	ND	0.1
Toluene	1.0478E+006	.1.0499E+006	0.2%	ND	0.1
Ethylbenzene	9.5540E+005	9.5732E+005	0.2%	ND	0.1
p,m-Xylene	2.2681E+006	2.2726E+006	0.2%	ND	0.1
o-Xylene	9.6670E+005	9.6864E+005	0.2%	ND	0.1

Duplicate Conc. (ug/kg).	Sample	plicate -	%Diff	AcceptiRange	Defect: Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	3.5	3.7	5.7%	0 - 30%	1.0
Ethylbenzene	2.8	2.9	3.6%	0 - 30%	1.0
p,m-Xylene	9.3	9.1	2.2%	0 - 30%	1.2
o-Xylene	7.0	6.7	4.3%	0 - 30%	0.9

Spike Conc. (tig/kg)	Sample Amo	uni spiked: Spik	red Sample	% Recovery	Accept Range
Benzene	ND	50.0	48.0	96.0%	39 - 150
Toluene	3.5	50.0	52.2	97.6%	46 - 148
Ethylbenzene	2.8	50.0	50.8	96.2%	32 - 160
p,m-Xylene	9.3	100	104	95.3%	46 - 148
o-Xylene	7.0	50.0	59.4	104%	46 - 148

ND - Parameter not detected at the stated detection limit.

References

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 48579 - 48584, 48588, 48589), and 48596.

5796 US Highway 64, Farmington, NM 87401 Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



Chloride

Client: ConocoPhillips Project #: 96052-0026 Date Reported: Sample ID: Leo Manning 100 01-07-09 Lab ID#: 48581 Date Sampled: 12-30-08 Sample Matrix: Soil Date Received: 12-30-08 Preservative: Cool Date Analyzed: 01-06-09 Chain of Custody: Condition: 5880 Intact

Parameter

Concentration (mg/Kg)

Total Chloride

60.0

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pit Sample.



Chloride

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Leo Manning 100 Background	Date Reported:	01-07-09
Lab ID#:	48582	Date Sampled:	12-30-08
Sample Matrix:	Soil	Date Received:	12-30-08
Preservative:	Cool	Date Analyzed:	01-06-09
Condition:	Intact	Chain of Custody:	5880

Parameter	Concentration (mg/Kg)

Total Chloride

10.0

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pit Sample.

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Leo Manning 100	Date Reported:	01-05-09
Laboratory Number:	48581	Date Sampled:	12-30-08
Chain of Custody No:	5880	Date Received:	12-30-08
Sample Matrix:	Soil	Date Extracted:	01-02-09
Preservative:	Cool	Date Analyzed:	01-02-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		 Det.
	Concentration	Limit
Parameter	(mg/kg)	 (mg/kg)

Total Petroleum Hydrocarbons

39.4

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Drilling Pit Sample.

Analysi Musters Marters

Review

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Leo Manning 100 Background	Date Reported:	01-05-09
Laboratory Number:	48582	Date Sampled:	12-30-08
Chain of Custody No:	5880	Date Received:	12-30-08
Sample Matrix:	Soil	Date Extracted:	01-02-09
Preservative:	Cool	Date Analyzed:	01-02-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

19.1

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Drilling Pit Sample.

Analysi Musters

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client: Sample ID: **QA/QC QA/QC** Project #:

N/A

Laboratory Number:

01-02-TPH.QA/QC 48570

Date Reported: Date Sampled:

01-05-09 N/A

Sample Matrix:

Freon-113

Date Analyzed: Date Extracted: 01-02-09 01-02-09

Preservative: Condition:

N/A N/A

Analysis Needed:

TPH

Calibration I-Cal Date C-Cal Date

I-Cal RF: C-Cal RF: % Difference Accept. Range

12-03-08

01-02-09

1,590

1,560

1.9%

+/- 10%

Blank Conc. (mg/Kg) **TPH**

Concentration Detection Limit ND

6.4

Duplicate Conc. (mg/Kg)

Sample

Duplicate % Difference Accept. Range

TPH

343

305

11.1%

+/- 30%

Spike Conc (mg/Kg) **TPH**

Sample Spike Added Spike Result % Recovery Accept Range 343

2,000

2,480

106%

80 - 120%

ND = Parameter not detected at the stated detection limit.

"kristin of Waters

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 48570 - 48573, 48575 - 48584, and 48589.

			-				•	٠.										
Submit To Appropr Two Copies	nate Distri	ct Office				State of Ne											rm C-105	
District I 1625 N French Dr	Hobbs N	JM 88240		Energy, Minerals and Natural Resources						-	July 17, 2008							
District II			,		-	. ~						1. WELL API NO. 30-045-34628						
1301 W Grand Avenue, Artesia, NM 88210 District III				Oil Conservation Division							30-045-34628 2. Type of Lease							
1000 Rio Brazos Rd , Aztec, NM 87410 District IV						20 South S				r.		STA		☐ FEE		FED/IND	IAN	
1220 S St Francis	Dr , Santa	Fe, NM 8750)5	4.4		Santa Fe, N	VM 8	750	5			3. State Oil 8 NM-03877		Lease N	Э.		i	
WELL (COMP	LETION	OR F	RECC	MPL	ETION RE	POR	T A	NE	LOG					T. K.	deskip e e		
4 Reason for file			-							,		5 Lease Nam	e or U	nıt Agre				
COMPLETI	ION REI	PORT (Fill i	in boxes	#1 throu	gh #31	for State and Fe	e wells o	only)			ŀ	6. Well Num		G				
☐ C-144 CLOS	SURE A	ГТАСНМЕ	NT (Fill	ın boxe	s #1 thr	ough #9, #15 Da	ate Rig I	Releas			or /	100	ber.					
#33, attach this at 7. Type of Comp		at to the C-1	44 closur	e report	in accor	rdance with 19.1	5 17 13	KNI	MA	C)								
■ NEW V	WELL [□ WORKO	VER 🗌	DEEPE	ENING	□PLUGBACI	K 🛮 D	IFFE	REN	NT RESERV	OIR				· · · · · ·			
8 Name of Opera Burlington R		es Oil Ga	as Com	nanv.	LP							9. OGRID 14538						
10. Address of O	perator			punj,							\dashv	11. Pool name	or W	ildcat				
PO Box 4298, Fa	rmington	, NM 87499)															
12.Location	Unit Ltr	Section	n	Towns	hip	Range	Lot			Feet from the	he	N/S Line	Feet	from the	E/V	V Line	County	
Surface:																		
вн:																		
13. Date Spudded	i 14 D	ate T.D. Rea	ached	15. E 08/11		Released			16.	Date Comple	eted	(Ready to Proc	luce)		7. Ele		and RKB,	
18. Total Measure	ed Depth	of Well		19. P	lug Bac	k Measured Dep	oth		20.	Was Directi	iona	Survey Made	?	21. Ty	pe Ele	ctric and O	ther Logs Run	
22. Producing Int	erval(s),	of this comp	oletion - 7	op, Bot	tom, Na	me											,	
23.					CAS	ING REC	ORD	(Re	epo	ort all str	ing	s set in w	ell)					
CASING SIZ	ZE	WEIG	HT LB./F			DEPTH SET				LE SIZE		CEMENTIN		CORD		AMOUNT	PULLED	
SIZE	ТОР		POT	ТОМ	LINI	ER RECORD SACKS CEM	ENT I	CCDI	ZENI		25. SIZ						CD CCT	
SIZE	101		1001	TOM		SACKS CEIVI	EINI	SCRI	CEIN	'	SIZ	SIZE DEPTH SET PACKER SET				EK SEI		
26. Perforation	record (1	nterval, sıze	, and nun	nber)							FRA	ACTURE, CE						
								DEP.	Н	INTERVAL		AMOUNT A	ND K	IND MA	TERL	AL USED		
		,																
28.										ΓΙΟΝ								
Date First Produc	tion		Producti	on Meth	od (Flo	owing, gas lift, p	umping	- Sıze	and	d type pump)		Well Status	(Prod	l. or Shu	'-in)			
Date of Test	Hour	s Tested	Cho	Choke Size Prod'n For Oil - Bbl Gas Test Period			Gas	- MCF	Wa	ater - Bb	•	Gas - C	Dil Ratio					
Flow Tubing Press.	Casin	g Pressure		culated 2 ir Rate	24-	Oil - Bbl.		G	as -	- MCF		Water - Bbl.	_	Oil Gr	avity -	API - (Cor	r.)	
29. Disposition of	f Gas (So	ld, used for j	fuel, vent	ed, etc.)									30. T	est Witn	essed 1	Ву		
31. List Attachme	ents										-		L					
32. If a temporary	pit was	used at the v	vell, attac	h a plat	with the	e location of the	tempora	ary pi	t.									
33. If an on-site b	urial was	used at the	well, rep	ort the e	xact loc	ation of the on-s	site buria	al:										
I househouses	C. 41		de 36.73			ngitude 107.955						to the best	.f	Ina as :-1	dos	and L =1:	C	
I hereby certif	y mai i	ne injorm. W	ation sh M	iown o	7 Prin		-			-		to the best of egulatory To	•			and beliej 9/2010		
E-mail Addres	∫V \ ^{ov} ss mari	e.e.j/b	∏ illo@cc	nocon	hillips	.com												
					· F ~													

ConocoPhillips

it Closure Form:
ate: 6/3/2009
Vell Name: Les Manning 100
ootages: 926 FSL 963 FEL Unit Letter: P
ection:
ontractor Closing Pit: Ace
onstruction inspector: Norman Faver Date: 6/3/2009
spector Signature: # ## Townson Townson

Jaramillo, Marie E

From: Silverman, Jason M < Jason.M. Silverman@conocophillips.com>

Sent: Thursday, May 28, 2009 8:29 AM

To: Brandon.Powell@state.nm.us < Brandon.Powell@state.nm.us >; Mark Kelly

<Mark_Kelly@blm.gov>; Robert Switzer <Robert_Switzer@blm.gov>; Sherrie Landon

<Sherrie Landon@blm.gov>

Cc: 'acedragline@yahoo.com' <acedragline@yahoo.com>; Becker, Joey W

> <Joe.W.Becker@conocophillips.com>; Bonilla, Amanda <Amanda.Bonilla@conocophillips.com>; Bowker, Terry D <Terry.D.Bowker@conocophillips.com>; Busse, Dollie L <Dollie.L.Busse@conocophillips.com>; Chavez, Virgil E

<Virgil.E.Chavez@conocophillips.com>; Gordon Chenault <gordon@ccinm.com>; GRP:SJBU

Production Leads <SJBUProductionLeads@conocophillips.com>; Hockett, Christy R

<Christy.R.Hockett@conocophillips.com>; KENDAL BASSING <Kendal.R.Bassing@conocophillips.com>; Kennedy, Jim R

<JIM.R.Kennedy@conocophillips.com>; Larry Thacker <Ithackerccinm@hotmail.com>; Lopez,

Richard A <Richard.A.Lopez@conocophillips.com>; Loudermilk, Jerry L

<Jerry L.Loudermilk@conocophillips.com>, Nelson, Terry J

<Terry.J.Nelson@conocophillips.com>; O'Nan, Mike J. <Mike.J.O'Nan@conocophillips.com>;

Peace, James T < James.T.Peace@conocophillips.com>; Pierce, Richard M

<Richard.M.Pierce@conocophillips.com>; Poulson, Mark E <Mark.E.Poulson@conocophillips.com>; Richards, Brian <Brian.Richards@conocophillips.com>; Silverman, Jason M <Jason.M.Silverman@conocophillips.com>; Smith, Randall O <Randy.O.Smith@conocophillips.com>; Stamets, Steve A

<Steve.A.Stamets@conocophillips.com>; Thacker, LARRY < Ithacker@ccinm.com>; Work, Jim A < Jim.A. Work@conocophillips.com>; Art Sanchez < art9sranch@msn.com>; Faver Norman (faverconsulting@yahoo.com) <faverconsulting@yahoo.com>; Jared Chavez <jared chavez@live.com>; Scott Smith <harleysmith 99@yahoo.com>; Smith Eric

(sconsulting.eric@gmail.com) <sconsulting.eric@gmail.com>; Stan Mobley <kyvekasm@qwestoffice.net>; Terry Lowe <loweconsulting@msn.com>; Blair, Maxwell O

<Maxwell.O.Blair@conocophillips.com>; Blakley, Mac

<Maclovia.Blakley@conocophillips.com>; Clark, Joni E <Joni.E.Clark@conocophillips.com>;

Cornwall, Mary Kay <Mary.K.Cornwall@conocophillips.com>; Farrell, Juanita R

<Juanita.R.Farrell@conocophillips.com>; Greer, David A <David.A.Greer@conocophillips.com>; Maxwell, Mary Alice

<Peggy.L.McWilliams@conocophillips.com>: Seabolt, Elmo F

<Elmo.F.Seabolt@conocophillips.com>

Subject: Reclamation Notice: : Leo Manning 100

Importance: High

Attachments: Leo Manning 100.pdf

Ace Services will move a tractor to the Leo Manning 100 on Monday, June 1st, **2009** to start the Reclamation Process.

Please contact Norm Faver (320-0670) if you have any questions or need further assistance.

Thanks, Jason Silverman

Burlington Resources Well: Network Number #: 10223407

Leo Manning 100

San Juan County, NM

BLM SURFACE / BLM MINERALS Sec. 11, T29N, R11W 926' FSL, 963' FEL Unit Letter P (SE/SE)

API: 30-045-34628 Lease: USA NM-03877

LAT: 36.73552 (NAD 83) LONG: 107.95515 (NAD 83)

CorrocaPhilips (

Acciemation Form:
Date: 11/11/2009
Well Hame: Leo Manning 100
Footages: Unit Letter:
Section:, TN, RW, County: <u>5</u> 3 State: <u>NM</u>
Reciamation Contractor: Ace
Reclametton Date: 6/2009
Ross Completion Date: 6/2009
Seeding Date: 11/2009
Construction Inspector: Norman Faxer Date: 11/11/2009
Inepactor Signature:



EURLINGTON FIESCURCES LEO MANNING #100 LATHUDE 36,44,07.87200,NINAD83 LONGITUDE 107,57,18.54000,W LINIT P SEC 11 T29N R11W 926 FSL 963 FEL API # 30-045-64628 API # 30-045-64628 LEASE#USA NM-03877 ELEV.5665 LEASE#USA NM-03877 ELEV.5665 SAN JUAN COUNTY, NEW MEXICO SAN JUAN COUNTY, NEW MEXICO

WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: Leo Manning 100

API#: 30-045-34668

DATE	INSPECTOR	SAFETY	LOCATION CHECK	PICTURES TAKEN	COMMENTS
8/1/08	Jared Chavez	Χ .	Х	Х	PIT AND LOCATION IN GOOD CONDITION
8/8/08	Jared Chavez	Х	Х	Х	PIT AND LOCATION IN GOOD CONDITION
8/15/08	Jared Chavez	X	Х	Х	TEARS IN LINER - CONTACTED CROSSFIRE FOR REPAIRS
8/28/08	Jared Chavez	X	Х	Х	PIT AND LOCATION IN GOOD CONDITION
9/11/08	Jared Chavez	X :	Х	Х	PIT AND LOCATION IN GOOD CONDITION
9/18/08	Jared Chavez	X ,	Х	X	REMAINGIN APRON NEEDS TRIMMED - CONTACTED CROSSFIRE FOR REPAIRS
10/15/08	Jared Chavez	X	X	Х	TEAR IN LINER, LINER NEEDS RE-KEYED, EXTRA BARBED WIRE AT THE END OF LOCATION - CONTACTED CROSSFIRE FOR REPAIRS
10/22/08	Jared Chavez	X	Х	Х	TEAR IN LINER, LINER NEEDS RE-KEYED - CONTACTED CROSSFIRE FOR REPAIRS
11/26/08	Jared Chavez	X	Х	Х	PIT AND LOCATION IN GOOD CONDITION
12/3/08	Jared Chavez	X	Х	Х	PIT AND LOCATION IN GOOD CONDITION
12/9/08	Jared Chavez	:			DRAKE #26 IS ON LOCATION
12/19/08	Jared Chavez	X	Х	Х	HOLE IN LINER NEAR BLOWPIT - CONTACTED CROSSFIRE FOR REPAIR
1/9/09	Jared Chavez	X	X	Х	HOLES IN THE LINER - CONTACTED CROSSFIRE FOR REPAIRS
1/20/09	Jared Chavez	:			AWS #521 IS ON LOCATION
1/27/09	Jared Chavez	X	Х	Х	FENCE NEEDS TIGHTENED - CONTACTED CROSSFIRE FOR REPAIRS
2/3/09	Jared Chavez	X	Х	Х	HOLES IN LINER - CONTACTED CROSSFIRE FOR REPAIRS
2/9/09	Jared Chavez	X	Х	Х	PIT AND LOCATION IN GOOD CONDITION
2/13/09	Jared Chavez	X	Х	Х	PIT AND LOCATION IN GOOD CONDITION
2/20/09	Jared Chavez	X	Х	Х	PIT AND LOCATION IN GOOD CONDITION

3/1/09	Jared Chavez	X	X		PIT AND LOCATION IN GOOD CONDITION
3/6/09	Jared Chavez	Х	X		PIT AND LOCATION IN GOOD CONDITION
3/18/09	Scott Smith	X	Х	Х	Liner in good condition; fence loose; no diversion ditch @ pit
3/23/09	Scott Smith	Х	X	Х	Fence @ liner in good condition; no diversion ditch @ pit
4/8/09	Scott Smith	Х	X	X	Fence & liner in good condition; no diversion ditch @ pit
4/15/09	Scott Smith	Х	Х	Х	Fence and liner in good condition
4/21/09	Scott Smith	Х	Х	Х	Fence and liner in good condition
4/29/09	Scott Smith	X	Х	Х	Fence & liner in good condition; no diversion ditch @ pit
5/6/09	Scott Smith	X	X	Х	Fence & liner in good condition; no diversion ditch @ pit
5/18/09	Scott Smith	X	X	Х	Fence & liner in good condition; no diversion ditch @ pit
5/27/09	Scott Smith	X	X	Х	Fence & liner in good condition; no diversion ditch @ pit
6/4/09	Jared Chavez	į			LOCATION IS BEING RECLAIMED

DATE: 6/22/12

WELL NAME: LEO MANNING 100

API# 30-045-34628 PERMIT #: 5283

MISSING DATA: RECLAMATION PICTURES ATTACHED: RECLAMATION PICTURES

Jamie Goodwin ConocoPhillips 505-326-9784 RCVD JUN 26'12 OIL CONS. DIV. DIST. 3

