District I 1625 N French Dr , Hobbs, NM 88240

District II

State of New Mexico Energy Minerals and Natural Resources

Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1301 W Grand Ave, Artesia NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District 1V 1220 S St Francis Dr , Santa Fe, NM 87505

Pit, Closed-Loop System, Below-Grade Tank, or					
٠, ر	Proposed Alternative Method Permit or Closure Plan Application  Type of action   X  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method				
1,					
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
	Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,				
	below-grade tank, or proposed alternative method				
	Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
	Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances				
	Operator. ConocoPhillips Company OGRID# 217817				
	Address: PO Box 4289, Farmington, NM 87499				
	Facility or well name  San Juan 31-6 Unit 30  API Number  30-039-21807  OCD Permit Number				
	U/L or Qtr/Qtr: A(NE/NE) Section 35 Township 31N Range: 6W County Rio Arriba				
	Center of Proposed Design Latitude. 36.86116 °N Longitude -107.42633 °W NAD: 1927 X 1983				
	Surface Owner: Federal State Private Tribal Trust or Indian Allotment				
•	Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary				
	Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume				
	5 Alternative Method:  Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				

6					
	Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
	Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
	Four foot height four strands of barbed wire evenly spaced between one and four feet		,		
	Alternate Please specify				
_					
7	Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
	Screen Netting Other				
	Monthly inspections (If netting or scieening is not physically feasible)				
8					
c	Signs: Subsection C of 19 15 17 11 NMAC				
	12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
	X Signed in compliance with 19 15 3 103 NMAC				
S					
	Administrative Approvals and Exceptions:				
	Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance				
	Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	idaration of ar	meanal		
	(Fencing/BGT Liner)	ideration of ap	ргоча		
	Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
1					
1	Siting Criteria (regarding permitting) 19 15 17 10 NMAC				
	Instructions. The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
	source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
	consideration of approval. Applicant must attach justification for request Please refer to 19.15 17.10 NMAC for guidance. Siting criteria				
	does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	No		
	<ul> <li>NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells</li> </ul>		_		
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	∐No		
	(measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	ı			
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	□Ves	□No		
	application.				
	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
	- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
	(Applied to permanent pits)	□NA			
	- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		_		
	Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
	parposes, or within 1000 notizonian feet of any other fresh water went or spring, in existence at the time or initial appreciation.				
	- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site				
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No		
	adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality				
	Within 500 feet of a wetland.	Yes	No		
	- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site				
	Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
	Within an unstable area.	Yes	□No		
	- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	🗀 📆	□		
	Society, Topographic map				
	Within a 100-year floodplain - FEMA map	Yes	∐ No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9				
NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
I4 D. LCI 10 V IZ 12 V IA C				
Proposed Closure: 19 15 17 13 NMAC Instructions. Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions. Each of the following items must be attached to the closure plan.				
Waste Excavation and Removal Closure Plan Checklist: (1945/13 NMAC) Instructions. Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only (19 15 17 13 D NMAC)						
Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required	fluids and drill cuttings Use	attachment if more than two		ļ		
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00	)10B			
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #	NM-01-005				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No						
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection						
Site Reclamation Plan - based upon the appropriate requirements of Sul	osection G of 19 15 17 13 N	MAC				
Stting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC  Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance						
Ground water is less than 50 feet below the bottom of the buried waste	and from a contraction		Yes	No		
- NM Office of the State Engineer - 1WATERS database search, USGS Data obta	anied from hearby wens		∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste			∐Yes	No		
- NM Office of the State Engineer - IWATERS database search, USGS, Data obta	med from nearby wells		∐N/A			
Ground water is more than 100 feet below the bottom of the buried waste			Yes	No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data obta	med from nearby wells		∐N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	ant watercourse or lakebed, su	nkhole, or playa lake	Yes	No		
- Topographic map, Visual inspection (certification) of the proposed site			<u></u>			
Within 300 feet from a permanent residence, school, hospital, institution, or church in e		pplication	∐Yes	No		
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image			Yes	П№		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended						
Written confirmation or verification from the municipality, Written approval obta     Within 500 feet of a wetland	med from the municipality		Yes	□No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	ection (certification) of the pro	posed site	1 t.s			
Within the area overlying a subsurface mine			Yes	□No		
- Written confirantion or verification or map from the NM EMNRD-Mining and M	Ineral Division					
Within an unstable area	I D LICCE NIMA	Carlossel Caracter	Yes	∐No		
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mi Topographic map</li> </ul>	merai Resources, USGS, NIVI	Jeological Society,				
Within a 100-year floodplain - FEMA map			Yes	No		
18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must bee attached to the closure plan. Please indicate,						
by a check mark in the box, that the documents are attached.						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC						
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the			10 15 17 11 32	AAC		
Construction/Design Plan of Temporary Pit (for in place burial of a dry		ppropriate requirements of	19 15 17 11 NM	TAC		
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC  Confirmation Sampling Plan (if applicable) based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

) Operator Application Certification:						
Thereby certify that the information submitted with this application is true lice	mate and complete to the nes	to tray knowledge and hebet				
Name (Print) — Deinke fourier	Little	Regulatory Technici in				
Signature I TENTAL - OWNER -	Park	6/28/2012				
c-mail address Denise Journey@conoceptilips.com	Lelephone	50,5-326-9556				
70	<b>1</b>	<b>—</b>				
OCD Approvat: Permit Application (including closure plan)	Gosure Plan (only)	OCD Conditions (see attachment)				
OCD Representative Signature Constitution	Kelly	Approval Date: 7/11/2012				
Lute Compliance Offices	OCD Permit	Numbar				
THE COMPANY OF THE STATE OF THE		Number				
וי						
Closure Report (required within 60 days of closure completion) S						
Instructions: Operators are required to ortion, or approved er some plan pro- report is regard to be solutified to the days on within 60, lars of the comple-						
approved closure plan has been optomed and the closure activities have been		,				
	[ Closure (	ompletion Date.				
22						
Clasure Method		i				
Waste Excavation and Removal On-site Closute Method	Alternative Closure M	ethod Waste Removal (Closed-loop systems only)				
It different from approved plan please explain						
23						
Closure Report Regarding Waste Removal Closure For Closed-hoop Syste						
Instructions. Please identify the facility or facilities for where the liquids, di- were utilized	illing fluids and drill cutting	s were disposed. Use attachment if more than two facilities				
Disposal Fichty Name.	Disposal Lacility Pe	rinit Number				
Disposal Facility Name	Disposal Facility Pc	anut Namber				
Were the closed-loop system operations and associated activates performed on or an ireas that initiate he used for terms service and operations?						
Yes off ves, please demonstrate compilane to the steins below:	∐ No					
Required for impacted areas which will not be used yor junite service and	operations					
Soil Backfilling and Cover Installation						
Re-vegetation Application Rules and Seeding Technique						
Closure Report Attachment Checklist Instructions Each of the fo	dlowing nemy must be attach	ed to the closure report. Please indicate, by a check mark in				
the box, that the documents are attached						
Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)						
Plot Plan (for on-site closures and temporary pits)						
Confirmation Sampling Analytical Results (if applicable)						
Wiste Material Sampling Analytical Results (if applicable)						
Disposal Facility Name and Permit Number						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Feel made						
Site Reclamation (Photo Documentation)						
On-site Closure Location Latitude	L ongitude	NAD 1927 1983				
25						
Operator Closure Certification.  Thereby certor that the informati, it and attachmores submated with this cleasure by our is time accurate and complete to the best of my browledge and better. I also certify that						
the closure complies with all applicable clasure (2 parenents and conditions						
Name (Print)	Litk					
Signature	Date					
c-mad address	Lelephone					

## ConocoPhillips Company Closed-loop Plans

## Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.