District I 1625 N French Dr , Hobbs, NM 88240

#### State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd , Aztec, NM 87410 District IV

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

10247	
102.	

1220 S St Francis Dr , Santa Fe, NM 87505			арри	opriate NMOCD	District Ome	
	Pit, Closed-Loop Sys	stem, Below-G	rade Ta	ınk, or		
Propos	sed Alternative Meth	od Permit or C	Closure	<u>Plan App</u>	<u>lication</u>	
Type of action	X Permit of a pit, closed-loo	op system, below-gra	de tank, or	proposed alt	ernative me	ethod
	Closure of a pit, closed-lo	oop system, below-gr	ade tank, o	or proposed a	lternative n	nethod
	Modification to an existing	ng permit				
	Closure plan only submitt			non-permitte	d pit, close	d-loop system,
lucturediana Diagrambuit on ann	below-grade tank, or prop			kalaw as	ado tanh a	altanuation named
Instructions: Please submit one app Please be advised that approval of t	his request does not relieve the operator	• •		, ,		•
environment Noi does approval reliev	e the operator of its responsibility to c	omply with any other appli	cable governi	nental authority's	rules, regulation	ons or ordinances
Operator. Burlington Resources Oil	& Gas Company, LP		OGR	RID#. 1453	 8	
Address PO Box 4289, Farmington			,			
Facility or well name San Juan 30-6	Unit 431S					
API Number 30-	039-27713	OCD Permit Nu	ımber			
U/L or Qtr/Qtr. F(SE/NW) Section	10 Township 3	30N Range	6W	County:	Rio Arrib	98
Center of Proposed Design Latitude.	36.8295 °	N Longitude	107	.45404	°W NA	AD X 1927 1983
Surface Owner: X Federal	State Private	Tribal Trust or In	ndıan Allo	tment		
2				·		RCVD JUN 29'12
Pit: Subsection F or G of 19 15 17 1	1 NMAC				5	
Temporary Drilling Works						OIL CONS. DIV.
	vitation P&A	Duppe	LITUDO		ا مالیم	DIST. 3
	er type Thickness	mil LLDPE	HDPE	PVC_	Other _	
String-Reinforced		W. I	1.1.1	D	•	W D
Liner Seams Welded Fac	tory Other	Volume	bbl bbl	Dimensions	Lx	Wx D
3	H C10.15.17.11.NN44.C			<u>.</u>		-
X Closed-loop System: Subsection Type of Operation X P&A	n H of 19 15 17 11 NMAC  Drilling a new well Work	over or Drilling (Appli	es to activit	ies which reau	ire prior app	roval of a permit or
Type of operation A text	· ·	e of intent)	es to delivit	ies milen requ	периогарр	novar or a permit of
Drying Pad X Above Ground	d Steel Tanks Haul-off Br	ins Other				
Lined Unlined Liner	type Thickness	mil LLDPE	HDPE	PVD	Other _	<del></del>
Liner Seams Welded Fac	tory Other	<del></del>				
4						
Below-grade tank: Subsection I of						
Volumebbl	Type of fluid					
Tank Construction material		le liner 6-inch lift and				

Alternative Method:

Liner Type

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Visible sidewalls only

mıl

HDPE

Visible sidewalls and liner

Thickness

Other

Other

PVC

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instance of the specific plane of the specific plane.  Alternate Please specify	titution or chu	rch)		
7 Notice Colored February English 17.11 NMAC (Andrews and American Control of				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
8	<del></del> -			
Signs: Subsection C of 19 15 17 11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19 15 3 103 NMAC				
9 Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons.	ideration of an	proval		
(Fencing/BGT Liner)		<b>F</b>		
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	İ			
consideration of approval Applicant must attach justification for request. Please refer to 19.15.17 10 NMAC for guidance, Siting criteria	 			
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	∐No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	$\cdot$			
(measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)	□NA			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No		
- Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland.	∏Yes	□No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	∐Yes	No		
Within an unstable area.	Yes	No		
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological				
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC.
Hydrogeologic Neport (Sciow-grade Tailss) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 Notice  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API  or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions Lach of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application Please inducate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
☐ Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative
Proposed Closure Method Waste Excavation and Removal
X Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

16		water and the last base of	L. (10.15.17.12.D.ND4AC)		
Waste Removal Closure For Instructions Please identify the facilities are required	Closed-loop Systems That Utilize Above Ground S the facility or facilities for the disposal of liquids, drilli	iteel Tanks or Haul-off Bins On ing fluids and drill cuttings Use	attachment if more than two		
( * · · · · · · · · · · · · · · · · · ·	Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00	)10B	
Disposal Facility Name		Disposal Facility Permit #			
Will any of the proposed clo	osed-loop system operations and associated activity	ities occur on or in areas that i	will not be used for future	service and	
Required for impacted areas v Soil Backfill and Co Re-vegetation Plan	which will not be used for future service and operation over Design Specification - based upon the appropriate requirements of Suban - based upon -	oriate requirements of Subsect section I of 19 15 17 13 NMA	С	AC	
Instructions Each siting criteria certain siting criteria may requir	z on-site closure methods only: 19 15 17 10 NM requires a demonstration of compliance in the closure place administrative approval from the appropriate district of all Justifications and/or demonstrations of equivalency of	an Recommendations of acceptabl fice or may be considered an excep	tion which must be submitted to		
	0 feet below the bottom of the buried waste Engineer - iWATERS database search, USGS Data of	obtained from nearby wells		Yes N/A	No
Ground water is between 50	and 100 feet below the bottom of the buried wa	ste		Yes	□No
- NM Office of the State I	Engineer - iWATERS database search, USGS, Data of	btained from nearby wells		∐N/A	_
	100 feet below the bottom of the buried waste Engineer - iWATERS database search, USGS, Data of	btained from nearby wells		∐Yes □N/A	No
(measured from the ordinary h	,	ificant watercourse or lakebed, si	nkhole, or playa lake	Yes	No
	il inspection (certification) of the proposed site				
•	nent residence, school, hospital, institution, or church i cation) of the proposed site, Aerial photo, satellite ima		pplication	∐ Yes	∐No
purposes, or within 1000 horiz - NM Office of the State E Within incorporated municipal pursuant to NMSA 1978, Sect		istence at the time of the initial ap ification) of the proposed site well field covered under a munic	oplication	Yes	No
Within 500 feet of a wetlan	verification from the municipality, Written approval ol d etland Identification map Topographic map, Visual in		nosed site	Yes	□No
Within the area overlying a		processor (comments) or me pro	pos <b>cu s.v.</b>	Yes	□No
	verification or map from the NM EMNRD-Mining and			□Na	
Within an unstable area - Engineering measures ind Topographic map	corporated into the design, NM Bureau of Geology &	Mineral Resources, USGS, NM	Geological Society,	∐Yes	∐No
Within a 100-year floodplai - FEMA map	n			Yes	No
	ecklist: (19 15 17 13 NMAC) Instructions Eact, that the documents are attached.	ch of the following items mu	st bee attached to the closs	ure plan Plea	se indicate,
	pliance Demonstrations - based upon the appropr	-			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				MAC	
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
	pling Plan - based upon the appropriate requirem			•	
_				annot be achie	ved)
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				<del>/</del>	
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Dollie L. Busse Title Staff Regulatory Technician
Signature (1) Whe Signature Date 6/28/12
c-mail address dollie I busse@conocophillips com Telephone 505-324-6104
20 OCD Approval: Permit Application (including desure plan)   Glosure Plan (only)   OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23
Closure Report Regarding Waste Remoyal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only.  Instructions Please identify the facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities.
were utilized  Disposal Facility Name  Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations
Ste Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25  Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print)  Title
Signature Date
e-mail address Telephone

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

#### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.