District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

District III 1000 Rio Brazos Rd , Aztec, NM 87410 District IV	Santa Fe, NA		For permanent pits and exce Environmental Bureau office a	•
1220 S St Francis Di , Santa Fe, NM 87505			appropriate NMOCD District	Office
NAS Prop	Pit, Closed-Loop Syster osed Alternative Method			<u>on</u>
Type of action  Instructions: Please submit one a	Permit of a pit, closed-loop sy Closure of a pit, closed-loop sy X Modification to an existing pe Closure plan only submitted f below-grade tank, or proposed	ystem, below-grade to ermit for an existing permitt d alternative method	ank, or proposed alternatived or non-permitted pit, cl	ve method losed-loop system,
Please be advised that approval of	of this request does not relieve the operator of leve the operator of its responsibility to comply	iability should operations re	sult in pollution of surface water,	ground water or the
Operator Burlington Resources O  Address PO Box 4289, Farmington			OGRID#: <u>14538</u>	
Facility or well name: DAVIS A FI	EDERAL 1N			
API Number:3	0-045-35290	OCD Permit Number	r	
U/L or Qtr/Qtr. M(SW/SW) Secti Center of Proposed Design Latitude Surface Owner X Federal	e: <u>36.7771859</u> °N			TUAN NAD. ☐ 1927 🗶 1983
Permanent Emergency X ( Lined Unlined L String-Reinforced	7 11 NMAC rkover Cavitation P&A (Pre-set) iner type Thickness m.	ul LLDPE \	HDPE PVC Other	
Type of Operation P&A Drying Pad Above Gro	notice of u	ntent)	activities which require prior	approval of a permit or
4  Below-grade tank: Subsection  Volume	I of 19 15 17 11 NMAC			

Alternative Method: Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Liner Type

Form C-144

Visible sidewalls and liner

Secondary containment with leak detection

Thickness

Oil Conservation Division

Other

PVC

Visible sidewalls only

mıl

HDPE

Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

Other

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify			
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  X Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi  (Cavitation pit for Pre-set)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	ideration of ap	proval	
Siting Criteria (regarding permitting) 19 15 17 10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No	
<ul> <li>Visual inspection (certification) of the proposed site, Aerial photo, Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	No	
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No	
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No	
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes	No	
Within a 100-year floodplain - FEMA map	Yes	No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design)  API  or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9  NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
Treviously Approved Operating and Mannenance Fian At 1			
Decreased Pits Remot Application Checklett Subsection R of 10.15.17.0 NIMAC			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC			
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan  Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency X Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
☐ In-place Burial ☐ On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Rc-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems	s That Utilize Above Ground St	eel Tanks or Haul-off Bins On	ly_(19 15 17 13 D NMAC)	
Instructions Please identify the facility or facilities facilities are required	for the disposal of liquids, drillin	ng fluids and drill cuttings Use	attachment if more than two	
Disposal Facility Name Envirotech / JFJ L	andfarm % IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00	010B
Disposal Facility Name Basin Disposal Fa	cılıty	Disposal Facility Permit #	NM-01-005	
Will any of the proposed closed-loop system of Yes (If yes, please provide the information		ties occur on or in areas that i	vill not be used for future s	service and
Required for impacted areas which will not be used  Soil Backfill and Cover Design Specific  Re-vegetation Plan - based upon the app  Site Reclamation Plan - based upon the	eation - based upon the appropropriate requirements of Subs	riate requirements of Subsect section I of 19 15 17 13 NMA	С	ac
17			,	· · · · · ·
Siting Criteria (Regarding on-site closure m Instructions Each siting criteria requires a demonstrat certain siting criteria may require administrative appro office for consideration of approval Justifications and	ion of compliance in the closure pla wal from the appropriate district off	n Recommendations of acceptable fice or may be considered an excep	tion which must be submitted to	
Ground water is less than 50 feet below the both				Yes No
- NM Office of the State Engineer - IWATERS	database search, USGS Data of	btained from nearby wells		∐N/A
Ground water is between 50 and 100 feet below				Yes No
- NM Office of the State Engineer - iWATERS		tained from nearby wells		∐N/A
Ground water is more than 100 feet below the - NM Office of the State Engineer - iWATERS		stained from nearby wells		∐Yes ∐No ∏N/A
-		•	Alberta and a salar	
Within 300 feet of a continuously flowing watercout (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification)		ncant watercourse or lakebed, si	nknoie, or playa lake	YesNo
Within 300 feet from a permanent residence, school		n existence at the time of initial a	polication	☐Yes ☐No
- Visual inspection (certification) of the propose			PP	☐Yes ☐No
Within 500 horizontal feet of a private, domestic fre purposes, or within 1000 horizontal fee of any other - NM Office of the State Engineer - 1WATERS	fresh water well or spring, in exi	stence at the time of the initial ap		1651100
Within incorporated municipal boundaries or within pursuant to NMSA 1978, Section 3-27-3, as amend	a defined municipal fresh water v	well field covered under a munic	ipal ordinance adopted	Yes No
- Written confirmation or verification from the Within 500 feet of a wetland US Figh and Widdlife Wetland Identification			proced site	Yes No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine			Yes No	
- Written confiramtion or verification or map fro	om the NM EMNRD-Mining and	Mineral Division		
Within an unstable area - Engineering measures incorporated into the de	esign, NM Bureau of Geology & !	Mmeral Resources, USGS, NM	Geological Society,	YesNo
Topographic map				
Within a 100-year floodplain - FEMA map				Yes No
On-Site Closure Plan Checklist: (19 15 17 1) by a check mark in the box, that the documen	•	ch of the following items mu	st bee attached to the closi	ure plan. Please indicate,
Siting Criteria Compliance Demonstrat		nate requirements of 19 15 17	10 NMAC	
Proof of Surface Owner Notice - based	upon the appropriate requirem	nents of Subsection F of 19 15	5 17 13 NMAC	
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
X Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
X   Disposal Facility Name and Permit Nu				annot be achieved)
Soil Cover Design - based upon the app	· · · · · · · · ·	=		,
Re-vegetation Plan - based upon the ap				
Site Reclamation Plan - based upon the	appropriate requirements of S	subsection G of 19 15 17 13 N	NIMAC	

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) lamie Goodwin Title Regulatory Technician
Signature / 2000 (2000 L) Date
e-mail address Jamie I goodwin@conocophilips com Telephone 505-326-9784
20 OCD Approval: Permit Application (including closure plan) Closure Plant (play) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 7/4/2012
Title: SYMPICACE ( STRC OCD Vermit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  Closure Completion Date:
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed Use attachment if more than two facilities were utilized
Disposal Facility Name  Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions Each of the following items must be attached to the closure report Please indicate, by a check mark in the box, that the documents are attached
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25  Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title
Signature Date
e-mail address Telephone

## Burlington Resources Oil & Gas Company, LP Cavitation Pit for Closed-Loop Locations

## Design:

Burlington Resources Oil & Gas Company, LP will use a cavitation pit plan when the surface casing will be pre-set on closed-loop locations. The drill cuttings will be stockpiled on the surface.

## **Operations and Maintenance:**

The cavitation pit will be operated and maintained as follows

- 1 Only Fresh water and air will be used in the drilling of the surface casing.
- 2. The Cement used will be: Neat Cement with no additives.
- 3. All of the fluids will be removed within 48hrs after drilling.
- A representative five point composite sample will be taken of the drill cuttings, after the setting of the surface casing is complete, using sampling tools and all samples will be tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the testing criteria is not met, all contents will be dug and hauled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e.

Components	Tests Method	Limit (mg/Kg)	
Benzene	EPA SW-846 8021B or 8260B	02	
BTEX	EPA SW-846 8021B or 8260B	50	
TPH	EPA SW-846 418.1	2500	
GRO/DRO	EPA SW-846 8015M	500	
Chlorides	EPA 300.1	500	

The NMOCD will be notified via email of the test results of the cavitation surface as follows

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	
BTEX	EPA SW-846 8021B or 8260B	50	
TPH	EPA SW-846 418.1	2500	
GRO/DRO	EPA SW-846 8015M	500	
Chlorides	EPA 300.1	500	

## Closure Plan:

- The NMOCD will be notified of the sample results and the intent to start the closure process 3-7 days prior to the drill cuttings being transported, moved, or distributed on location
- 2 In the event the criteria are not met, all solids and liquids will be removed and disposed of at Envirotech (Permit #NM-01-0011) and/or Basin Disposal Facility (Permit #NM-01-005) and/or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B).
- 3 Testing results will be submitted with the Closure Report of the well locations Closed-Loop Permit on Form C-144.

Burlington Resources is aware that approval of this plan does not relieve Burlington Resources of liability should operations result in pollution of surface water, ground water, or the environment. Nor does approval relieve ConocoPhillips of its responsibility to comply with any other applicable governmental authority's rules and regulations.