District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd , Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe

9908)
------	---

<u>District IV</u> 1220 S St Francis Dr., Santa Fe, NM 87505			nvironmental Bureau office a propriate NMOCD District (
908 <u>Prop</u>	Pit, Closed-Loop Systemosed Alternative Method			<u>on</u>
Type of action:	Permit of a pit, closed-loop sys X Closure of a pit, closed-loop sy Modification to an existing per Closure plan only submitted for below-grade tank, or proposed	rstem, below-grade tank mit or an existing permitted of	, or proposed alternativ	ve method
Please be advised that approval of	pplication (Form C-144) per indivi of this request does not relieve the operator of li seve the operator of its responsibility to comply	ability should operations result	in pollution of surface water, §	ground water or the
Operator: ConocoPhillips Compan Address: PO Box 4289, Farmingto		00	GRID#: <u>217817</u>	
Facility or well name: Jicarilla 8 API Number: 3 U/L or Qtr/Qtr: L(NW/SW) Section Center of Proposed Design: Latitude Surface Owner: Federal	2: 36.440479 °N	OCD Permit Number Range: 4W Longitude: 10		rriba NAD: X 1927 1983
Permanent Emergency C Lined Unlined L String-Reinforced	7 11 NMAC kover Cavilation P&A iner type Thickness mil	LLDPE HD		
Type of Operation X P&A Drying Pad X Above Grou Lined Unlined Line	tion H of 19 15 17.11 NMAC Drilling a new well Workover of interesting the street of the street was according to the street with the street was according to the street was according to the work with the street was according to the street was according t	or Drilling (Applies to active tent) Other LLDPE HDP		approval of a permit or
Below-grade tank: Subsection Volume	obl Type of fluid	er, 6-inch lift and automati	c overflow shut-off	

Alternative Method:

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
Netting: Subsection E of 19.15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15 3 103 NMAC				
9				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consumptions (Figure 1967).	ideration of ap	proval		
(Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting): 19.15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	∐No		
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written configuration or verification from the municipality. Written conveyed obtained from the municipality.	Yes	No		
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area.	Yes	□No		
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		_		
Within a 100-year floodplain - FEMA map	Yes	∐No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15.17 9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Coologue and Histographic Data (order for an extensive place). In the control of the con
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nusance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15 17.13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (1915 Instructions Please identify the facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment facilities are required.	17 13 D NMAC) at if more than two		
Disposal Facility Name Disposal Facility Permit #			
Disposal Facility Name Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be Yes (If yes, please provide the information No	e used for future service and		
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of I Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	19 15 17 13 NMAC		
17			
Siting Criteria (Regarding on-site closure methods only: 19 15 17.10 NMAC Instructions Each sting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source ma certain sting criteria may require administrative approval from the appropriate district office or may be considered an exception which is office for consideration of approval - Justifications and/or demonstrations of equivalency are required - Please refer to 19 15 17.10 NMAC.	must be submitted to the Santa Fe Environmental Bureau		
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	∏N/A		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or increasured from the ordinary high-water mark)	playa lake Yes No		
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No		
	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or sto- purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	ck watering		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinar pursuant to NMSA 1978, Section 3-27-3, as amended	nce adopted Yes No		
Written confirmation or ventication from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland	│		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site			
Within the area overlying a subsurface mine	Yes No		
- Written confirantion or venification or map from the NM EMNRD-Mining and Mineral Division			
Within an unstable area	Yes No		
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Topographic map	Society,		
Within a 100-year floodplain - FEMA map	Yes No		
18			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee atta by a check mark in the box, that the documents are attached.	sched to the closure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC	3		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NM	MAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144

Operator Application Cortification
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment). OCD Representative Signature:
OCD Representative Signature: Approval Date:
Title: CM Lawe CH726 OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: 6/15/2012
X Closure Completion Date: 6/15/2012
Closure Method: Waste Excavation and Removal
Change Bound Bound December Wests Bound Change For Change S. A. The Aletter Alexander Change S. A. The Aletter Change S. A. The Aletter Alexander Change S. A. The Aletter Alexander Change S. A. The Aletter Change S.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0010 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification:
Thereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Dollie L Busse Title Staff Regulatory Technician
Signature Date 7/16/12
e-mail address dollie.l busse@conocophillips com Telephone (505) 324-6104