

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires July 31, 1996

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Elm Ridge Resources, Inc.

3a. Address
PO Box 156 Bloomfield, NM 87413

3b. Phone No. (include area code)
505-632-3476

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec. 11-T23N-R2W
1787 FSL X 1590 FEL

5. Lease Serial No.

CA- 156

6. If Indian, Allottee or Tribe Name

Jicarilla Apache

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Jicarilla Apache D 156 #2

9. API Well No.

30-039-05091

10. Field and Pool, or Exploratory Area

Blanco Pictured Cliffs

11. County or Parish, State

Rio Arriba, New Mexico

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans <input checked="" type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

This well has sustained a casing failure and it is our intent to P & A the above referenced well during the week of April 11, 2005, according to the attached procedure.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Amy Mackey

Title

Production Assistant

Signature

Date

April 11, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Original Signed: Stephen Mason

Title

Date

APR 13 2005

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

NMOCD

APPROVED

Plugging Program for Jicarilla D 156 #2:

Plug 1: Set retainer at 3125'. Pump 25 sacks below retainer. Spot ~~12~~ sack plug above retainer to cover top of Pictured Cliffs and Fruitland Coal. *to 2976'*

Plug 2: Perf 4 holes @ 28~~50~~³⁰'. Set retainer at 28~~00~~⁰'. Pump 43 sacks below retainer and spot 12 sack plug on top of retainer to cover top of Ojo Alamo.

→ Neimato 1595'-1495'

Plug 3: Perf 4 holes @ 152'. Set retainer at 102'. Pump 55 sacks below retainer, circulating cement to surface in 4-1/2" x 8-5/8" annulus.

Plug 4: With end of tubing just above retainer at 102', mix and pump cement until cement reaches surface inside of surface casing.

Cut off wellhead 3' below surface. Install dry hole marker. Reclaim location.

Elm Ridge Resources

Pertinent Data Sheet

Well Name: Jicarilla D 156 #2
Footage: 1787' FSL and 1590' FEL
Location: Section 11, T23N, R2W
County: Rio Arriba County, NM
API#: 30-039-05091

Field: Blanco Pictured Cliffs

Elevation: 7460' KB

TD: 3310' KB

Completed: 8/6/63

Casing Record:

Hole Size	Casing Size	Wt.	Grade	Depth Set	Cement
12-1/4"	8-5/8"	24#	J-55	102'	60 sacks (Circ. to Surface)
7-7/8"	4-1/2"	9.5#	J-55	3270'	100 sacks TOC 2940' (Calc.)

Formation Tops:

Ojo Alamo 2800'
Fruitland Coal 3080'
Pictured Cliffs 3175'

Perforations: Pictured Cliffs: 3176-3233'

Wellbore Diagram
Jicarilla D 156 #2
SE/4 Sec. 11, T23N, R2W
Rio Arriba County Co., NM
API #30-039-05091

