District I 1625 N French Dr , Hobbs, NM 88240

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 . July 21, 2008

District II 1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

District IV 1220 S St Francis

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

10296

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
0(0	Pit, Closed-Loop System, Below-Grade Tank, or
Prope	osed Alternative Method Permit or Closure Plan Application
Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one a	application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
***	of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the lieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oi	il & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmington	
Facility or well name: San Juan 30	
	0-039-27759 OCD Permit Number.
U/L or Qtr/Qtr: <u>J(NW/SE)</u> Section Center of Proposed Design: Latitude	
Surface Owner: X Federal	State Private Tribal Trust or Indian Allotment
7	RCVD AUG 7 '1
Pit: Subsection F or G of 19 15 17	7 11 NMAC
Temporary Drilling Wor	rkover OIL CONS. DIV
	Cavitation P&A DIST. 3
Lined Unlined Li	Cavitation P&A DIST. 3 Liner type. Thickness mil LLDPE HDPE PVC Other
Lined Unlined Li	iner type. Thickness mil LLDPE HDPE PVC Other
Lined Unlined Li	
Lined Unlined Li String-Reinforced Liner Seams Welded Fa	Factory Other Volume bbl Dimensions L x W x D
Lined Unlined Li String-Reinforced Liner Seams Welded Fa	iner type. Thickness mil LLDPE HDPE PVC Other
Lined Unlined Li String-Reinforced Liner Seams Welded Fa X Closed-loop System: Subsect Type of Operation X P&A	tion H of 19.15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or
Lined Unlined Lined String-Reinforced Liner Seams Welded Fa X Closed-loop System: Subsect Type of Operation X P&A Drying Pad X Above Grout Lined Unlined Line	tion H of 19.15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) and Steel Tanks Haul-off Bins Other Thickness mil LLDPE HDPE PVD Other
Lined Unlined Li String-Reinforced Liner Seams Welded Fa X Closed-loop System: Subsect Type of Operation: X P&A Drying Pad X Above Grou	tion H of 19.15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) and Steel Tanks Haul-off Bins Other Thickness mil LLDPE HDPE PVD Other
Lined Unlined Liner Seams Welded Fa 3 X Closed-loop System: Subsect Type of Operation X P&A Drying Pad X Above Grout Lined Unlined Liner Liner Seams Welded Fa	tion H of 19.15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) and Steel Tanks Haul-off Bins Other Thickness mil LLDPE HDPE PVD Other actory Other
Lined Unlined Li String-Reinforced Liner Seams Welded Fa X Closed-loop System: Subsect Type of Operation: X P&A Drying Pad X Above Grout Lined Unlined Linet Liner Seams Welded Fa Below-grade tank: Subsection	Inner type. Thickness mil LLDPE HDPE PVC Other Other value bbl Dimensions L x W x D value bbl Dimensions L x W x D value
Lined Unlined Li String-Reinforced Liner Seams Welded Fa X Closed-loop System: Subsect Type of Operation: X P&A Drying Pad X Above Grout Lined Unlined Linet Liner Seams Welded Fa Below-grade tank: Subsection	tion H of 19.15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) and Steel Tanks Haul-off Bins Other Thickness mil LLDPE HDPE PVD Other actory Other
Lined Unlined Li String-Reinforced Liner Seams Welded Fa X Closed-loop System: Subsect Type of Operation X P&A Drying Pad X Above Grout Lined Unlined Line Liner Seams Welded Fa Below-grade tank: Subsection by Volume by the string of th	tion H of 19.15 17 11 NMAC Trype Thickness mil
Lined Unlined Liner String-Reinforced Liner Seams Welded Fa X Closed-loop System: Subsect Type of Operation: X P&A Drying Pad X Above Grout Lined Unlined Liner Liner Seams Welded Fa Below-grade tank: Subsection Volume b Tank Construction material Secondary containment with leak de Visible sidewalls and liner	tion H of 19.15 17 11 NMAC Thickness
Lined Unlined Li String-Reinforced Liner Seams Welded Fa X Closed-loop System: Subsect Type of Operation: X P&A Drying Pad X Above Grout Lined Unlined Linet Liner Seams Welded Fa Below-grade tank: Subsection by Volume by Tank Construction material Secondary containment with leak de	tion H of 19.15 17 11 NMAC Indicatory Other Volume bbl Dimensions L x W x D To 19 15 17 11 NMAC Thickness mil CLDPE HDPE PVC Other To 19 15 17 11 NMAC Thickness mil CLDPE HDPE PVD Other Thickness mil CLDPE HDPE PVD Other To 19 15 17 11 NMAC Type of fluid Type of fluid Type of fluid

Form C-144

Alternative Method:

Oil Conservation Division

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link six feet in height two strands of harhed wire at ton (Paguired of located within 1000 feet of a permanent residence, school, hornited, within 1000 feet of a permanent residence, school, hornited, within 1000 feet of a permanent residence, school, hornited, within 1000 feet of a permanent residence, school, hornited, within 1000 feet of a permanent residence.	titution or aby	rah)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate Please specify					
7					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8 Signs: Subsection C of 19 15 17 11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19 15 3 103 NMAC					
9					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)					
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
10					
Siting Criteria (regarding permitting). 19.15.17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No			
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site		_			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∐ Yes	∐No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA				
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)	∐NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal foot of a private demostic fresh vistas well or carring that less than five households use for demostic as a tool visitation.	□ Vas	□Na			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No			
- NM Office of the State Engineer - tWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland.	∏Yes	Пио			
- US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No			
Within an unstable area.	Yes	No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain - FEMA map	Yes	□No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19 15.17 13 NMAC				
Previously Approved Design (attach copy of design) API				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
X Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9				
NMAC and 19 15.17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19.15.17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Frosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16					
Waste Removal Closure For Closed-loop Systems That Utilize Above Gree Instructions Please identify the facility or facilities for the disposal of liquids			•		
facilities are required					
Disposal Facility Name. Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #		010B		
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and op		II -610 15 17 12 NM	4.0		
Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requiremen					
17 Siting Criteria (Regarding on-site closure methods only: 19 15.17.1	0 NMAC				
Instructions. Each siting criteria requires a demonstration of compliance in the closest					
certain siting criteria may require administrative approval from the appropriate dis office for consideration of approval—Justifications and/or demonstrations of equiva) the Santa Fe Environmental Bureau		
Ground water is less than 50 feet below the bottom of the buried waste	- · · · · - · · · · · · ·		Yes No		
- NM Office of the State Engineer - (WATERS database search; USGS			N/A		
Ground water is between 50 and 100 feet below the bottom of the burn	ad wanta		☐Yes ☐No		
NM Office of the State Engineer - tWATERS database search, USGS, I			N/A		
-	•				
Ground water is more than 100 feet below the bottom of the buried wa			Yes No		
- NM Office of the State Engineer - (WATERS database search, USGS, I	Data obtained from nearby wells		∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other (measured from the ordinary high-water mark)	er significant watercourse or lakebed, su	nkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or cl		pplication	Yes No		
- Visual inspection (certification) of the proposed site, Aerial photo, satelli	ite image				
Within 500 havizantal feet of a private, domestic fresh water well or spring the	at less than five households use for dome	ostic or stock watering	YesNo		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh		pal ordinance adopted	☐Yes ☐No		
pursuant to NMSA 1978, Section 3-27-3, as amended					
Written confirmation or verification from the municipality; Written appropriately, 500 fort of a great and a	oval obtained from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map; Vi.	sual inspection (certification) of the pro-	posed site	Yes No		
Within the area overlying a subsurface mine			∏Yes ∏No		
- Written confirantion or verification or map from the NM EMNRD-Mini	ng and Mineral Division				
Within an unstable area			Yes No		
- Engineering measures incorporated into the design, NM Bureau of Geold	ogy & Mineral Resources, USGS, NM (Geological Society,			
Topographic map Within a 100-year floodplain			∏Yes ∏No		
- FEMA map					
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions	: Each of the following items mus	st bee attached to the closi	ure plan. Please indicate,		
by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the ap					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based			10.15.17.11.20.44.6		
Construction/Design Plan of Temporary Pit (for in place burial Protocols and Procedures - based upon the appropriate requirem		propriate requirements of	19 15 17 11 NMAC		
		n F of 19 15 17 13 NMAC	,		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 10.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:	
Thereby certify that the information submitted with this application is true, accurate	and complete to the best of my knowledge and belief.
Name (Print) Dollie L Busse	Title. Staff Regulatory Technician
Signature / White Signature	Date: 8/7/12
e-mail address dollie I busse@conocophillips com	Telephone 505-324-6104
e man address	
OCD Representative Signature: Title: OCD Representative Signature: OCD Representative Signature:	Closure Plan (only) OCD Conditions (see attachment) Approval Date: 8/10/2017 OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsective Instructions: Operators are required to obtain an approved closure plan prior to in report is required to be submitted to the division within 60 days of the completion of approved closure plan has been obtained and the closure activities have been completed.	mplementing any closure activities and submitting the closure report. The closure of the closure activities. Please do not complete this section of the form until an
22 Closure Method: Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain	Alternative Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems T Instructions: Please identify the facility or facilities for where the liquids, drilling were utilized. Disposal Facility Name. Disposal Facility Name Were the closed-loop system operations and associated activities performed on o Yes (If yes, please demonstrate compliane to the items below)	Disposal Facility Permit Number Disposal Facility Permit Number. Disposal Facility Permit Number. Disposal Facility Permit Number.
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ations
Closure Report Attachment Checklist: Instructions: Each of the following the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	ing items must be attached to the closure report. Please indicate, by a check mark in
On-site Closure Location Latitude	NAD19271983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure refine closure complies with all applicable closure requirements and conditions specified.	port is ture, accurate and complete to the best of my knowledge and belief - I also certify that fied in the approved closure plan
Name (Print)	Title:
Signature	Date [.]
e-mail address	Telephone

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.