<u>District I</u>

•1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD District Offi	ce
	Pit, Closed-Loop System, Belo		
Propo	Proposed Alternative Method Permit or Closure Plan Application		
•	Modification to an existing permit Closure plan only submitted for an exibelow-grade tank, or proposed alternate opplication (Form C-144) per individual pit	clow-grade tank, or proposed alternative resting permitted or non-permitted pit, close ive method closed-loop system, below-grade tank of	nethod ed-loop system, or alternative request
	f this request does not relieve the operator of liability show eve the operator of its responsibility to comply with any of	-	
1 Operator: Burlington Resources Oi Address: PO Box 4289, Farmingto Facility or well name: Nordhaus 71	n, NM 87499	OGRID#: <u>14538</u>	
•		ermit Number.	
U/L or Qtr/Qtr: O(SW/SE) Section Center of Proposed Design: Latitude Surface Owner: X Federal	on: 13 Township: 31N R : 36.8921 °N Long	ange: 9W County: San Juan	AD: X 1927 1983
Lined Unlined Li	kover	LLDPE HDPE PVC Other	RCVD AUG 10'12 OIL CONS. DIV. DIST. 3
Type of Operation X P&A Drying Pad X Above Groun Lined Unlined Lines	notice of intent) nd Steel Tanks Haul-off Bins Other	g (Applies to activities which require prior apper	roval of a permit or
Below-grade tank: Subsection I Volume bl Tank Construction material Secondary containment with leak det Visible sidewalls and liner Liner Type Thickness	bl Type of fluid	lift and automatic overflow shut-off Other	
5 Alternative Method: Submittal of an exception request is requ	ired Exceptions must be submitted to the Santa	Fe Environmental Bureau office for consider	ation of approval

Fencing: Subsection D of 19 15.17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify						
T_						
7	Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
8	Signs: Subsection C of 19 15 17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC					
9						
	Administrative Approvals and Exceptions:					
	Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance					
	Please check a box if one or more of the following is requested, if not leave blank:					
	Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)					
	Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
10	Siting Criteria (regarding permitting). 19 15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	No			
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No			
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA				
	- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image					
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
	(Applied to permanent pits) Visual improvious (contification) of the proposed site. Acrost photo. Setallita image.	∐NA				
	- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
	- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.					
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	□No			
	Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
	Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
	Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map	Yes	No			
	Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application—Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17 9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19 15.17.9 NMAC and 19 15.17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC			
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Stating effective compliance betholistrations (only for on-site closure) = based upon the appropriate requirements of 19.15.17.11 NMAC			
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC			
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15 17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15 17 13 NMAC			
14			
Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System			
☐ Alternative			
Proposed Closure Method Waste Excavation and Removal			
X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)			
☐ In-place Burial ☐ On-site Trench ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15 Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Waste Excavation and Removal Closure Plan Checkinst: (19.15/17/13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee	J Tanks or Haul-off Rins Only: (1915 1713 D NM)	AC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling	fluids and drill cuttings Use attachment if more than	n two			
facilities are required Disposal Facility Name Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit # NM-01-0011 / NM-0	01-0010B			
	Disposal Facility Permit # NM-01-005				
Will any of the proposed closed-loop system operations and associated activitie Yes (If yes, please provide the information No	s occur on or in areas that will not be used for fu	iture service and			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC					
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17.10 NMAC					
Instructions Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval. Justifications and/or demonstrations of equivalency are	or may be considered an exception which must be submit	tted to the Santa Fe Environmental Bureau			
Ground water is less than 50 feet below the bottom of the buried waste	16 1 11	Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS Data obta	med from nearby wells				
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtain	ned from nearby wells	∐N/A			
Ground water is more than 100 feet below the bottom of the buried waste	and from months wells	Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtain		∐N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significations (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	ant watercourse or lakebed, sinkhole, or playa lake	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in e.	vistence at the time of initial application	☐Yes ☐No			
- Visual inspection (certification) of the proposed site, Aerial photo; satellite image	visience at the time of mitial application				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No			
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site 		Yes No			
Within the area overlying a subsurface mine	etter (commenter) et the proposed site	☐Yes ☐No			
- Written confirantion or verification or map from the NM EMNRD-Mining and M	ineral Division				
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,		Yes No			
Topographic map Within a 100-year floodplain - FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate	e requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon th	••••				
Construction/Design Plan of Temporary Pit (for in place burial of a dry)	** ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	ts of 19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of		MAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate Waste Material Sampling Plan - based upon the appropriate requirement	•	VIAC			
		rds cannot be achieved)			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Cartification					
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief					
Name (Print) Dollie Je, Busse Title Staff Regulatory Technician					
Signature Million Chisse Date 8/9/12					
e-mail address dollie l.busse@conocophillips com Telephone 505-324-6104					
20					
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)					
OCD Representative Signature: Approval Date: 3/13/2012					
Title: Compiance Con OCD Permit Number:					
The state of the s					
21 Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC					
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure					
report is required to be submitted to the division within 60 days of the completion of the closure activities Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed					
approved closure plan has been obtained and the closure activities have been completed Closure Completion Date:					
Closure Completion Date:					
22 Closure Method:					
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)					
If different from approved plan, please explain					
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:					
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities					
were utilized. Democal Facility Name.					
Disposal Facility Name Disposal Facility Permit Number Disposal Facility Permit Number					
Disposal Facility Name Disposal Facility Permit Number Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?					
Yes (If yes, please demonstrate compliane to the items below)					
Required for impacted areas which will not be used for future service and operations					
Site Reclamation (Photo Documentation)					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in					
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.					
Proof of Closure Notice (surface owner and division)					
Proof of Deed Notice (required for on-site closure)					
Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location Latitude Longitude NAD 1927 1983					
25					
Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print) Title					
Signature Date					
e-mail address Telenhone					

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.