# State of New Mexico

Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

District III

Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

10353
(0,2)

District IV  1220 S St Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 8/505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
Pit, Cle	osed-Loop System, Below-Grad ternative Method Permit or Clos	
Closu  Modi  Closu  below  Instructions: Please submit one application  Please be advised that approval of this request of	It of a pit, closed-loop system, below-grade taken of a pit, closed-loop system, below-grade to fication to an existing permit are plan only submitted for an existing permit are plan only of the permitted for a proposed alternative method are proposed for the permitted for a policial permitted for a policial permitted for a policial permitted for a policial permitted for a permitted f	tank, or proposed alternative method  ted or non-permitted pit, closed-loop system,  p system, below-grade tank or alternative request esult in pollution of surface water, ground water or the
Operator. Burlington Resources Oil & Gas C	ompany, LP	OGRID#· <u>14538</u>
Address PO Box 4289, Farmington, NM 87	499	
Facility or well name San Juan 30-6 Unit 45:		
API Number 30-039-2760	<del></del>	
U/L or Qtr/Qtr E(SW/NW) Section 8  Center of Proposed Design Latitude.  Surface Owner. X Federal Sta	36.827487 °N Longitude	6W         County         Rio Arriba           107.492333         °W         NAD. X 1927 1983           n Allotment         NAD. X 1927 1983
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover  Permanent Emergency Cavitation   Lined Unlined Liner type  String-Reinforced  Liner Scams Welded Factory	□P&A	RCVD AUG 29 '12 OIL CONS. DIV.  DIST. 3  HDPE PVC Other  bbl Dimensions L x W x D
	new well Workover or Drilling (Applies to notice of intent)	activities which require prior approval of a permit or  HDPE PVD Other
Tank Construction material  Secondary containment with leak detection	7 11 NMAC  pe of fluid  Visible sidewalls, liner, 6-inch lift and autoble sidewalls only  HDPE  PVC  Other	matic overflow shut-off
Submittal of an exception request is required Exce	ptions must be submitted to the Santa Fe Environs	mental Bureau office for consideration of approval

6		
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins	titution or chu	ıch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate Please specify		
7		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19 15 3 103 NMAC		
A Signed in compliance with 19 15 5 105 NWIAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for constant	sideration of ai	proval
(Fencing/BGT Liner)	nderation of ap	provai
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
	·	
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval Applicant must attach justification for request. Please refer to 19 15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	No
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby wells		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No
(measured from the ordinary high-water mark).		
- Topographic map, Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	□No
application.		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)	NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	□No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
NNAOCC - Cal. Car. France WATERC Lat.		
- NM Office of the State Engineer - IWATERS database search, Visual inspection (certification) of the proposed site		_
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality		
Within 500 feet of a wetland.	Yes	$\square_{No}$
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site		
Within the area overlying a subsurface mine.	Yes	□No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		_
Within an unstable area.	Yes	No
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological		
Society, Topographic map		<b>┌</b> ─┐
Within a 100-year floodplain - FEMA map	Yes	No
r Divir r map		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  [ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC.
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9  Siting Criteria Comphance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9
NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC
Instructions Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative
Proposed Closure Method Waste Excavation and Removal
X Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Cl Instructions Please identify the f	losed-loop Systems That Utilize Above Ground S facility or facilities for the disposal of liquids, drilli	teel Tanks or Haul-off Bins On ng fluids and drill cuttings Use	ly: (19 15 17 13 D NMAC) attachment if more than two		
facilities are required					
-	Envirotech / JFJ Landfarm / IEI	_ Disposal Facility Permit #		010B	
Disposal Facility Name B		Disposal Facility Permit #		<del></del> .	
Yes (If yes, please prov	<b>—</b>		vill not be used for future:	service and	
Soil Backfill and Cover Re-vegetation Plan - ba	ch will not be used for future service and operation r Design Specification - based upon the approp- ased upon the appropriate requirements of Subs- based upon the appropriate requirements of S	riate requirements of Subsect section Lof 19 15 17 13 NMA	С	AC	
	n-site closure methods only: 19 15 17 10 NM.		e source material are provided i	below Requests	regarding changes to
	dministrative approval from the appropriate district of Justifications and/or demonstrations of equivalency a			the Santa Fe Em	n onmental Bureau
	eet below the bottom of the buried waste			Yes	No
- NM Office of the State Eng	gineer - (WATERS database search, USGS) Data of	otained from nearby wells		∐N/A	
Ground water is between 50 ar	nd 100 feet below the bottom of the buried was	ite		Yes	□No
- NM Office of the State Eng	gmeer - iWATERS database search, USGS, Data ob	tamed from nearby wells		□ N/A	
Ground water is more than 100	I feet below the bottom of the buried waste			Yes	No
- NM Office of the State Eng	gmeer - IWATERS database search, USGS Data ob	tained from nearby wells		☐ N/A	
Within 300 feet of a continuously (measured from the ordinary high-	flowing watercourse, or 200 feet of any other signif- water mark)	icant watercourse or lakebed, su	nkhole, or playa lake	Yes	□No
- Topographic map, Visual ir	espection (certification) of the proposed site				
	t residence, school, hospital, institution, or church m ion) of the proposed site, Aerial photo, satellite imag		pplication	∐Yes	∐No
purposes, or within 1000 horizont	ivate, domestic fresh water well or spring that less to all fee of any other fresh water well or spring, in ex- ineer - iWATERS database, Visual inspection (certi	stence at the time of the initial ap		Yes	∐No
Within incorporated municipal bo pursuant to NMSA 1978, Section	undaries or within a defined municipal fresh water v 3-27-3, as amended	well field covered under a municipal	pal ordinance adopted	Yes	□No
Within 500 feet of a wetland	ification from the municipality, Written approval ob			Yes	□No
Within the area overlying a sub	ind Identification map, Topographic map, Visual ins	pection (certification) of the proj	oosed site	□vag	□ <sub>No</sub>
, ,	fication or map from the NM EMNRD-Mining and	Mineral Division		☐ 1 cs	
Within an unstable area	· · · · · · · · · · · · · · · · · · ·		1	Yes	□No
- Engineering measures incorp Topographic map	porated into the design, NM Bureau of Geology & N	Ameral Resources, USGS, NM C	Geological Society,		
Within a 100-year floodplain - FEMA map				Yes	No
18					
	<u>list: (1915 1713 NMAC) Instructions: Eachat the documents are attached.</u>	h of the following items mus	t bee attached to the closu	re plan. Plea	se indicate,
=	ince Demonstrations - based upon the appropria	•			
Proof of Surface Owner	r Notice - based upon the appropriate requirem	ents of Subsection F of 19 15	17 13 NMAC		ľ
Construction/Design Pl	an of Burial Trench (if applicable) based upon	the appropriate requirements	of 19 15 17 11 NMAC		J
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
= '	Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Soil Cover Design - bas	and Permit Number (for liquids, drilling fluids sed upon the appropriate requirements of Subsc	ection H of 19 15 17 13 NMA	С	innot be achie	ved)
= -	sed upon the appropriate requirements of Subs				

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Dollack Busse Title Staff Regulatory Technician
Signature Alle Juse Date 8/27/12
e-mail address dollie I busse@conocophillips com Telephone 505-324-6104
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: Approval Date:
Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion):  Subsection K of 1915 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  Closure Completion Date:
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only.</u> Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed—Use attachment if more than two facilities were utilized
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliane to the items below)  No
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification:  Thereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title
Signature Date
e-mail address Telephone

## Burlington Resources Oil & Gas Company, LP Closed-loop Plans

### Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

#### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.