District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

## State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

10354	
10,	Type of

Liner Type

1000 Rio Brazos Rd , Aztec, NM 87410  District IV  1220 S St. Francis Dr , Santa Fe, NM 87505	Santa Fe, Ni	M 87505	For permanent pits and exce Environmental Bureau office a appropriate NMOCD District	
•	Pit, Closed-Loop System  Discovery System  Discovery System  S	Permit or Clos ystem, below-grade ta system, below-grade termit	sure Plan Applications, or proposed alternative tank, or proposed alternative	e method ve method
	below-grade tank, or proposed	d alternative method widual pit, closed-loop hability should operations re	p system, below-grade tar	nk or alternative request ground water or the
Operator. Burlington Resources Oi Address PO Box 4289, Farmingto Facility or well name. San Juan 30-	n, NM 87499		OGRID#. <u>14538</u>	
API Number 30  U/L or Qtr/Qtr E(SW/NW) Sector Center of Proposed Design Latitude Surface Owner X Federal	36.800645 °N	OCD Permit Numbe Range Longitude Tribal Trust or Indian	6W County Rio A 107.457142 °W	rriba NAD. X 1927 1983
Permanent Emergency C Lined Unfined Li String-Reinforced	II NMAC  kover  avitation P&A  ner type Thickness m	ıl LLDPE Volume	HDPE PVC Other	RCVD AUG 29 '12 OIL CONS. DIV. DIST. 3
Type of Operation X P&A  Drying Pad X Above Grou  Lined Unlined Line	non H of 19 15 17 11 NMAC  Drilling a new well	ntent) Other	activities which require prior	approval of a permit or
4 Below-grade tank: Subsection I Volume b				

Alternative Method:

Form C-144

Tank Construction material

Secondary containment with leak detection

Thickness

Visible sidewalls and liner

Oil Conservation Division

Other

 $\neg PVC$ 

Submittal of an exception request is required | Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Visible sidewalls only

HDPE

mil

Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

Other

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		1	
Subsection D of 19 13 17 11 NOVAC (Appries to permanent pil, temporary pils, and below-grade tankly			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet			
Alternate Please specify			
7			
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)			
Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
8			
Signs: Subsection C of 19 15 17 11 NMAC			
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
X Signed in compliance with 19 15 3 103 NMAC			
9			
Administrative Approvals and Exceptions:  lustifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance			
Please check a box if one or more of the following is requested, if not leave blank:			
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ap	proval	
(Fencing/BG1 Liner)			
Exception(s) Requests must be submitted to the Santa Γe Environmental Bureau office for consideration of approval			
10			
Siting Criteria (regarding permitting) 19 15 17 10 NMAC		İ	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for			
consideration of approval—Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
does not apply to drying paus of above grade-tanks associated with a closed-boly system.	_	_	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	□No	
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes	∐No	
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	□Yes	По	
application.			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA		
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applied to permanent pits)	NA		
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No	
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	,		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No	
- Written confirmation or verification from the municipality, Written approval obtained from the municipality			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No	
Within an unstable area.	Yes	No	
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map		_	
Within a 100-year floodplain	Yes	□No	
- FFMA man		<u> </u>	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Leach of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC			
X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
[X] Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC  Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan  Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC			
Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative			
Proposed Closure Method Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please inducate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Waste Removal Closure For Clos Instructions Please identify the fac	sed-loop Systems That Utilize Above Ground St cility or facilities for the disposal of liquids, drillin	eel Tanks or Haul-off Bins On	<u>lv</u> (19 15 17 13 D NMAC) attachment if more than two		
facilities are required				NOD.	
, · · —	virotech / JFJ Landfarm / IEI	Disposal Facility Permit # Disposal Facility Permit #		TOB	
Disposal Facility Name Based	sin Disposal Facility -loop system operations and associated activit	•		ervice and	
Yes (If yes, please provid	de the information No		viii noi be used for future :	service and	
Soil Backfill and Cover I Re-vegetation Plan - base	Design Specification - based upon the appropried upon the appropriate requirements of Subsebased upon the appropriate requirem	rate requirements of Subsect ection I of 19 15 17 13 NMA	С	AC	
Instructions Each siting criteria require adi	-site closure methods only: 19 15 17 10 NMA nucs a demonstration of compliance in the closure plan numstrative approval from the appropriate district offi Justifications and/or demonstrations of equivalency ar	n Recommendations of acceptable ice or may be considered an except	tion which must be submitted to		
	et below the bottom of the buried waste ineer - IWATERS database search, USGS Data ob	stamed from nearby wells		Yes N/A	No
	d 100 feet below the bottom of the buried wast			Yes	No
_		amed new new ey new		□Yes	ΠNo
	fect below the bottom of the buried waste neer - iWATERS database search, USGS, Data obt	tained from nearby wells		N/A	Пио
(measured from the ordinary high-v	•	icant watercourse or lakebed, su	nkhole, or playa lake	Yes	No
	spection (certification) of the proposed site testdence, school, hospital, institution, or church in	existence at the time of initial a	pplication	∏Yes	□No
•	n) of the proposed site, Aerial photo, satellite imag	•	ppication	□Yes	□No
purposes, or within 1000 horizontal	rate, domestic fresh water well or spring that less that lee of any other fresh water well or spring, in existeer - iWATERS database, Visual inspection (certif	stence at the time of the initial ap	- 1		
pursuant to NMSA 1978, Section 3			pal ordinance adopted	Yes	No
Within 500 feet of a wetland	ication from the municipality, Written approval obt	ained from the intinicipality		Yes	□No
	d Identification map, Topographic map, Visual insp	pection (certification) of the proj	posed site	<b></b> ,	<b>—</b>
Within the area overlying a subs - Written confirantion or verific	surface mine cation the NM EMNRD-Mining and N	Mineral Division		Yes	∐No
Within an unstable area	orated into the design, NM Bureau of Geology & M	Ameral Resources TISGS NM (	Geological Society	Yes	No
Topographic map	nated into the design, First Barella of Geology & Fr	meran rissources, osos, ran c	scorogrear society,	_	
Within a 100-year floodplain - FEMA map				Yes	∐No
On-Site Closure Plan Checklis by a check mark in the box, tha	st: (19 15 17 13 NMAC) Instructions: Each	h of the following items mus	t bee attached to the closu	re plan. Plea	se indicate,
	ice Demonstrations - based upon the appropria	•			
7	Notice - based upon the appropriate requireme				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
=	n of Temporary Pit (for in place burial of a dry s - based upon the appropriate requirements of		propriate requirements of	19 15 17 11 N	MAC
=	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling	g Plan - based upon the appropriate requirement	nts of Subsection Γ of 19 15	17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			ved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

19 One of the Amelian Control of Control of the Con	
Operator Application Certification:  Thereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief	
Name (Print) Dollio Description Title Staff Regulatory Technician	1
Signature / 1/1/1/1/2 Date 8/27/12	İ
e-mail address dollie I busse@conocophillips com Telephone 505-324-6104	ł
e-mail address dome 15dsset@conscopminps com	
OCD Approval: Permit Application (including clusture plan)   Old Sure Plan (only)   OCD Conditions (see attachment)  OCD Representative Signature:   Approval Date:   Approval Date:   OCD Permit Number:	
Closure Report (required within 60 days of closure completion); Subsection K of 19 15 17 13 NMAC  Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:	
22 Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain	
23	$\dashv$
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks of Haul-off Bins Only:  Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities	
were utilized	
Disposal Facility Name Disposal Facility Permit Number	Ì
Disposal Facility Name  Disposal Facility Permit Number  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?	
Yes (If yes, please demonstrate compliant to the items below)  No	ĺ
Required for impacted areas which will not be used for future service and operations	
Site Reclamation (Photo Documentation)	1
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Closure Report Attachment Checklist: Instructions. Each of the following items must be attached to the closure report Please indicate, by a check mark in the box, that the documents are attached  Proof of Closure Notice (surface owner and division)  Proof of Decd Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	ĺ
Re-vegetation Application Rates and Sceding Technique	
Site Reclamation (Photo Documentation)	
On-site Closure Location Latitude Longitude NAD 1927 1983	
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	<i>t</i>
Name (Print) Title	
Signature Date	
e-mail address Telephone	

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

### Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

#### Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.