1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

District II 1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Biazos Rd , Aztec, NM 87410 District IV

10123

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
	Pit, Closed-Loop System, Below-Grade Tank, or
Propo	osed Alternative Method Permit or Closure Plan Application
Type of action	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one a	pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
	of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the never the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

perator ConocoPh					OGR	ID#. <u>2178</u>	17			
	289, Farmington, NA	4 87499								
facility or well name.									-	
API Number	30-039			OCD Permit Nu	mber				·	
```.—	SE/NE) Section.	30 Township	25N	Range	4W	County:				
Center of Proposed Defurface Owner.	esign Latitude	36.372009  State Private	<u>°N</u> e XTr	Longitude ibal Trust or In		28729 ment	<u>°W</u> 1	√AD [	X 1927	1983
								=		
Pit: Subsection	F or G of 19 15 17 11 N	MAC						RC ¹	VD SEP	51
Temporary [	Orilling Workover							OII	L CONS.	. DI
	mergency Cavitat	ion P&A							DIST.	3
Lined	Inlined Liner typ	oe Thickness	mıl	LLDPE	HDPE	PVC	Other			
String-Reinforced			_		_		_	-		•
Liner Seams	Welded Factory	Other		Volume	bbl	Dimensions	L	x W	x D	
X Closed-loop Sy	stem: Subsection H	of 19 15 17 11 NMAC								
Type of Operation		ling a new well Wo	orkover or	Drilling (Applie	s to activiti	es which requ	ire prior a	pproval	of a permit of	or
	_	not	tice of inte	ent)						
Drying Pad	-			Other			_			
	nlined Liner type		mıl	LLDPE	HDPE	PVD	Other			-
Liner Seams V	Velded Factory	Other								
=										
	ik: Subsection I of 19									
Volume	bbl	Type of fluid				<u>_</u>				
Tank Construction ma		<u> </u>								
<b>;</b>	ment with leak detection		_	r, 6-inch lift and	automatic o	verflow shut-	off			
Visible sidewalls		Visible sidewalls only	——	her	w					
Liner Type Thic	kness r	nil    HDPE	I IPVC	Other						

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent revidence, school, hospital, instance of barbed wire evenly spaced between one and four feet  Alternate Please specify	titution or chui	ch)
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank.  Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration.  (Fencing/BGT Liner).  Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	aderation of ap	proval
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request. Please refer to 19.15 17 10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	∐No
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland,</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site</li> </ul>	Yes	No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	Yes	No
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API  or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9  NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System  Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

West Personal Cleans For Clean Long Section That Haller Above Court A Stat T	also a Wall off Box Oak (10.15.17.12 BARAG)				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Ta Instructions Please identify the facility of facilities for the disposal of liquids, drilling fluid facilities are required	INSTITUTE ONLY: (1915) 1713 D. NMAC) Is and drill cuttings—Use attachment if more than two				
Disposal Facility Name Dis	posal Facility Permit #				
Disposal Facility Name Dis	posal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information No	cur on or in areas that will not be used for future	service and			
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate r Re-vegetation Plan - based upon the appropriate requirements of Subsection  Site Reclamation Plan - based upon the appropriate requirements of Subsection	T of 19 15 17 13 NMAC	С			
17					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Lach siting enteria requires a demonstration of compliance in the closure plan Receptain siting enteria may require administrative approval from the appropriate district office or inflice for consideration of approval. Justifications and/or demonstrations of equivalency are required.	nay be considered an exception which must be submitted to				
Ground water is less than 50 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - (WATERS database search, USGS) Data obtained	from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - IWA FERS database search, USGS, Data obtained	from nearby wells	N/A			
Ground water is more than 100 feet below the bottom of the buried waste		∏Yes ∏No			
- NM Office of the State Engineer - (WATERS database search, USGS, Data obtained	from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant v (measured from the ordinary high-water mark)	vatercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existe - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	nce at the time of initial application	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water well fie pursuant to NMSA 1978, Section 3-27-3, as amended	ld covered under a municipal ordinance adopted	Yes No			
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained</li> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection</li> </ul>		Yes No			
Within the area overlying a subsurface mine	r (certification) of the proposed site	Пусѕ Про			
- Written confiramtion or verification or map from the NM EMNRD-Mining and Minera	ıl Division				
Within an unstable area		Yes No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral	Resources, USGS, NM Geological Society,				
Topographic map Within a 100-year floodplain - FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.	ie following items must bee attached to the closu	re plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate rec	uirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements o	f Subsection Γ of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the applicable.	propriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 1					
Confirmation Sampling Plan (if applicable) - based upon the appropriate rec					
Waste Material Sampling Plan - based upon the appropriate requirements of		.1 1 8			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and o	<u> </u>	nnot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection  Re-vegetation Plan - based upon the appropriate requirements of Subsection					
Site Reclamation Plan - based upon the appropriate requirements of Subsection					

Form C-144 Oil Conservation Division

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC  Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  X Closure Completion Date: 8/10/2012
22 Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haut-off Bins Only:   Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized   Disposal Facility Name
Site Reclamation (Photo Documentation)  On-site Closure Location Latitude Longitude NAD 1927 1983
Silve Stodie Soution Sandas
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Dolfie L. Busse Title Staff Regulatory Technician
Signature Date 9/4/12
e-mail address dollie I busse@conocophillips com Telephone (505) 324-6104