<u>District I</u> 1625 N French Dr , Hobbs, NM 88240 1301 W Grand Avenue, Artesia, NM88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

216	3
·V	

Pit Closed-Loop System Below-Grade Tank or

Proposed Alternative Method Permit or	
Type of action: Permit of a pit, closed-loop system, below- Closure of a pit, closed-loop system, below Modification to an existing permit Closure plan only submitted for an existing below-grade tank, or proposed alternative method	grade tank, or proposed alternative method -grade tank, or proposed alternative method permitted or non-permitted pit, closed-loop system,
Instructions: Please submit one application (Form C-144) per individual pit, clo	
ease be advised that approval of this request does not relieve theoperator of liability should operiving any other Noi does approval relieve the operator of its responsibility to comply with any other	
	0.0040
Operator Energen Resources	
Address 2010 Afton Place, Farmington, New Mexico 87401	
Facility or well name	
API Number 3003925291 OCD Permit Number	
U/L or Qtr/Qtr <u>J</u> Section <u>12</u> Township <u>26N</u> Range <u>03W</u>	County Rio Arriba
Center of Proposed Design Latitude 36 49535 Longitude -107 090	064 NAD □1927 ⊠ 1983
Surface Owner 🗌 Federal 🗍 State 🦳 Private 🔀 Tribal Trust or Indian Allotment	
2	
Pit: Subsection F or G of 19 15 17 11 NMAC	RCVD AUG 30 '12
Temporary Drilling Workover	OIL CONS. DÍV.
Permanent Emergency Cavitation P&A	DIST. 3
Lined Unlined Liner type: Thicknessmil LLDPE HDPE	PVC Other
☐ String-Reinforced	
Liner Seams Welded Factory Other Volume	bbl Dimensions L x W x D
Closed-loop System: Subsection H of 19 15 17 11 NMAC	
Type of Operation ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to intent)	o activities which require prior approval of a permit or notice of
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other	
Lined Unlined Liner type Thicknessmil LLDPE HDPI	E PVC Other
Liner Seams	
X Below-grade tank: Subsection I of 19 15 17.11 NMAC	
X Below-grade tank: Subsection I of 19 15 17.11 NMAC Volumebbl Type of fluidProduced Water	
Volumebbl Type of fluidProduced Water	

Alternative Method:

Submittal of an exception request is required
Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate Please specify	
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19 15 17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3 103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	office for
Siting Criteria (regarding permitting): 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site. Aerial photo, Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map	☐ Yes ☐ Na

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Number. or Permit Number
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Number Previously Approved Operating and Maintenance Plan API Number (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 1915 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 1915 17 9 NMAC String Criteria Compliance Demonstrations - based upon the appropriate requirements of 1915 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 1915 17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 1915 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 1915 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 1915 17 11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Cilosure Plan - based upon the appropriate requirements of 1915 17.9 NMAC and 1915 17 13 NMAC
Proposed Closure: 19 15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency Cavitation P&A Permanent Pit X Below-grade Tank Closed-loop System Alternative Proposed Closure Method X Waste Excavation and Removal
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions: Please indentify the facility or facilities for the disposal of liquids, d facilities are required.		
Disposal Facility Name	Disposal Facility Permit Number	
Disposal Facility Name	Disposal Facility Permit Number	
Will any of the proposed closed-loop system operations and associated activities occ Yes (If yes, please provide the information below) \(\subseteq \) No		
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19 15 17 13 NMA(of 19 15 17 13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19 15.17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the comprovided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	administrative approval from the appropriate disti Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data	obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	ifficant watercourse of lakebed, sinkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church Visual inspection (certification) of the proposed site, Aerial photo, Satellite		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or sp NM Office of the State Engineer - iWATERS database, Visual inspection (co.	oring, in existence at the time of initial application	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality, Written approve	·	☐ Yes ☐ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual	Inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	☐ Yes ☐ No
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology Society, Topographic map	& Mineral Resources, USGS, NM Geological	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Protocols and Procedures - based upon the appropriate requirements of 19 15 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Signature Maste Material Sampling Plan - based upon the appropriate requirements of Signature Soil Cover Design - based upon the appropriate requirements of Subsection In Re-vegetation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Recl	irements of 19 15 17 10 NMAC Subsection F of 19 15 17 13 NMAC propriate requirements of 19 15 17 11 NMAC ad) - based upon the appropriate requirements of 19 17 13 NMAC direments of Subsection F of 19 15 17 13 NMAC Subsection F of 19 15 17 13 NMAC all cuttings or in case on-site closure standards cannot of 19 15 17 13 NMAC of 19 15 17 13 NMAC	15 17 11 NMAC

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address: Telephone
20 OCD Approval: Permit Application (including flosure plan) (including flosure plan) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: /06/20(Z
PALANCE
Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report.
The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this
section of the form until an approved closure plan has been obtained and the closure activities have been completed.
☐ Closure Completion Date: 8/14/12
Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.
 ✓ Proof of Closure Notice (surface owner and division) ✓ Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
 ☐ Waste Material Sampling Analytical Results (required for on-site closure) ☐ Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and
belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Ed Hasely Title Sr Environmental Engineer
6011 6
Signature 2 1 1 Jase 1 Date 8/27/12
e-mail address ed hasely@energen.com Telephone (505) 324-4131
C-man address

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES Jicarilla 96 #3A

CLOSURE STEPS: (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

 Attached
- (2) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
 - Collect, at a minimum, a five point, composite sample,
 Composite sample was collected.
 - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release:

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418 1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	ND
TPH (418.1)	100	34.5
Chlorides	250	40

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above,</u> backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19 15.3.116 NMAC.

Not applicable.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

RECLAMATION:

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater
- **(B)** Seed or plant the disturbed areas the first growing season after closing the below-grade tank Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
 - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover
- **(D)** If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- **(E)** Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.

District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised October 10, 2003 ubmit 2 Copies to appropriate

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

			Relea	se Notificat	ion	and C	orre	ctive Actio	n			
						OPER	TOI	3	Initia	al Repo	ort [
Name of Co						Contact:		d Hasely				
Address: 20			gton, NM	87401				05-324-4131 il/Gas Well Site	****			
Facility Nan							pe: O	II/Gas well site				
Surface Ow	ner: Jicaril	la		Mineral Ow	ner:	Jicarilla			Lease No	o. Jicai	rılla 96	
				LOCAT	ION	OF RE	LEA	SE				
Unit Letter	Section 12	Township 26N	Range 3W	Feet from the	No	rth/South I	ine	Feet from the	East/West I	Line	County Rio Air	
			Lat	itude_36 49535_	··	Long	gitude	-107 09064	<u>' </u>			
				NATUI	RE (OF REL	EAS	E				
Type of Relea	se: NO REL	EASE				Volume o	f Relea	ise:	Volume Re	ecover	ed:	
Source of Rel	ease:					Date and	Hour	of Occurrence:	Date and I	Hour o	f Discov	/ery:
Was Immedia	ite Notice G		es 🔲	No 🗌 Not Requi	red	If YES, T	o Who	m?				
By Whom?				V		Date and						
Was a Water	course Reac		Yes 🔲	No		If YES, V	olume	Impacting the V	/atercourse.			
If a Watercou	ise was im	pacted, Desci	ibe runy.									
Describe Cau	se of Proble	m and Remed	dial Actio	n Taken.*								
THERE WAS ONLY TO SA			EDIAL A	CTION TAKEN T	ΓHIS	FORM IS	FILLEI	O OUT TO SERV	E AS A COV	ER FO	R LAB .	ANALYSES -
Describe Area	Affected a	nd Cleanup A	Action Ta	ken.*		, <u>.</u>						
regulations all public health of should their or	operators ar or the environ ociations have ment In add	e required to render. The action of the render of the requirement of t	eport and/ eceptance equately in D accepta	strue and complete for file certain relea of a C-141 report b evestigate and reme nce of a C-141 report	se no y the diate	tifications a NMOCD r contamina	ind per narked ton tha	form conective ac as "Final Report" t pose a threat to	ctions for relead does not relie ground water,	ises wh ve the o surface	ich may operator water, l	endanger of liability human health
Signature	527	Lisel					0	IL CONSER'	VATION I	OIVIS	SION	
Printed Name	Ed Hasel	у			A	Approved by	/ Distri	ct Supervisor				
Title	Sr. Enviro	onmental Engi	neer		A	Approval Da	ite		Expiration D	ate		
E-mail Addres	s ed hasely(@energen com	1			Conditions o	f Appr	oval	į	Attacl	hed 🔲	1

Phone: 505-324-4131 / 505-330-3584(cell)

Date 8/27/12

^{*} Attach Additional Sheets If Necessary



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen Resources	Project #	03022-0001
Sample ID:	Jic 96 #3A BGT	Date Reported	07-26-12
Laboratory Number:	62686	Date Sampled:	07-24-12
Chain of Custody No:	14150	Date Received	07-24-12
Sample Matrix.	Soil	Date Extracted:	07-25-12
Preservative:	Cool	Date Analyzed ⁻	07-25-12
Condition:	Intact	Analysis Needed ¹	TPH-418 1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

34.5

6.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Jicarilla BGT





Chloride

Client Energen Resources Project #. 03022-0001 Jic 96 #3A BGT Sample ID: Date Reported 07-26-12 Lab ID# 62686 07-24-12 Date Sampled. Date Received 07-24-12 Sample Matrix: Soil Preservative: Cool Date Analyzed: 07-26-12 Condition. Chain of Custody. Intact 14150

Parameter

Concentration (mg/Kg)

Total Chloride

40

Reference:

U.S.E P A , 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Jicarilla BGT





EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client	Energen Resources	Project #.	03022-0001
Sample ID:	Jicarilla 96 #3A BGT	Date Reported.	07-26-12
Laboratory Number	62686	Date Sampled:	07-24-12
Chain of Custody:	14150	Date Received [.]	07-24-12
Sample Matrix:	Soil	Date Analyzed.	07-26-12
Preservative.	Cool	Date Extracted	07-25-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

		Det.	
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	ND	10.0	
Toluene	ND	10.0	
Ethylbenzene	ND	10.0	
p,m-Xylene	ND	10.0	
o-Xylene	ND	10.0	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	103 %
	1,4-difluorobenzene	102 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846

USEPA, December 1996

Comments: Jicarilla BGT



Ed Hasely

From:

Ed Hasely

Sent:

Friday, June 29, 2012 7 19 AM

To:

'Kelly, Jonathan, EMNRD'

Cc:

'hsandoval_99@yahoo com', Michael Dean

Subject:

BGT Closure Notifications - Jicarilla

Jonathan – Energen plans to close the below listed BGT's in the near future. Let me know if you have questions. Thanks.

Jica rilla 96 #3A - Unit Letter J, Section 12, Township 26N, Range 3W

Jicarilla 96 #8A - Unit Letter D, Section 13, Township 26N, Range 3W

Ed Hasely

Energen Resources Corporation

Sr Environmental Engineer ed hasely@energen com Office (505) 324-4131 Cell (505) 330-3584



June 29, 2012

Jicarilla Apache Nation Environmental Protection Office P.O. Box 507 Dulce, NM 87528

Attn: Mr. Hobson Sandoval, Environmental Specialist

Re: Below Grade Tank Closures Multiple Wells

Dear Sirs::

Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in Rio Arriba County, New Mexico.

5075

2250

7009

Return Receipt Fee lorsement Required) Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees

Street, Apt. No.

or PO Box No

ostmark

102595-02-M-154

Cert.

Jicarilla 96 #3A - Unit Letter J, Section 12, Township 26N, Range 3W Jicarilla 96 #8A - Unit Letter D, Section 12, Township 26N, Range 3W

If there are any questions or concerns, please contact me at 505-324-4131.

Sincerely.

Ed Hasely

Sr. Environmental Engineer

Energen Resources

Cc:

Well Files

Correspondence

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to:	A. Signature X. Agent Addresse B. Received by (Printed Name) C. Date of Deliver The Velarde D. Is delivery address different from Item 1? Yes If YES, enter delivery address below:
PO Bex 507 Duley NM 87528 Hubson Sandoval	3. Service Type Certified Mail
2. Article Number 7009 2250	0001 5075 7561

(Transfer from service labe

Domestic Return Receipt

PS Form 3811, February 2004

