1301 W Grand Ave , Artesia, NM 88210

1000 Rio Brazos Rd , Aztec, NM 87410

District II

District III

District IV

Energy Minerals and Natural Resources

Department Oil Conservation Division

State of New Mexico

1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S St Francis Di , Santa Fe, NM 87505

Pit, Closed-Loop	System, Below-Grade Tank, or
Proposed Alternative M	ethod Permit or Closure Plan Application
Type of action: Permit of a pit, closed	l-loop system, below-grade tank, or proposed alternative method
X Closure of a pit, close	ed-loop system, below-grade tank, or proposed alternative method
Modification to an ex	isling permit
	omitted for an existing permitted or non-permitted pit, closed-loop system,
-	proposed alternative method per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the o	perator of liability should operations result in pollution of surface water, ground water or the y to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#. 14538
Address. PO Box 4289, Farmington, NM 87499	
Facility or well name Angel Peak B 12	
API Number	OCD Permit Number
U/L or Qtr/Qtr. A(NE/NE) Section 25 Township.	28N Range 11W County San Juan
Center of Proposed Design. Latitude 36.63774	°N Longitude 107.94934 °W NAD X 1927 1983
Surface Owner. X Federal State Priva	ate Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness String-Reinforced Liner Seams Welded Factory Other	RCVD SEP 5 '12 OIL CONS. DIV. mil LLDPE HDPE PVC Other Volume bbl Dimensions L x W x D
	Workover or Drilling (Applies to activities which require prior approval of a permit or intent)
Drying Pad X Above Ground Steel Tanks Haul-o Lined Unlined Liner type Thickness Liner Seams Welded Factory Other	off Bins OtherOtherOther
4 Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material	
Secondary containment with leak detection Visible side Visible sidewalls and liner Visible sidewalls only Liner Type Thickness mil HDPE	ewalls, liner, 6-inch lift and automatic overflow shut-off Other Other
5 Alternative Method:	
Submittal of an exception request is required. Exceptions must be su	bmitted to the Santa Fe Environmental Bureau office for consideration of approval

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent revidence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify				
7 Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions. The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance Sting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search, USGS. Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site		_		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	∐No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map. Topographic map, Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes	No		
Within a 100-year floodplain	Yes	∐No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions				
Previously Approved Operating and Maintenance Plan API				
Treviously Approved Operating and Maintenance () and Maintenance				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14 Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16	. IT 1 . H. I MD . O. I. (10 IZ IZ IZ D.) (14 C.)			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions Please identify the facility of facilities for the disposal of liquids, drilli	teel Tanks or Haul-off Bins Only (19 15 17 13 D NMAC) ong fluids and drill cuttings—Use attachment if more than two			
facilities are required				
Disposal Facility Name				
Disposal Facility Name	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	ties occur on or in areas that will not be used for future	service and		
Required for impacted areas which will not be used for future service and operation				
Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subs	•	IC .		
Site Reclamation Plan - based upon the appropriate requirements of S				
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NM.	AC	•		
Instructions Each string criteria requires a demonstration of compliance in the closure pla		helow Requests regarding changes to		
certain siting criteria may require administrative approval from the appropriate district of office for consideration of approval—Justifications and/or demonstrations of equivalency a	•	the Santa Fe Environmental Bureau		
Ground water is less than 50 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - (WATERS database search, USGS) Data of	btained from nearby wells	□N/A		
Ground water is between 50 and 100 feet below the bottom of the buried was	ste	☐Yes ☐No		
- NM Office of the State Engineer - (WATERS database search USGS, Data of	otained from nearby wells	□N/A □		
Ground water is more than 100 feet below the bottom of the buried waste		☐Yes ☐No		
- NM Office of the State Engineer - IWATERS database search, USGS, Data of	otamed from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signi	ficant watercourse or lakebed, sinkhole, or playa lake	Yes No		
(measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site				
	and the time of time of the time of the time of the time of time of the time of time o	∏Yes ∏No		
 Within 300 feet from a permanent residence, school, hospital, institution, or church in Visual inspection (certification) of the proposed site, Aerial photo, satellite ima 	1	∐Yes ∐No		
		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less t	han five households use for domestic or stock watering			
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exi - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	• • • • • • • • • • • • • • • • • • • •			
Within incorporated municipal boundaries or within a defined municipal fresh water	· · · · · · · · · · · · · · · · · · ·	Yes No		
pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval of	stained from the municipality			
Within 500 feet of a wetland	named from the intimerpanty	∏Yes ∏No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual ins	spection (certification) of the proposed site			
Within the area overlying a subsurface mine		Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and	Mineral Division			
Within an unstable area		∐Yes ∐No		
 Engineering measures incorporated into the design, NM Bureau of Geology & N Topographic map 	Mineral Resources, USGS, NM Geological Society			
Within a 100-year floodplain		Yes No		
- FEMA map				
18				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached	th of the following items must bee attached to the closi	re plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropri	ate requirements of 19 15 17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subs				
Stre Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20
OCD Approval: Permit Application (including cosure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: 4010/2012
Title: OCD Permit Number:
21 Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
X Closure Completion Date: 8/23/2012
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only
Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below) X No
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report Please indicate, by a check mark in
the box, that the documents are attached
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Clause Continue Continue
Operator Closure Certification: The whole control that the information and attachments submitted with this closure vaport is time and complete to the host of my browledge and helpf. I also certify that
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Dollie Busse Title Staff Regulatory Technician
Signature Date 9/4/12
Signature / William Date 174
Signature Date 9/4/12 e-mail address dollie I busse@conocophillips com Telephone (505) 324-6104