

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N French Dr, Hobbs, NM 88240  
District II - (575) 748-1283  
811 S First St, Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd, Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S St Francis Dr, Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO 30-045-23120
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No
7. Lease Name or Unit Agreement Name Mae Gale A
8. Well Number 1
9. OGRID Number 006515
10. Pool name or Wildcat Otero Chacra (003686)

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2 Name of Operator  
Dugan Production Corp.

3. Address of Operator  
P O Box 420, Farmington, NM 87499-0420

4 Well Location

Unit Letter E : 1820 feet from the North line and 1020 feet from the West line  
Section 24 Township 29N Range 11W NMPM San Juan County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
5483' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS ☐ P AND A ☒  
CASING/CEMENT JOB ☐

OTHER: ☐ OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Plugged the well on 8/21/2012 by the following procedure:

- 1) Set CR @ 2778'. Ran CBL from 2778' to surface.
- 2) Pressure test casing to 800 psi, held ok.
- 3) Spot Plug I @ 2778' w/26 sks Class B (30.7 cu ft) neat cement (2442'-2778').
- 4) Spot Plug II @ 1803' w/39 sks Class B (46.0 cu ft) neat cement (1299'-1803')
- 5) Pressure test BH. Held ok.
- 6) Spot Plug III from 691' to surface w/61 sks Class B (71.9 cu ft) neat cement. TOC @ surface.
- 7) Cut wellhead. Install dry hole marker w/24 sks cement.

RCVD AUG 31 '12  
OIL CONS. DIV.  
DIST. 3

Spud Date:

Rig Release Date:

Approved for plugging of wellbore only  
Liability under bond is retained pending  
Receipt of C-103 (Subsequent Report of Well  
Plugging) which may be found @ OCD web page  
under forms  
www.emnrd.state.us/oed

I hereby certify that the information above is true and complete to the best of my knowledge and belief

SIGNATURE Aliph Reena TITLE Production Engineer DATE August 30, 2012

Type or print name Aliph Reena E-mail address: aliph.reena@duganproduction.com PHONE 505-325-1821


For State Use Only

APPROVED BY: Bob Redd TITLE Deputy Oil & Gas Inspector,  
District #3 DATE 9/4/12

Conditions of Approval (if any):

A

300-45-23120



4 1/2" casing @ 2939.