

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

MAY 13 2011

-arminoton Field Offic APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG:BACKIND Manageme 1a. Type of Work 5. Lease Number BLM'S APPROVAL OR ACCEPTANCE OF THIS DRILL SF-080538 ACTION DOES NOT RELIEVE THE LESSEE AND **Unit Reporting Number** OPERATOR FROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS 6. If Indian, All. or Tribe 1b. Type of Well ON FEDERAL AND INDIAN LANDS 2. Operator 7. Unit Agreement Name ConocoPhillips San Juan 30-5 Unit Company 3. Address & Phone No. of Operator 8. Farm or Lease Name PO Box 4289, Farmington, NM 87499 RCVD SEP 11'12 9. Well Number OIL CONS. DIV. (505) 326-9700 RΝ nist_3 4. **Location of Well** 10. Field, Pool, Wildcat Surface: Unit H(SENE), 2310' FNL & 792' FEL Blanco MV / Basin DK 11. Sec., Twn, Rge, Mer. (NMPM) Surface: Latitude: 36.828059° N Sec. 11, T30N, R5W (NAD83) Longitude: 107.320404° W API# 30-039- 3/065 14. Distance in Miles from Nearest Town 12. County 13. State 59.6 miles from Bloomfield, NM Rio Arriba NM 15. Distance from Proposed Location to Nearest Property or Lease Line 792' 16. **Acres in Lease** 17. Acres Assigned to Well 1886.39 acres 320.00 acres MV/DK - E/2 Distance from Proposed Location to Nearest Well, Drlg, Compl, or Applied for on this Lease 18. 71.5' from (COPC) SJ 30-5 Unit 8P (MV/DK) **Proposed Depth** 19. 20. Rotary or Cable Tools 83281 Rotary 21. Elevations (DF, FT, GR, Etc.) 22. Approx. Date Work will Start 6809' GL 23. **Proposed Casing and Cementing Program** See Operations Plan attached 24. Authorized by: Dollie L. Busse (Staff Regulatory Tech) PERMIT NO. APPROVAL DATE **APPROVED BY** TITLE Archaeological Report attached A gas recovery unit may or may not be used on this location. Threatened and Endangered Species Report attached NOTE: This format is issued in lieu of U.S. BLM Form 3160-3

This action is subject to technical and procedural review pursuant to 43 CFR 3165 3 and appeal pursuant to 43 CFR 3166.4

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United

Bond Numbers ES-0048 and ES-0085

DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO COMPLIANCE WITH ATTACHED "GENERAL REQUIREMENTS".



States any false, fictitious or fraudulent statements or presentations as to any matter within its jurisdiction.

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505

tureau of Land Managemen

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number			2	Pool Cods		³ Pool Name					
30-039	31065	الله الله الله الله الله الله الله الله							RDE		
⁴ Property Code		····	,	⁶ Well Number							
31327	- 1	SAN JUAN 30-5 UNIT 8N									
7 OGRID No. 8 Operator Name								⁹ Elevation			
217817		CONOCOPHILLIPS COMPANY 6809							6809		
¹⁰ SURFACE LOCATION											
UL or lot no.	Section	Township	Range Lot Idn Feet from the North/South line Feet from the East/West line					East/West line	County		
н	11	30-N	N 5-W 2310 NORTH 792 EAST F								
11 Bottom Hole Location If Different From Surface											
UL or lot no.	Section	Township	Range	Range Lot Idn Feet fro		North/South line	Feet from the	East/West line	County		
Н											
Dedicated Acres 13 Joint or Infill 320.00 (E 2) 14 Consolidation Code 15 Order No.											

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

0			3
GLO N 89'53'22" W		5269.1" (M) GLO 5260.2" (R) 1916	17 OPERATOR CERTIFICATION
1916			I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this
	Ì	E3	organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or
			kas a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsary pooling order
		2310° 2840.0° 2636.1°	heretofore entered by the division.
		Ä	Constal Talona 2/12/10
			Signature / / / / / / / / / / / / / / / / / / /
The second secon	E/2 DEDICATED	m.64 ≽	
	ACREAGE	903, 923,4	Regulatory Tech
	USA SF-080 5 38 SECTION 11,	99 22	i
	T-30-N, R-5-W	792	February 12, 2010
		1	18 SURVEYOR CERTIFICATION
		GLO (I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by
·	WELL FL NAI	- · - · ·	me or under my supervision, and that the same is true and correct to the best of my belief.
	LAT: 36.82805	PN /	
BASIS OF BEARING IS THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, WEST ZONE, NAOB3	LONG: 107.320404 NAL		Date of Survey: 11/3/09 Signature and Seal of Devicement Surveyor:
AS DETERMINED BY GPS OBSERVATION AND NGS/OPUS SOLUTION.	LAT: 36°49.68313 LONG: 107°19.188249		* BROADHUR CL
	20/13: 10/ /3:10024		THE MEXICAL PROPERTY OF THE PR
			= Tunk Har
			1000
,			1 /2 VIII &
			WOMAL SUR
			- Williams
			Certificate Number: NM 11393
LL			Columbia dell'illia



PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

SAN JUAN 30-5 UNIT 8N

DEVELOPMENT

Lease:						AFE #: W	'AN.CDR	.9318			AFE \$: 1,530,268.00
Field Name: SAN	JUAN			Rig: A	ztec Rig 9			i	e: NM	County: SAN JUAN	API #:
Geologist:				Phone	:		Geop	hysicist:			Phone:
Geoscientist:				Phone	:		Prod.	Enginee	r:		Phone:
Res. Engineer:				Phone	:		Proj.	Field Lea	ıd:		Phone:
Primary Object	ive (Zo	ones):	57.5								
Zone	Zone										
RON			AVERDE (P								
FRR	BASIN	DAKOT	A (PRORAT	ED GAS	S)						
	- waa		Dati a Ca	SASSINI'	(D) 07#		(2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	The Bridge			
Location: Surface	Springer was	27622.001	Datum Co	Com. 45.4 ALA							Straight Hole
Latitude: 36.8280			ide: -107.3		X:		Y:			Section: 11	Range: 005W
Footage X: 792 F	EL	Footag	e Y: 2310 F	-NL	Elevatio	n: 6809	(FT)	Townsh	ip: 030	N	
Tolerance:	···										
Location Type: Re	estricte	d		Start I	Date (Est.): 1/1/2012	Co	mpletion	Date:	Date In	Operation:
Formation Data:	Assur	ne KB =	6825	Units =	FT	<u> </u>					
Formation Call & Casing Points			Depth (TVD in Ft)	SS (Ft)	MD (Ft)	Depletion (Yes/No)	BHP (PSIG)	внт		Rema	rks
Surface Casing			200	6625		[(Tes/No)]	(F31G)		12-1/4	hole. 200' 9 5/8" 32.3	nnf H-40 STC casing
				0023	·			<u> </u>		t with 121 cuft. Circulate	
NACIMIENTO			1630	5195							
OJO ALAMO			2895	3930							
KIRTLAND			3105	3720							
FRUITLAND			3201	3624			552		Possible	e Gas	
PICTURED CLIFFS			3766	3059							
LEWIS			3851	2974							
Intermediate Casin	ıg		3951	2874						Hole. 7", 20/23 ppf, J-5 t with 890 cuft. Circulate	
HUERFANITO BEN	TONITE		4572	2253		Π̈́			Certicit	t with 050 turt. Circulate	cement to surface.
CHACRA			4937	1888							·····
MASSIVE CLIFF HO	OUSE		5771	1054			526		Gas		
MENEFEE			5827	998							
POINT LOOKOUT			6001	824					_		
MANCOS			6450	375							
UPPER GALLUP			7315	-490							
GREENHORN		· · · · ·	8035	-1210)						
GRANEROS			8081	-1256	5						
TWO WELLS			8194	-1369)		3180)	Gas		
PAGUATE			8205	-1380)						
UPPER CUBERO		-	8209	-1384	}					···	
LOWER CUBERO			8256	-1431							
Total Depth			8328	-1503	}				w/ 618	cuft. Circulate cement a	-80, LTC casing. Cement minimum of 100' inside the
ENCINAL			8328	-1503	,				PIEVIOU	s casing string.	
Reference Wells	5: 5(4)	7/6-138 6-14-138 6-14-14-1			Tarke (921460		SWA.		

Printed on: 5/13/2011 1:00:50 PM



PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

SAN JUAN 30-	5 UNIT 8N		DEVELOPMENT						
Reference Type	pe Well Name Comments								
Logging Progra	ım:								
		f show GR/ILD							
TD Logs:	Triple Cor	nbo 🔲 Dipmeter	☐ RFT ☐ Sc	onic VSP TDT 🗹 Oth	er				
	Mud log from	~100' above the U	pper Gallup to TI	D. Mud loggers will call final TD.					
Additional Inform	ation:								
Log Type	Stage	From (Ft)	To (Ft)	Tool Type/Name	Remarks				

CONOCOPHILLIPS COMPANY

SAN JUAN 30-5 UNIT #8N 2310' FNL, 792' FEL SECTION 11, T-30-N, R-5-W, N.M.P.M., RIO ARRIBA COUNTY, NEW MEXICO NAD 83 LAT.: 36.828059'N LONG.: 107.320404'W ELEV.: 6809 NAVD88 NEW ACCESS 475.5'

FROM BLOOMFIELD, NEW MEXICO:

- GO 37.7 MI. EAST ON HWY. 64 (MILE MARKER 102.3). TURN LEFT (NORTH) ON HWY. 527, AKA SIMMS MARINA ROAD.
- GO 8.0 MI. NORTH ON HWY. 527 (SIMMS MARINA ROAD). TURN RIGHT ONTO ROSA ROAD.
- GO 6.4 MI. ALONG ROSA ROAD CROSSING LA JARA WASH. TURN RIGHT (WESTERLY) AT BLM SIGN.
- GO 5.2 MI. CROSSING LA FRAGUA WASH STAYING ON MAIN ROAD HEADING EAST TOWARDS THE "DEAD COTTONWOOD BY STOCK POND" IN THE SOUTHEAST PART OF SECTION 16, T-30-N, R-5-W. TURN LEFT (NORTH).
- GO 0.15 MI. NORTH. TURN RIGHT JUST PAST THE "DEAD COTTONWOOD BY STOCK POND."
- GO 2.1 MI. NORTH CROSSING LOPEZ WASH AND CLIMBING UPHILL ONTO A SMALL MESA. CONTINUE NORTHERLY TO AN EXISTING BURROWING PIT AND A RIGHT HAIR PIN TURN.
- THE SJ 30-5 UNIT #8N IS ON THE SOUTH SIDE OF THIS ROAD.