District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

	08	
`	0388	

220 S St Francis Dr., Santa Fe, NM 87505	appropriate NMOCD District Office
	Pit, Closed-Loop System, Below-Grade Tank, or
Prope	osed Alternative Method Permit or Closure Plan Application
Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
••	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method
•	oplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
•	f this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the eve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: ConocoPhillips Compan	
Address: PO Box 4289, Farmingto	
Facility or well name: San Juan 29	
	0-039-21055 OCD Permit Number
J/L or Qtr/Qtr: <u>L(NW/SW)</u> Section  Center of Proposed Design: Latitude	
Surface Owner: X Federal	State Private Tribal Trust or Indian Allotment
A least at	
Pit: Subsection F or G of 19 15 17	RCUD SEP 12'12
Temporary Drilling Wor	OT BORD
	Cavitation P&A DIST. 3
Lined Unlined Li	ner type Thickness mil LLDPE HDPE PVC Other
String-Reinforced	
Liner Seams Welded Fa	actory Other Volume bbl Dimensions L x W x D
3	
X Closed-loop System: Subsect	ion H of 19 15 17 11 NMAC
Type of Operation X P&A	Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad X Above Grou	nd Steel Tanks Haul-off Bins Other
` =	r type Thicknessmil LLDPE HDPE PVD Other
	actory Other
4	
Below-grade tank: Subsection	of 19 15 17 11 NMAC
Volumeb	bl Type of fluid
Tank Construction material	
Secondary containment with leak de	
Visible sidewalls and liner	Visible sidewalls only Other
Liner Type Thickness	mil HDPE PVC Other
Alternative Method:	
Submittal of an exception request is req	uired Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15.17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six fect in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify				
Netting: Subsection E of 19 15 17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15.17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  (Fencing/BGT Liner)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting): 19 15.17 10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐Yes ☐No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes No			
<ul> <li>Visual inspection (certification) of the proposed site, Aerial photo; Satellite image</li> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> </ul>	☐Yes ☐No			
(Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	NA NA			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
<ul> <li>NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	∏Yes ∏No			
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> <li>Within the area overlying a subsurface mine.</li> </ul>	Yes No			
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division				
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>				
Within a 100-year floodplain - FEMA map	Yes No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC			
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17 13 NMAC			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC			
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC			
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15 17 13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19 15 17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan  Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15 17.13 NMAC			
Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System			
Alternative			
Proposed Closure Method Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15.17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings Use attachment if more than two					
facilities are required  Disposal Facility Name Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #.	NM-01-0011 / NM-01-00	)10B		
			<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit # NM-01-005  Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and					
Yes (If yes, please provide the information No  Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC					
17  Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain sting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data ob	tained from nearby wells		Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried wast	e		Yes No		
- NM Office of the State Engineer - IWATERS database search, USGS, Data obt			□N/A		
Ground water is more than 100 feet below the bottom of the buried waste	•		Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data obt	ained from nearby wells		□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significance (measured from the ordinary high-water mark).	cant watercourse or lakebed, su	nkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site			П., П.,		
Within 300 feet from a permanent residence, school, hospital, institution, or church in  - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	-	pplication	∐Yes ∐No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality					
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	nection (certification) of the prop	posed site	Yes No		
Within the area overlying a subsurface mine		•	Yes No		
<ul> <li>Written confirantion or verification or map from the NM EMNRD-Mining and M Within an unstable area</li> </ul>	Aineral Division		∏Yes ∏No		
- Engineering measures incorporated into the design, NM Bureau of Geology & M Topographic map	ineral Resources; USGS, NM C	Geological Society,			
Within a 100-year floodplain - FEMA map			Yes No		
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropria	te requirements of 19.15 17	10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon t	Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
	Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropria	,				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17 13 NMAC					

19 Operator Application Cartification	
Operator Application Certification:  Thereby certify that the information submitted with this application is true, accurate	e and complete to the best of my knowledge and belief
Name (Print) Dollie L. Busse	Title Staff Regulatory Technician
Signature. Valler Sunne	Date 9/11/12
e-mail address dollie.! busse@conocophillips com	Telephone 505-324-6104
e mail address	
20 OCD Approval: Permit Application (including closure plan)	ClosAre Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	01/2/2007
	Approval Date: 4/1//2017
Title: 15M ) Cance ( )	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsections Instructions Operators are required to obtain an approved closure plan prior to the report is required to be submitted to the division within 60 days of the completion of approved closure plan has been obtained and the closure activities have been completed.	mplementing any closure activities and submitting the closure report. The closure of the closure activities. Please do not complete this section of the form until an
22	
Closure Method:	_
	Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain	
23	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems I Instructions: Please identify the facility or facilities for where the liquids, drilling were utilized.	That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  I fluids and drill cuttings were disposed. Use attachment if more than two facilities
Disposal Facility Name	Disposal Facility Permit Number.
Disposal Facility Name	Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on o	or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)	No
Required for impacted areas which will not be used for future service and opera	ations
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the follow, the box, that the documents are attached.	ing items must be attached to the closure report. Please indicate, by a check mark in
Proof of Closure Notice (surface owner and division)	
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	
On-site Closure Location Latitude	Longitude NAD 1927 1983
on the closure becaution	
25	
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure re	eport is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specy Name (Print)	fied in the approved closure plan  Title
Signature	Date
e-mail address	Telephone:

## ConocoPhillips Company Closed-loop Plans

## Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.