District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

10396

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operator of liability should operator of its responsibility to comply with any other than the control of the comply with any other limits and the control of the co	ner applicable governmental authority's rules, regulations or ordina
Dugan Production Corn	CC15
Operator: Dugan Production Corp. Address: P.O.Box. 420, Farmington, NM	_ OGRID #:6515
Address: P.O.BOX. 420, FallilligColl, NM	
Facility or well name: Coaly # 090	
API Number: 300-45-33905 OCD Permit N	Number:
U/L or Qtr/Qtr $\underline{\hspace{1cm}}$ Section $\underline{\hspace{1cm}}$ 28 Township $\underline{\hspace{1cm}}$ Rang	
Center of Proposed Design: Latitude 36.54075 N Longitude	
Surface Owner	र्टा रहेतु । रहेतु
2.	ructuretura.
∑ Closed-loop System: Subsection H of 19.15:17.11 NMAC	08/18/17
Operation: Drilling a new well Workover or Drilling (Applies to activities which is	require prior approval of a permit or notice of intent) \ \ P&A
Above Ground Steel Tanks or Haul-off Bins	रकोर कि निर्मालकार किया । राज्यकार कि विकास स्वास्त्र का कार्यकार के सम्बद्धान
Signs: Subsection C.of 19.15:17:1,1 NMAC	RCVD SEP 19'12
∑ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency teleph	hone numbers! NOVU DEF 13 12
Signed in compliance with 19:15.3.103 NMAC believe the state of the st	THE PARTY OF THE P
Signed in compliance with 19:15.3.103 NMAC Superscript Subsection B of 19.	DIST. 3
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
 ☑ Operating and Maintenance Plan - based upon the appropriate requirements of 19.1 ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of ☑ Previously Approved Design (attach copy of design) ☑ Previously Approved Operating and Maintenance Plan △ API Number: 	of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC
 ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of ☑ Previously Approved Design (attach copy of design) ☑ Previously Approved Operating and Maintenance Plan △ API Number: 5 	of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC
 ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Previously Approved Design (attach copy of design) ☑ Previously Approved Operating and Maintenance Plan △ API Number: ✓ Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling 	of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)
 ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of ☐ Previously Approved Design (attach copy of design) ☐ Previously Approved Operating and Maintenance Plan ☐ API Number: 5 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel 	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In gluids and drill cuttings. Use attachment if more than two
 ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of ☐ Previously Approved Design (attach copy of design) API Number: ☐ Previously Approved Operating and Maintenance Plan API Number: 5 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required. Disposal Facility Name: Sanchez O¹ Brien SWD # 1 Disposal 	of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) og fluids and drill cuttings. Use attachment if more than two osal Facility Permit Number: SWD-694
☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API Number:	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In gradient of Subsection C of 19.15 17.9 NMAC and 19.15.17.13.D NMAC) In gradient of Bins Only: (19.15.17.13.D NMAC) In
	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In g fluids and drill cuttings. Use attachment if more than two Desal Facility Permit Number: Desal Facility Permit Number: NM - 01 - 001B The or in areas that will not be used for future service and operation of Subsection H of 19.15.17.13 NMAC
Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required. Disposal Facility Name: Sanchez O' Brien SWD # 1 Dispo Disposal Facility Name: IEI Dispo Will any of the proposed closed-loop system operations and associated activities occur on Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of the subsection of Subsection G of the proposed Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of the subsection G of the subsection G of Subsection I of Subse	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In g fluids and drill cuttings. Use attachment if more than two Desal Facility Permit Number: Desal Facility Permit Number: NM-01-001B The or in areas that will not be used for future service and operation The original of Subsection H of 19.15.17.13 NMAC The of 19.15.17.13 NMAC
Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: Previously Approved Operating and Maintenance Plan API Number:	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In fluids and drill cuttings. Use attachment if more than two In or in areas that will not be used for future service and operation of 19.15.17.13.NMAC of 19.15.17.13.NMAC
Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: Previously Approved Operating and Maintenance Plan API Number:	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) of g fluids and drill cuttings. Use attachment if more than two osal Facility Permit Number: SWD-694 osal Facility Permit Number: NM-01-001B or or in areas that will not be used for future service and operation of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC of 19.15.17.13 NMAC complete to the best of my knowledge and belief.
Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: Previously Approved Operating and Maintenance Plan API Number:	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) of g fluids and drill cuttings. Use attachment if more than two osal Facility Permit Number: SWD-694 osal Facility Permit Number: NM-01-001B or or in areas that will not be used for future service and operation of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC of 19.15.17.13 NMAC complete to the best of my knowledge and belief.
Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Previously Approved Design (attach copy of design) API Number:	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) of g fluids and drill cuttings. Use attachment if more than two osal Facility Permit Number: SWD-694 osal Facility Permit Number: NM-01-001B or or in areas that will not be used for future service and operation of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC of 19.15.17.13 NMAC complete to the best of my knowledge and belief.
Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: Previously Approved Operating and Maintenance Plan API Number:	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) In fluids and drill cuttings. Use attachment if more than two In or in areas that will not be used for future service and operation In or in areas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and operation In or in a reas that will not be used for future service and o

OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: OCD Permit Number: 8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC		
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
9		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service and operated Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ons	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print).	Title:	
Signature:	Date:	
e-mail address:	Telephone	

Dugan Production Corp

10

Closed Loop System Proposal Coaly # 090 P-S 28-T27N-R12W API 30-045-33905 Plug to Abandon

Closed-Loop Design Plan

Dugan Production proposes to use a closed loop circulating system to contain well bore fluid and cement generated during the plugging to abandon procedure on the subject well. The system will not entail any drying pad, temporary pit, below grade tank or sump. The system will consist of an above ground tank with adequate volume to hold all fluid generated during the operation.

- 1. Fencing is not required for an above ground closed-loop system.
- 2. Signage in compliance with 19.15.3.103 NMAC will be present.
- 3. Water will be contained in a 500 bbl water tank or a water truck that will contain only fresh water.

Closed-Loop Operating and Maintenance Plan:

The subject closed-loop system will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, and to protect public health and the environment. To ensure that the operation is maintained, the following steps will be followed:

- 1. The fluids will be vacuumed out and disposed of at the Dugan Production operated Sanchez O'Brien 1 SWD (permit SWD-694) located 1650' fsl and 990' fwl L-Sec.6-Twn.24N-Rng.9W. Solids in the closed loop system will be vacuumed out and disposed of at either the Envirotech facility (permit NM-01-0011) located in Sec.6-Twn.26N-Rng.10W or the IEI facility (permit NM-01-001B) located in Sec.2-Twn.29N-Rng.12W
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by operations associated with this procedure will be placed or stored in the tank.
- The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will begin immediately.
- 4. All the above operations will be inspected daily and a log will be signed and dated.

Closed-Loop Closure Plan:

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining material to the Envirotech facility (permit NM-01-0011) located in Sec.6-Twn 26N-Rng.10W or the IEI facility (permit NM-01-0010B) located in Sec.2-Twn.29N-Rng.12W. All remaining liquids will be transported and disposed of at the Dugan Production operated Sanchez O'Brien 1 SWD (permit SWD-694) located 1650' fsl and 990' fwl L-Sec.6-Twn.24N-Rng.9W.