District I 1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources Department

Form C-144 July 21, 2008

1301 W Grand Ave , Artesia, NM 88210

Oil Conservation Division 1220 South St. Francis Dr.

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

<u>District III</u>	1220 South St. 1	Francis Dr.				
1000 Rio Biazos Rd , Aztec, NM 87410 <u>District IV</u>	Santa Fe, NM	1 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office			
1220 S St Francis Dr , Santa Fe, NM 87505	Di Cl 11 C	D 1 C 1				
1 Dunn	Pit, Closed-Loop System					
べ ^う 、 Frop	Proposed Alternative Method Permit or Closure Plan Application					
Type of action		_	nk, or proposed alternative method			
			ank, or proposed alternative method			
	Modification to an existing per					
	below-grade tank, or proposed		ted or non-permitted pit, closed-loop system,			
Instructions: Please submit one a			p system, below-grade tank or alternative request			
	· ·		esult in pollution of surface water, ground water or the			
	eve the operator of its responsibility to comply	with any other applicable	governmental authority's rules, regulations or ordinances			
Operator <u>ConocoPhillips Compan</u>	<u>y</u>		OGRID# <u>217817</u>			
Address PO Box 4289, Farmington	on, NM 87499					
Facility or well name San Juan 32	-8 Unit 207					
API Number3	0-045-27447	OCD Permit Numbe	г			
U/L or Qtr/Qtr. N(SE/SW) Section	on 22 Township 31N	Range	8W County: Rio Arriba			
Center of Proposed Design Latitude		Longitude.	-107.66487 °W NAD X 1927 1983			
Surface Owner X Federal	State Private 1	Fribal Trust or Indiar	1 Allotment			
2			RCVD SEP 26 '12			
Pit: Subsection F or G of 19 15 1			OIL CONS. DIV.			
	kover					
	Cavitation P&A Iner type Thickness mil	I LLDPE	DIST. 3 HDPE PVC Other			
String-Reinforced	The type The the type					
	actory Other	Volume	bbl Dimensions L x W x D			
3	tion H of 19 15 17 11 NMAC					
Type of Operation P&A		or Drilling (Applies to	activities which require prior approval of a permit or			
	notice of ir					
	and Steel Tanks Haul-off Bins	Other	HDPE PVD Other			
	er type Thickness mil	LLLDPE L	IDPL []PVD Other			
						
Below-grade tank: Subsection	Lof 19 15 17 11 NMAC					
Volume bbl Type of fluid						
Tank Construction material						
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off						
Visible sidewalls and liner Visible sidewalls only Other						
Liner Type Thickness	mıl HDPE PVO	C Other				
5 Altownotive Methods						
Alternative Method:			,			
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval						

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signs: Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank. Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of apj	proval		
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request Please refer to 19.15 17 10 NMAC for guidance Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes Yes	□No		
 (measured from the ordinary high-water mark). Topographic map, Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial 	Yes	No		
 application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site, Aerial photo, Satellite image 	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.	Yes Yes	□No		
 Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological 	Yes	No		
Society, Topographic map Within a 100-year floodplain FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19 15 17 9 NMAC and 19 15 17 13 NMAC					
Previously Approved Design (attach copy of design) API					
12					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9					
NMAC and 19 15 17 13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC					
Instructions. Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC					
14					
Proposed Closure: 19 15 17 13 NMAC					
Instructions. Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System					
Alternative Proposed Closure Method Waste Excavation and Removal					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please inducate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required				
Disposal Facility Name Disposal Facility Permit #				
Disposal Facility Name Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future Yes (If yes, please provide the information No	service and			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
17				
Stting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan—Recommendations of acceptable source material are provided below—Requests regarding changes to certain string criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Le Environmental Bureau office for consideration of approval—Justifications and/or demonstrations of equivalency are required—Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application	YesNo			
- NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland	∏Yes ∏No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	∐Yes ∐No			
Within an unstable area	Yes No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map				
Within a 100-year floodplain - FEMA map	Yes No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the close	ure plan. Please indicate.			
by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

19 Operator Application Certification:					
1 hereby certify that the information submitted with this application is true, accurate a	and complete to the best of my know	vledge and belief			
Name (Print)	Title				
Signature	Date				
e-mail address	Telephone				
OCD Approval: Permit Application (including closure plan) OCD Representative Signature: Title:		pproval Date: 1002/2017			
Closure Report (required within 60 days of closure completion): Subsection Instructions. Operators are required to obtain an approved closure plan prior to impreport is required to be submitted to the division within 60 days of the completion of approved closure plan has been obtained and the closure activities have been complete.	plementing any closure activities ar the closure activities - Please do no	ot complete this section of the form until an			
22					
Closure Method: Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain	Alternative Closure Method X	Waste Removal (Closed-loop systems only)			
23					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Th Instructions Please identify the facility or facilities for where the liquids, drilling f were utilized.					
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit Numbe	r NM-01-0011 / NM-01-0010B			
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit Number	r NM-01-005			
Were the closed-loop system operations and associated activities performed on or	in areas that will not be used for fu	ture service and opeartions?			
Yes (If yes, please demonstrate compliane to the items below))				
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation)	tons				
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
24 <u>Closure Report Attachment Checklist:</u> Instructions Each of the followin the box, that the documents are attached	g items must be attached to the clo	osure report Please inducate, by a check mark in			
Proof of Closure Notice (surface owner and division)					
Proof of Deed Notice (required for on-site closure)					
Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location Latitude	Longitude	NAD			
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print) Denise Journey	• • • • • • • • • • • • • • • • • • • •	Regulatory Technician			
Signature Pinisc Journey	Date	9/26/2012			
e-mail address <u>Denise Journey@conocophylips com</u>	Telephone	505-326-9556			