

RECEIVED

JUN 20 2012

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No 1004-0137
Expires July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1 Type of Well

☐ Oil Well

☒ Gas Well

☐ Other

2 Name of Operator

Burlington Resources Oil & Gas Company LP

3a Address

PO Box 4289, Farmington, NM 87499

3b Phone No. (include area code)

(505) 326-9700

4. Location of Well (Footage, Sec., T, R., M., or Survey Description)

Surface UNIT B (NWNE), 1217' FNL & 1853' FEL, Sec. 35, T31N, R10W

Bottomhole UNIT H (SENE), 1540' FNL & 696' FEL, Sec. 35, T31N, R10W

5. Lease Serial No.

NM-0607

6 If Indian, Allottee or Tribe Name

7. If Unit of CA/Agreement, Name and/or No.

8 Well Name and No

ATLANTIC C #2C

9 API Well No

30-045-35270

10 Field and Pool or Exploratory Area

BLANCO MESA VERDE

11 Country or Parish, State

San Juan, New Mexico

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Cathodic
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Sundry
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof.

If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Attached is a drawing for the placement of the cathodic ground, rectifier and cable for the subject well.

**RCVD OCT 3 '12
OIL CONS. DIV.
DIST. 3**

14 I hereby certify that the foregoing is true and correct Name (Printed/Typed)

DENISE JOURNEY

Title

REGULATORY TECHNICIAN

Signature

Denise Journey

Date

6/19/2012

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Office

OCT 01 2012

**FARMINGTON FIELD OFFICE
BY**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instruction on page 2)

**NMOC
ca**

Atlantic C #2C

Section 35, T31N, R10W, San Juan County, NM



Drill ground bed (will require 15 anodes) approximately 117' south of #2C wellhead at staked location. Strip existing rectifier and groundbed located approx 160' south of Energen #200 wellhead and install 60-30 rectifier w/splitter at staked location and connect to existing UGAC, Energen #200, Atlantic C #2, #2C and #17 wellheads at lengths below. Strip groundbed west of new rectifier (across access road). Ensure 240V lines to Atlantic C #1A have continuity.

#2C Cables:

Negative: 714'

Positive: 25'

Total Ditch: 739'