District I 1625 N French Dr , Hobbs, NM 88240

District II 1301 W Grand Ave, Artesia, NM 88210

District III 1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources** 

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD Dist	rict Office			
, , , , , , , , , , , , , , , , , , , ,	Pit, Closed-Loop System,	Below-Grade Tank, or				
Propo	osed Alternative Method Pe	ermit or Closure Plan Applica	<u>ation</u>			
Type of action:	X Permit of a pit, closed-loop system	m. below-grade tank, or proposed alterna	ative method			
9,	tion: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method					
	Modification to an existing permit					
		an existing permitted or non-permitted pi	t, closed-loop system,			
	below-grade tank, or proposed alt	ternative method				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request						
•••	·	hty should operations result in pollution of surface wa th any other applicable governmental authority's rules,	• •			
1						
Operator: ConocoPhillips Company		OGRID#: <u>217817</u>	<del></del>			
Address: PO Box 4289, Farmingto						
Facility or well name: Lindrith B U						
		OCD Permit Number				
U/L or Qtr/Qtr: L(NW/SW) Section	·	Range: 3W County: Rio				
Center of Proposed Design: Latitude Surface Owner: Federal		Longitude: -107.16738 °W bal Trust or Indian Allotment	V NAD: x 1927 1983			
Surface Owner. Pederal		7ai Trust of menan 7 thounch				
Pit: Subsection F or G of 19 15 17	III NMAC		STANDS SETS ATTUATED AND ALL ATTA			
Temporary Drilling World			RCVD OCT 4'12			
	Cavitation P&A		OIL CONS. DIV.			
	ner type Thickness mil	LLDPE HDPE PVC O	DIST. 3			
String-Reinforced						
Liner Scams Welded Fa	actory Other	Volume bbl Dimensions L	x W x D			
X Closed-loop System: Subsect	ion H of 19 15 17 11 NMAC					
Type of Operation P&A		Drilling (Applies to activities which require pro-	rior approval of a permit or			
	notice of inten					
	nd Steel Tanks 🔲 Haul-off Bins 📗 r type Thickness mil	Other  LLDPE HDPE PVD Oth	ar			
	r type Thicknessmil	CEDIE HOFE FYDEOM				
Below-grade tank: Subsection I	of 19 15 17 11 NMAC					
Volume bbl Type of fluid						
Tank Construction material						
Secondary containment with leak de	tection Visible sidewalls, liner,	6-inch lift and automatic overflow shut-off				
Visible sidewalls and liner Visible sidewalls only Other						
Liner Type Thickness	mil HDPE PVC	Other				
5						
Alternative Method:						
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval						

6 Fencing: Subsection D of 19 15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)						
Subsection B of 15 15 17.11 House (application permanent pin, temporary pins, and octors greate termin)						
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	itution or chui	rch)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet						
Alternate Please specify						
Notting: Subsection E of 10.15.17.11 NIMAC (Applies to permanent puts and permanent open top (apls)						
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other						
Monthly inspections (If netting or screening is not physically feasible)						
•						
Signs: Subsection C of 19 15 17 11 NMAC	8 Signs: Subsection C of 19 15 17 11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
X Signed in compliance with 19 15 3.103 NMAC						
9						
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance.						
Please check a box if one or more of the following is requested, if not leave blank:						
Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ap	proval.				
(Fencing/BGT Liner)						
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval						
10						
Siting Criteria (regarding permitting). 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable						
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the						
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria						
does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	∏No				
- NM Office of the State Engineer - 1WATERS database search; USGS, Data obtained from nearby wells						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No				
(measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site						
	   □v <sub>oo</sub>	Пма				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.						
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	_					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No				
(Applied to permanent pits)	□NA					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		<b>—</b>				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No				
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site.		<b>—</b>				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	∐No				
- Written confirmation or verification from the municipality; Written approval obtained from the municipality						
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	∐Yes	∐No				
Within the area overlying a subsurface mine.	∏Yes	□No				
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division						
Within an unstable area.	Yes	No				
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map						
Within a 100-year floodplain	Yes	No				
- FEMA map		_ <del>_</del>				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15.17.9 NMAC and 19.15.17 13 NMAC				
Previously Approved Design (attach copy of design)  API or Permit				
Closed-loop Systems Permit Application Attachment Checklist:  Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9  Sting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC  Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
X   Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9				
NMAC and 19 15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17 11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19 15.17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17 11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15.17 13 NMAC				
14 Proceed City, no. 10 16 17 13 NR44 C				
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative Proposed Closure Method Waste Excavation and Removal				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC				

Form C-144 Oil Conservation Division

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings—Use attachment if more than two	,					
facilities are required						
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit # NM-01-0011 / NM-01-0	<u>010B</u>					
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit # NM-01-005						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future  Yes (If yes, please provide the information No	service and					
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC						
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certam siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance						
Ground water is less than 50 feet below the bottom of the buried waste	Tyes No					
- NM Office of the State Engineer - tWATERS database search, USGS Data obtained from nearby wells	N/A					
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐ ☐Yes ☐No					
- NM Office of the State Engineer - tWATERS database search, USGS; Data obtained from nearby wells	N/A □					
Ground water is more than 100 feet below the bottom of the buried waste	☐Yes ☐No					
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No					
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No					
	Yes No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No					
- Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland	☐Yes ☐No					
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site						
Within the area overlying a subsurface mine.	Yes No					
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area	Yes No					
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,	Yes No					
Topographic map						
Within a 100-year floodplain FEMA map	Yes No					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC						
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17 11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC						

19 Operator Application Co	ertification					
	mation submitted with this application is true, acc	curate and complete to the b	pest of my knowledge and belief,			
Name (Print)	DENISE JOURNEY	Title	Regulatory Technician			
Signature	enise nuney	Date	10/4/2012			
e-mail address	Denise Journey@conocophillips com	Telephone	(505) 326-9556			
20 OCD Approval: Permit Application (including dosure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 10/10/2012 Title: OCD Permit Number:						
Instructions Operators are report is required to be subn		r to implementing any closi tion of the closure activities completed	C ure activities and submitting the closure report—The closure s. Please do not complete this section of the form until an e Completion Date:			
Closure Method: Waste Excavation an	d RemovalOn-site Closure Method roved plan, please explain.	Alternative Closure	Method Waste Removal (Closed-loop systems only)			
	Waste Removal Closure For Closed-loop Syste the facility or facilities for where the liquids, dr.		round Steel Tanks or Haul-off Bins Only: ogs were disposed. Use attachment if more than two facilities			
Disposal Facility Name		Disposal Facility	Permit Number			
Disposal Facility Name		Disposal Facility	Permit Number			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliane to the items below)  No						
Required for impacted ar  Site Reclamation (Ph  Soil Backfilling and	eas which will not be used for future service and one of the order of the commentation.					
Closure Report Attac		ollowing items must be atta	iched to the closure report. Please indicate, by a check mark in			
	otice (surface owner and division)					
Proof of Deed Note	cc (required for on-site closure)					
Plot Plan (for on-si	te closures and temporary pits)					
= '	bling Analytical Results (if applicable)					
<del></del>	npling Analytical Results (if applicable) ame and Permit Number					
	d Cover Installation					
= *	lication Rates and Seeding Technique		•			
Site Reclamation (	Photo Documentation)					
On-site Closure Lo	cation Latitude	Longitude.	NAD [ 1927 [ 1983			
	- Manager					
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan						
Name (Print)		Title				
Signature		Date				
e-mail address		Telephone				

## ConocoPhillips Company Closed-loop Plans

## Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.