District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

## State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

10522
-------

District IV	Santa Fe, NM	87505	Environmental Bureau office and provide a copy to the
1220 S St Francis Dr , Santa Fe, NM 87505	7. 01 17 0		appropriate NMOCD District Office
<b>A</b> Duam	Pit, Closed-Loop System		
Propo	osed Alternative Method I	Permit or Clos	sure Plan Application
Type of action:		<del>-</del>	ank, or proposed alternative method
			tank, or proposed alternative method
	Modification to an existing per		
	Closure plan only submitted fo below-grade tank, or proposed		ted or non-permitted pit, closed-loop system,
Instructions: Please submit one ap	oplication (Form C-144) per indivi	dual pit, closed-loo	p system, below-grade tank or alternative request
• • • • • • • • • • • • • • • • • • • •	•		esult in pollution of surface water, ground water or the governmental authority's rules, regulations or ordinances
Deperator: Burlington Resources Oi	I & Gas Company, LP		OGRID#: 14538
Address: PO Box 4289, Farmingto	n, NM 87499		
Facility or well name: Klein A 3			
API Number: 30	)-039-20226	OCD Permit Number	т
U/L or Qtr/Qtr: A(NE/NE) Section	on: 31 Township: 26N	Range:	6W County: Rio Arriba
Center of Proposed Design: Latitude	: 36.44811 °N	Longitude:	107.50351 °W NAD: X 1927 1983
Surface Owner: X Federal	State Private T	ribal Trust or India	n Allotment
2			
Pit: Subsection F or G of 19 15 17			Sair at the
	kover		RCVD OCT 17'12
= =	P&A Pavitation P&A Phickness mil	LLDPE	OIL CONS. DIV.
String-Reinforced	ner type Thickness hin		HDPE PVC Other DICT 5
	octory Other	Volume	bbl Dimensions Lx Wx D
3	H -610161711 NNAG	<u></u>	`
X Closed-loop System: Subsect Type of Operation X P&A	on H of 19 15 17 11 NMAC  Drilling a new well Workover of interest of interest.	•	activities which require prior approval of a permit or
Drying Pad X Above Groun	nd Steel Tanks Haul-off Bins	Other	
	r type Thickness mil	<u> </u>	HDPE PVD Other
	actory Other	-	
4			
Below-grade tank: Subsection I	of 19 15 17 11 NMAC		

<u>Alternative</u>	Method:

Tank Construction material

Visible sidewalls and liner

Secondary containment with leak detection

Thickness

Volume

Liner Type

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Other

PVC

bbl

mil

Type of fluid

Visible sidewalls only

HDPE

Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

Other

Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15 3 103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	sideration of ap	proval		
Siting Criteria (regarding permitting): 19 15 17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA			
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	∐NA			
Within 500 horizonal fect of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No		
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	□No		

Form C-144 Oil Conservation Division Page 3 of 5

16			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NM. Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than facilities are required	AC) 1 two		
Disposal Facility Name Disposal Facility Permit #			
Disposal Facility Name Disposal Facility Permit #.			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for full Yes (If yes, please provide the information No			
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC	NMAC		
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17.10 NMAC			
Instructions Each siting criteria requires a demonstration of compliance in the closure plan-Recommendations of acceptable source material are pro- certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submit office for consideration of approval-Justifications and/or demonstrations of equivalency are required. Please refer to 1945 1740 NMAC for guidance	ted to the Santa Fe Environmental Bureau		
Ground water is less than 50 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby wells	∐N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No		
	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No		
- Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland	Yes No		
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site			
Within the area overlying a subsurface mine	Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division			
Within an unstable area	Yes No		
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mineral Resources, USGS; NM Geological Society,</li> <li>Topographic map</li> </ul>			
Within a 100-year floodplain - FEMA map	Yes No		
18			
On-Site Closure Plan Checklist: (1915 1713 NMAC) Instructions: Each of the following items must be attached to the by a check mark in the box, that the documents are attached.	closure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17 11 NMA	C		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NM	MAC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC	tde connet he achieved)		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title.
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:  Approval Date: 1973/2017
Title: OMPHANCE OD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  [X] Closure Completion Date: 9/24/2012
22
Closure Method:   Waste Excavation and Removal
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number MM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Dollie D Busse Title Staff Regulatory Technician
Signature. Date 10/17/12
e-mail address dollie I busse@conocophillips com Telephone (505) 324-6104