District I

1625 N French Dr, Hobbs, NM 88240

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources** 

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe

10514	
′ りみ,	
( )	

District IV 1220 S St Francis Dr , Santa Fe, NM 87505	Saina P	e, INIVI 87303	• •	office and provide a copy to the District Office
<u></u>	Pit, Closed-Loop Sy	ystem, Below-Gra	ade Tank, or	
Propos	sed Alternative Met	thod Permit or Cl	osure Plan Appl	<u>ication</u>
Type of action: [	Modification to an exist  Closure plan only subm	loop system, below-grad	de tank, or proposed all	
Instructions: Please submit one app Please be advised that approval of the environment. Nor does approval relieve	nis request does not relieve the oper	ator of liability should operation	ns result in pollution of surfac	e water, ground water or the
Operator: Burlington Resources Oil &	& Gas Company, LP		OGRID#: <u>14538</u>	<b>}</b>
Address: PO Box 4289, Farmington.	NM 87499			
Facility or well name: White Kutz 2				
API Number: 30-	045-07339	OCD Permit Nun	nber	
U/L or Qtr/Qtr: <u>E(SW/NW)</u> Section Center of Proposed Design: Latitude: Surface Owner: X Federal	: 21 Township:	28NRange:°NLongitude:Tribal Trust or Inc.	10W County: 107.90628 lian Allotment	San Juan           °W         NAD:         X 1927         1983
	ver  //tation P&A  r type Thickness	mil LLDPE	HDPE PVC	RCVD OCT 16 '12 OIL CONS. DIV. DIST. 3 Other
	Steel Tanks Haul-off ype. Thickness	ce of intent)		re prior approval of a permit or  Other
Below-grade tank: Subsection I o  Volume bbl  Tank Construction material  Secondary containment with leak detection  Visible sidewalls and liner Liner Type Thickness	Type of fluid	ralls, liner, 6-inch lift and a Other  PVC Other	utomatic overflow shut-o	ff
5 Alternative Method: Submittal of an exception request is required.	red. Exceptions must be subm	utted to the Santa Fc Envir	onmental Bureau office fo	or consideration of approval

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify					
Netting: Subsection E of 19.15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	ideration of ap	proval			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	∏No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐Yes ☐NA	□No			
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No			
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo, Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	□No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No			
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  []
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17 9 NMAC and 19 15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
X Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9
NMAC and 19.15 17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15 17 13 NMAC
Proposed Closure: 19.15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System
Alternative
Proposed Closure Method
X Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Words Evenuetion and Demonal Classus Blan Charlifets (10.15.17.12.2014.60) for the City of
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statustructions: Please identify the facility or facilities for the disposal of liquids, drill	Steel Tanks or Haul-off Bins On Ing fluids and drill cuttings Use	ly: (19.15 17 13 D NMAC) attachment if more than two	)	
facilities are required				
Disposal Facility Name Envirotech / JFJ Landfarm / IEI	_ Disposal Facility Permit #.		<u>010B</u>	
Disposal Facility Name Basin Disposal Facility	_ Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated active Yes (If yes, please provide the information No		vill not be used for future	service and	
Required for impacted areas which will not be used for future service and operatio  Soil Backfill and Cover Design Specification - based upon the appro		on H of 19 15 17 13 NM	AC	
Re-vegetation Plan - based upon the appropriate requirements of Sub				
Site Reclamation Plan - based upon the appropriate requirements of S	Subsection G of 19.15 17.13 N	MAC		
17				_
Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NN Instructions Each sting criteria requires a demonstration of compliance in the closure pl		s course material are projuded	halow Paguasti	recording change to
certain siting criteria may require administrative approval from the appropriate district of office for consideration of approval. Justifications and/or demonstrations of equivalency.	ffice or may be considered an except	ton which must be submitted to		
Ground water is less than 50 feet below the bottom of the buried waste			Yes	□No
- NM Office of the State Engineer - tWATERS database search, USGS: Data of	obtained from nearby wells		∐N/A	
Ground water is between 50 and 100 feet below the bottom of the buried wa	ste		Yes	No
- NM Office of the State Engineer - iWATERS database search, USGS; Data o	btained from nearby wells		□ N/A	
Ground water is more than 100 feet below the bottom of the buried waste			Yes	No
- NM Office of the State Engineer - iWATERS database search, USGS, Data o	btained from nearby wells		□N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark)	ificant watercourse or lakebed, su	ıkhole, or playa lake	Yes	□No
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church i - Visual inspection (certification) of the proposed site, Aerial photo, satellite ima	•	pplication	Yes	∐No
			∐Yes	∐No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in ex - NM Office of the State Engineer - tWATERS database, Visual inspection (cert	istence at the time of the initial ap	•		
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978, Section 3-27-3, as amended.	·	pal ordinance adopted	Yes	□No
Written confirmation or verification from the municipality, Written approval of Within 500 feet of a wetland	btained from the municipality		Yes	□No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual in	spection (certification) of the prop	oosed site		
Within the area overlying a subsurface mine			Yes	No
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division		П.,	
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology &	Mineral Resources 11SGS NM (	Geological Society	∐Yes	∐No
Topographic map	iviniciai resources, 0505, two e	eological Society,		
Within a 100-year floodplain - FEMA map			Yes	No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each	ch of the following it was	t has attacked to the at-	una nlau Di	sa indicata
by a check mark in the box, that the documents are attached.	in of the following tiems must	vee unuchea to the clost	ire pian. Tiea	se maicaie,
Siting Criteria Compliance Demonstrations - based upon the appropr	iate requirements of 19 15 17.1	0 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requiren	nents of Subsection F of 19 15	17.13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upor	the appropriate requirements	of 19 15.17 11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a d		propriate requirements of	19 15 17 11 N	MAC
Protocols and Procedures - based upon the appropriate requirements of		. F £ 10 15 17 12 30 44 6	,	
Confirmation Sampling Plan (if applicable) - based upon the appropria  Waste Material Sampling Plan - based upon the appropriate requirem	•		•	
			annot he achie	ved)
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			,,,,	
Re-vegetation Plan - based upon the appropriate requirements of Sub-				
Site Reclamation Plan - based upon the appropriate requirements of S	Subsection G of 19 15 17 13 NI	MAC		

Form C-144

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and behef
Name (Print) Dollie L. Busse Title. Staff Regulatory Technician
Signature Dute Date. 10/16/12
c-mail addressdollie   busse@conocophillips.com Telephone505-324-6104
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
10/02/-
OCD Representative Signature: Approval Date: 1925/2012
Title: OMDEANCE VOCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22 Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed Use attachment if more than two facilities
were utilized.  Disposal Facility Name  Disposal Facility Permit Number
Disposal Facility Name  Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification:
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Title:
Signature Date
e-mail address Telephone

## Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.