1625 N. French Dr., Hobbs, NM 88240

1301 W Grand Ave., Artesia, NM 88210

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

### Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Type of action: Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

#### Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operation environment. Nor does approval relieve the operator of its responsibility to comply with any other applications.	•
Operator: ConocoPhillips Company	OGRID#: <u>217817</u>
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: San Juan 32-8 Unit 207	
API Number: 30-045-27447 OCD Permit Nu	mber
U/L or Qtr/Qtr: N(SE/SW) Section: 22 Township: 31N Range:	8W County: Rio Arriba
Center of Proposed Design: Latitude: 36.87883 °N Longitude:	<b>107.66487 °W</b> NAD: <b>X</b> 1927 1983
Surface Owner: X Federal State Private Tribal Trust or In	dian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE String-Reinforced Liner Seams Welded Factory Other Volume	### RCVD OCT 25 '12  OIL CONS. DIV.  DIST. 3    HDPE   PVC   Other   x W x D
X   Closed-loop System:   Subsection H of 19 15 17 11 NMAC	es to activities which require prior approval of a permit or  HDPE PVD Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume bbl Type of fluid  Tank Construction material  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and  Visible sidewalls and liner Visible sidewalls only Other  Liner Type Thickness mil HDPE PVC Other	automatic overflow shut-off
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environment of the Sant	ironmental Bureau office for consideration of approval



Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify					
Netting: Subsection E of 19.15,17,11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	aderation of approval				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation puts and below-grade tanks)	☐Yes ☐No ☐NA				
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applied to permanent pits)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo, Satellite image</li> </ul>	Yes No				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No				
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐Yes ☐No				
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site</li> <li>Within the area overlying a subsurface mine.</li> </ul>	Yes No				
<ul> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological</li> </ul>	Yes No				
Society; Topographic map  Within a 100-year floodplain  - FEMA map	Yes No				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC
Hydrogeologic Report (Below-grade Tailks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 Notice  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19 15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9
NMAC and 19.15 17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC
Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15 17.13 NMAC
14
Proposed Closure: 19 15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Pacifill and Cover Design Specifications - based upon the empropriate requirements of Subsection H of 19.15.17.13 NMAC
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16		_			
Waste Removal Closure For Instructions Please identify th facilities are required	Closed-loop Systems That Utilize Above Grou be faculity or faculates for the disposal of liquids,	nd Steel Tanks or Haul-off Bins On drilling fluids and drill cuttings Use	<u>ly:</u> (19.15 17 13 D NMAC) attachment if more than two		
Disposal Facility Name	Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #.	NM-01-0011 / NM-01-00	010B	ł
Disposal Facility Name.	Basın Disposal Facility	Disposal Facility Permit #	NM-01-005		
	osed-loop system operations and associated a rovide the information No	activities occur on or in areas that w	vill not be used for future	service and	
Soil Backfill and Co	which will not be used for future service and open wer Design Specification - based upon the ap- based upon the appropriate requirements of un - based upon the appropriate requirements	propriate requirements of Subsecti Subsection I of 19 15 17.13 NMA	С	AC	
17					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions, Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 10 NMAC for guidance					
	Of cet below the bottom of the buried waste Engineer - iWATERS database search, USGS D	ata obtained from nearby wells		Yes N/A	No
Ground water is between 50	and 100 feet below the bottom of the buried	ł waste		Yes	No
- NM Office of the State E	Engineer - iWATERS database search, USGS, Da	nta obtained from nearby wells	·	□N/A	
Ground water is more than	100 feet below the bottom of the buried wast	e		Yes	□No .
- NM Office of the State E	Engineer - iWATERS database search, USGS, Da	nta obtained from nearby wells		□N/A	
(measured from the ordinary lu	sly flowing watercourse, or 200 feet of any other gh-water mark)  1 inspection (certification) of the proposed site	significant watercourse or lakebed, sir	nkhole, or playa lake	Yes	No
		rah in avvatance at the time of initial ar	nnligation	□Yes	$\square_{N_0}$
•	ent residence, school, hospital, institution, or chu cation) of the proposed site, Aerial photo, satellite		ppication [	☐Yes	
purposes, or within 1000 horizone NM Office of the State End Within incorporated municipal pursuant to NMSA 1978, Section 1978, Section 1000 pursuant to NMSA 1978, Section 1000 pursuant to NMSA 1978, Section 1000 pursuant to NMSA 1978, Section 1000 purposes pursuant to NMSA 1978, Section 1000 purposes pur		in existence at the time of the initial ap (certification) of the proposed site ater well field covered under a munici	plication	Yes	□No
Within 500 feet of a wetland	-		pered site	Yes	□No
	- US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site  Vithin the area overlying a subsurface mine		□Yes	□No	
	erification or map from the NM EMNRD-Mining	g and Mineral Division			
Within an unstable area	orporated into the design, NM Bureau of Geolog	or & Minaral Pacaureae LISCS NM (	Panloguest Society	Yes	No
Topographic map	orporated into the design, NW Bureau or Geolog	y & Mineral Resources, 0303, 14W	scological society,		
Within a 100-year floodplair - FEMA map	n			Yes	□No
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
				19.15 17 11 N	<sub>MAC</sub>
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15 17 11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC					
=	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					ved)
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC					
= -	based upon the appropriate requirements of n - based upon the appropriate requirements				j

19 Onesetes Application Cartifications
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Dollie L. Busse Title Staff Regulatory Technician
Signature Date. 16/24/12
e-mail address dollie. I busse@conocophillips.com Telephone 505-324-6104
20 OCD Approval: Permit Application (including closure plan)   Closure Plan (only)   OCD Conditions (see attachment)  OCD Representative Signature: Approval Date:   D/24/2017    Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion); Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name  Disposal Facility Permit Number  Disposal Facility Name Disposal Facility Permit Number  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location. Latitude  Longitude  NAD  1927  1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Title
Signature Date
e-mail address Telephone

# ConocoPhillips Company Closed-loop Plans

### Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.