District I $1625\ N$ French D_I , Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

District III 1000 Rio Brazos Rd , Aztec, NM 87410	1220 South St. Fran Santa Fe, NM 87	,	For permanent pits and exceptions submit to the Santa Fe		
<u>District IV</u>	Saina I C, INIVI 67	7303	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office		
1220 S St Francis Dr , Santa Fe, NM 87505	Pit, Closed-Loop System, B	Pelow-Grade			
•	sed Alternative Method Per				
Type of action	Permit of a pit, closed-loop system,	, below-grade tar	nk, or proposed alternative method		
	X Closure of a pit, closed-loop system Modufication to an existing permit	n, below-grade ta	ank, or proposed alternative method		
	Modification to an existing permit Closure plan only submitted for an below-grade tank, or proposed alter		ed or non-permitted pit, closed-loop system,		
Instructions: Please submit one ap	ē , i i		system, below-grade tank or alternative request		
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances					
Operator. Burlington Resources Oil			OGRID#· <u>14538</u>		
Address PO Box 4289, Farmington					
Facility or well name Canyon Larg					
		CD Permit Number			
U/L or Qtr/Qtr: M(SW/SW) Section Center of Proposed Design: Latitude		Range: 7	W County. Rio Arriba 107.53113 °W NAD. X 1927 1983		
·		l Trust or Indian			
2 Pit: Subsection F or G of 19 15 17	11 NMAC		RCVD OCT 19'12		
Temporary Drilling Work					
	er type Thickness mil	LLDPE	OIL CONS. DIV.		
String-Reinforced	er type Thickness mil [HDPE PVC Other NICT 2		
	ctory Other V	olume	bbl Dimensions Lx Wx D		
X Closed-loop System: Subsection Type of Operation X P&A	on H of 19 15 17 11 NMAC Drilling a new well Workover or Drinotice of intent)	•	ctivities which require prior approval of a permit or		
Drying Pad X Above Groun	d Steel Tanks Haul-off Bins	Other			
Lined Unlined Liner	·· _	LLDPEH	DPE PVD Other		
Liner Seams Welded Fac	ctory Other				
4 Below-grade tank: Subsection I Volume bb					
Tank Construction material					
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off					
Visible sidewalls and liner	Visible sidewalls only Other				
Liner Type Thickness	mil HDPE PVC	Other _			
5 Alternative Method:					
Submitted of an avaentian request is requ	ured. Exceptions must be submitted to the S	Santa Ee Environm	ental Bureau office for consideration of approval		

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chap link on factor breaks the standard factor was a top (Received within 1000 first of a permanent readered school hounted metatition or church)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate Please specify				
7				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other Monthly inspections (If netting or scieening is not physically feasible)				
8				
Signs: Subsection C of 19 15 17 11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19 15 3 103 NMAC				
9 Administrative Approved and Europeans				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank.				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)				
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
10				
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request. Please refer to 19 15.17.10 NMAC for guidance String criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)	∐NA			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□voc	□No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	∐Yes			
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No		
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site 	Yes	□No		
Within the area overlying a subsurface mine.	Yes	□No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		□ _{NI}		
Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map.	Yes	∐No		
Society, Topographic map Within a 100-year floodplain FEMA man	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment Certified Engineering Design Plans, based upon the appropriate requirements of 10.15.17.11 NIMAC				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC				
☐ Dike Protection and Structural Integrity Design—based upon the appropriate requirements of 19 15 17 11 NMAC☐ Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC☐				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14 <u>Proposed Closure:</u> 19 15 17 13 NMAC				
Instructions Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
She recommunity from the appropriate requirements of Subsection 0 of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two				
facilities are required	Jimas and arm cuming." Ose underment if more than two			
Disposal Facility Name Disposal Facility Permit #				
Disposal Facility Name	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activitie Yes (If yes, please provide the information No	es occur on or in areas that will not be used for future	service and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
17				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each sting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obta	uned from nearby wells	Yes N/A	lo	
- TWA Office of the State Engineer - TWATERS database scarcit, 0505 Bata one	mice from hearby wens			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obta		∐Yes ∐N ∏N/A	10	
	med from hearby wens		ī_	
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWA FERS database search, USGS, Data obta	med from nearby wells	∐Yes ∐N ∏N/A	10	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific	•	☐Yes ☐N	lo	
(measured from the ordinary high-water mark)				
- Topographic map, Visual inspection (certification) of the proposed site		∏Yes ∏N	lo.	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image			.0	
		Yes N	ło	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes N	lo	
Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland		□Yes □N	lo	
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspe	ection (certification) of the proposed site			
Within the area overlying a subsurface mine		Yes N	lo	
- Written confiramtion or verification or map from the NM EMNRD-Mining and M	ineral Division			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mi	neral Resources, USGS, NM Geological Society.	∐Yes ∐N	0	
Topographic map				
Within a 100-year floodplain - FEMA map		∐Yes ∐N	lo	
18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,				
by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable), based upon the appropriate requirements of Subsection F of 10 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Faculty: Name and Parmyt Number (for liquids, drilling fluids and drill outtings or in case on site alocure standards connect be calculated.)				
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Sta Poolongton Plan hazad upon the appropriate requirements of Subsection C of 10.15.17.13 NIMAC				

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and	d complete to the best of my knowledge and belief
Name (Print)	Title
Signature	Date
e-mail address	Celephone
OCD Approval: Permit Application (including closure plan) Coord Representative Signature: Title: OM Jane Office	Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K Instructions Operators are required to obtain an approved closure plan prior to implereport is required to be submitted to the division within 60 days of the completion of the approved closure plan has been obtained and the closure activities have been complete.	ementing any closure activities and submitting the closure report. The closure e closure activities. Please do not complete this section of the form until an
22 Closure Method: Waste Excavation and Removal On-site Closure Method A If different from approved plan, please explain	lternative Closure Method X Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Instructions: Please identify the facility or facilities for where the liquids, drilling flu were utilized Disposal Facility Name	Disposal Facility Permit Number Disposal Facility Permit Number Disposal Facility Permit Number Disposal Facility Permit Number NM-01-0011 / NM-01-0010B NM-01-005 areas that will not be used for future service and opeartions?
On-site Closure Location LatitudeL	ongitudeNAD
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report the closure complies with all applicable closure requirements and conditions specified	is ture, accurate and complete to the best of my knowledge and belief. I also certify that in the approved closure plan
Name (Print) Dolling L Busse	Title Staff Regulatory Technician
Signature Milia Russe	Date 10 /18 /12
e-mail address dollie I busse@conocophillips com	Telephone (505) 324-6104