District 1

1625 N French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the

environment. Noi	r does approval relieve the operator of its responsibility to comply v	vith any other applicable governmental authority's rule	s, regulations or ordinances
Operator: Burlington	Resources Oil & Gas Company, LP	OGRID#: 14538	
Address: P.O. Box 42	289, Farmington, NM 87499		,
Facility or well name:	SAN JUAN 28-6 UNIT 130P		
API Number:	30-039-30583	OCD Permit Number:	
U/L or Qtr/Qtr: P(S	E/SE) Section: 32 Township: 28N	Range: 6W County: R	lio Arriba
Center of Proposed De	sign: Latitude: 36.613896 °N	Longitude: 107.483485	PW NAD: □1927 X 1983
Surface Owner: X	Federal State Private T	ribal Trust or Indian Allotment	
2	or G of 19.15.17.11 NMAC		
	rilling Workover		
	nergency Cavitation P&A		
= =	nlined Liner type: Thickness 20 mil	X LLDPE HDPE PVC	Other
X String-Reinforced			
Liner Seams X V	Welded X Factory Other	Volume: 7700 bbl Dimensions L	120' x W 55' x D 12'
Closed-loop Sys Type of Operation:		or Drilling (Applies to activities which require tent)	e prior approval of a permit or
	Above Ground Steel Tanks Haul-off Bins lined Liner type: Thickness mil elded Factory Other	Other LLDPE HDPE PVD O	N BECEIVED
4	71 7000		15 MA 2019
Below-grade tanl	k: Subsection I of 19.15.17.11 NMAC		A OII COME DAT DIS
Volume:	bbl Type of fluid:		Constitution of the plat 3
Tank Construction mat			£ 140, 251
Visible sidewalls		er, 6-inch lift and automatic overflow shut-of	68782
Liner Type Thick		Other	MUG 2018 S OIL CONS. DIV. DIST. 3
Submittal of an exception	thod: ion request is required. Exceptions must be submitted to		

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution of the light, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify Netting: Subsection E of 19 15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	ttion or church,)
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	leration of appi	roval.
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	∐No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15 17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method. Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division

Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions Please identify the facility or facilities for the disposal of liquids, d	nd Steel Tanks or Haul-off Bins Only:(19.15.17.13.D NMAC) rilling fluids and drill cuttings. Use attachment if more than two	9		
facilities are required.				
Disposal Facility Name:				
Disposal Facility Name: Will any of the proposed closed-loop system operations and associated	Disposal Facility Permit #:			
Yes (If yes, please provide the information No		e service and		
Required for impacted areas which will not be used for future service and opera Soil Backfill and Cover Design Specification - based upon the ap		NMAC I		
Re-vegetation Plan - based upon the appropriate requirements of S				
Site Reclamation Plan - based upon the appropriate requirements of	of Subsection G of 19 15.17 13 NMAC			
17				
Siting Criteria (Regarding on-site closure methods only; 19.15.17.10) Instructions Each siting criteria requires a demonstration of compliance in the closure placertain siting criteria may require administrative approval from the appropriate district of office for consideration of approval Justifications and/or demonstrations of equivalency of the consideration of approval districtions.	an. Recommendations of acceptable source material are provided belo fice or may be considered an exception which must be submitted to the .	v Requests regarding changes to Santa Fe Environmental Bureau		
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS: Da	ata obtained from nearby wells	∐ ^{N/A}		
Ground water is between 50 and 100 feet below the bottom of the burie		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS, Dai	ta obtained from nearby wells			
Ground water is more than 100 feet below the bottom of the buried was		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS, Da	ta obtained from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other (measured from the ordinary high-water mark).	significant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or chu - Visual inspection (certification) of the proposed site; Aerial photo; satellite	· · · · · · · · · · · · · · · · · · ·	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh wa pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approximation or verification from the municipality.	·	YesNo		
Within 500 feet of a wetland	. ,	Yes No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visu	al inspection (certification) of the proposed site			
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Mining	r and Muneral Division	Yes No		
Within an unstable area.	s and without Division	☐Yes ☐No		
- Engineering measures incorporated into the design; NM Bureau of Geolog	y & Mineral Resources, USGS; NM Geological Society,			
Topographic map Within a 100-year floodplain.		Yes No		
- FEMA map		Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: by a check mark in the box, that the documents are attached.	Each of the following items must bee attached to the cl	osure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the app	propriate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design based upon the appropriate requirements of Subsection H of 19 15 17 13 NIMAC				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print). Title:
Signature: Date:
e-mail address Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 11/05/2012 Title: OMDIQUEE OFFICE OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: October 4, 2010
22
Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name. Disposal Facility Permit Number
Disposal Facility Name. Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations. Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.614005 °N Longitude: 107.483349 °W NAD 1927 X 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print): Jamie Goodwin Tıtle Regulatory Tech.
Signature: Amu Goodwi Date: 8/19/11
/

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 28-6 UNIT 13P

API No.: 30-039-30583

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	1.4 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	73.0 ug/kG
TPH	EPA SW-846 418.1	2500	53.6mg/kg
GRO/DRO	EPA SW-846 8015M	500	2.5 mg/Kg
Chlorides	EPA 300.1	(1000/500	845 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 28-6 UNIT 130P, UL-P, Sec. 32, T 28N, R 6WW, API # 30-039-30583

Tafoya, Crystal

From:

Tafoya, Crystal

Sent:

Friday, October 16, 2009 1:36 PM

To:

'Mark Kelly'

Subject:

Surface Owner Notification

The following locations will have a temporary pit that will be closed on-site. Please feel free to contact me at any time if you have any questions.

Gobernador Com 6M San Juan 28-5 Unit 74N San Juan 28-6 Unit 130P San Juan 28-7 Unit 236P

Thank you,

Crystal Tafoya Regulatory Technician Phone: (505) 326-9837

Email: crystal.tafoya@conocophillips.com

"Safety has no quitting time"

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 7 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


¹ A	PI Number		2	Pool Code	³ Pool Name MESAVERDE / DAKOTA				
⁴ Property Cod	le	5 Property Name SAN JUAN 28-6 UNIT				⁶ Well Number 130P			
7 OGRID No	Э.		BUF	8 Operator Name URLINGTON RESOURCES OIL & GAS COMPANY LP					⁹ Elevation 6563
					10 SURFACE I	LOCATION			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Р	32	28-N	6-W		1315	SOUTH	628	EAST	RIO ARRIBA
***************************************	,		¹¹ B	ottom H	ole Location l	f Different Fro	m Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	32	28-N	6-W		1720	SOUTH	1860	EAST	RIO ARRIBA
Dedicated Acres 325.04	13 Joint	or Infill	Consolidation	Code 15	Order No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



BURLINGTON RESOURCES OIL & GAS COMPANY LP

SAN JUAN 28-6 UNIT #130P



PRIOR TO CONSTRUCTION.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	08 - 20-10
Laboratory Number:	55597	Date Sampled:	08-18-10
Chain of Custody No:	10154	Date Received:	08-18-10
Sample Matrix:	Soil	Date Extracted:	08 -1 9-10
Preservative:	Cool	Date Analyzed:	08-19-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.7	0.2
Diesel Range (C10 - C28)	0.8	0.1
Total Petroleum Hydrocarbons	2.5	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 28-6 130P

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	08-20-10
Laboratory Number:	55598	Date Sampled:	08-18-10
Chain of Custody No:	10 154	Date Received:	08-18-10
Sample Matrix:	Soil	Date Extracted:	08-19-10
Preservative:	Cool	Date Analyzed:	08-19-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.2	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	0.2	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 28-6 130P

Analyst



EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	08-19-10 QA/QC	Date Reported:	08-20-10
Laboratory Number:	55597	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-19 -1 0
Condition:	N/A	Analysis Requested:	TPH

	l-CaliDate	I-Cal RF:	©-Cal RF2	% Difference	Accept Range
Gasoline Range C5 - C10	08-19-10	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	08-19-10	9.9960E+002	1.0000E+003	0.04%	0 - 15%

Blank Conc. (mg/L=mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	1.7	1.8	6.0%	0 - 30%
Diesel Range C10 - C28	8.0	0.8	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	1.7	250	255	101%	75 - 125%
Diesel Range C10 - C28	8.0	250	259	103%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 55597-55605, 55610

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	08-20-10
Laboratory Number:	55597	Date Sampled:	08-18-10
Chain of Custody:	10154	Date Received:	08-18-10
Sample Matrix:	Soil	Date Analyzed:	08-19-10
Preservative:	Cool	Date Extracted:	08-19-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	1.4	0.9
Toluene	4.1	1.0
Ethylbenzene	4.8	1.0
p,m-Xylene	48.9	1.2
o-Xylene	13.8	0.9
Total BTEX	73.0	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	102 %	
	1,4-difluorobenzene	99.2 %	
	Bromochlorobenzene	100 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 28-6 130P

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	08-20-10
Laboratory Number:	55598	Date Sampled:	08-18-10
Chain of Custody:	10154	Date Received:	08-18-10
Sample Matrix:	Soil	Date Analyzed:	08-19-10
Preservative:	Cool	Date Extracted:	08-19-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)		
Benzene	ND	0.9		
Toluene	ND	1.0		
Ethylbenzene	ND	1.0		
p,m-Xylene	ND	1.2		
o-Xylene	1.3	0.9		
Total BTEX	1.3			

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	96.5 %	
	1,4-difluorobenzene	94.0 %	
	Bromochlorobenzene	101 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 28-6 130P

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Sample ID:	N/A 0819BBL2 QA/QC	Project #: Date Reported:	N/A 08-20-10
Laboratory Number:	55597	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-19-10
Condition:	N/A	Analysis:	BTEX

Calibration and Detection/Limits (ug/L)	i-Cal [®] RF:	C-Cal RF: Accept Rand	%Diff. je 0 - 15% 🗼	Blank Conc	Detect: Limit
Benzene	9.7722E+006	9.7918E+006	0.2%	ND	0.1
Toluene	6.9424E+006	6.9563E+006	0.2%	ND	0.1
Ethylbenzene	5.2513E+006	5.2618E+006	0.2%	ND	0.1
p,m-Xylene	1.2357E+007	1.2381E+007	0.2%	ND	0.1
o-Xylene	4.1893E+006	4.1977E+006	0.2%	ND	0.1

Duplicate Conc (ug/Kg)	Sample	uplicate 🕒	%Diff	Accept Range	Detect: Limit
Benzene	1.4	1.4	0.0%	0 - 30%	0.9
Toluene	4.1	4.7	14.6%	0 - 30%	1.0
Ethylbenzene	4.8	5.0	4.2%	0 - 30%	1.0
p,m-Xylene	48.9	48.7	0.4%	0 - 30%	1.2
o-Xylene	13.8	14.0	1.4%	0 - 30%	0.9

Spike Conc. (ug/Kg) Accept Range Accept Range					
1.4	50.0	50.4	101%	39 - 150	
4.1	50.0	50.6	100%	46 - 148	
4.8	50.0	50.6	100%	32 - 160	
48.9	100	105	99.7%	46 - 148	
13.8	50.0	51.8	101%	46 - 148	
	1.4 4.1 4.8 48.9	1.4 50.0 4.1 50.0 4.8 50.0 48.9 100	1.4 50.0 50.4 4.1 50.0 50.6 4.8 50.0 50.6 48.9 100 105	1.4 50.0 50.4 101% 4.1 50.0 50.6 100% 4.8 50.0 50.6 100% 48.9 100 105 99.7%	

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 55597-55605, 55610

Analyst Re

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	08-20-10
Laboratory Number:	55597	Date Sampled:	08-18-10
Chain of Custody No:	10154	Date Received:	08-18-10
Sample Matrix:	Soil	Date Extracted:	08-19-10
Preservative:	Cool	Date Analyzed:	08-19-10
Condition:	Intact	Analysis Needed:	TPH-418.1

L	·	
		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

53.6

23.8

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 28-6 130P

Analyst

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	08-20-10
Laboratory Number:	55598	Date Sampled:	08-18-10
Chain of Custody No:	· 10154	Date Received:	08-18-10
Sample Matrix:	Soil	Date Extracted:	08-19-10
Preservative:	Cool	Date Analyzed:	08-19-10
Condition:	Intact	Analysis Needed:	TPH-418.1

	 	Det.
	Concentration	Limit
Parameter	 (mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

ND

23.8

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 28-6 130P

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client: Sample ID:	QA/QC QA/QC	Project #: Date Reported:	N/A 08-19-10
Laboratory Number:	08-19-TPH.QA/QC 55591	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	08-19-10
Preservative:	N/A	Date Extracted:	08-19-10
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
	07-29-10	08-19-10	1,860	1,770	4.8%	+/- 10%

Blank Conc. (mg/Kg) TPH	Concentration ND		Detection Limi	t / * * ·
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range

ТРН	31.3	•	18.8%	+/- 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	31.3	2,000	1,860	91.6%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 55591-55594, 55597-55601

Analyst Monpron



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	08 - 20-10
Lab ID#:	55597	Date Sampled:	08-18-10
Sample Matrix:	Soil	Date Received:	08-18-10
Preservative:	Cool	Date Analyzed:	08-20-10
Condition:	Intact	Chain of Custody:	10154

Parameter Concentration (mg/Kg)

Total Chloride 845

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **S.J. 28-6 130P**

Analyst Monpoul



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Background	Date Reported:	08-20-10
Lab ID#:	55598	Date Sampled:	08-18-10
Sample Matrix:	Soil	Date Received:	08-18-10
Preservative:	Cool	Date Analyzed:	08-20-10
Condition:	Intact	Chain of Custody:	10154

Parameter Concentration (mg/Kg)

Total Chloride 10

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **S.J. 28-6 130P**

Analyst Mompoul

Submit To Appropr Two Copies	t Office		State of New Mexico						Form C-105								
District 1 1625 N French Dr., Hobbs, NM 88240 Energy, Minerals and Natural Resources								rces	July 17, 2008 1. WELL API NO.								
District II 1301 W Grand Av	enue, Artes	ıa, NM 882	210		Oi	l Conserva	tion	Divis	ion		30-039-30583						
District III 1000 Rio Brazos R	d, Aztec, N	IM 87410				20 South S					2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN						
District IV 1220 S St Francis	Dr , Santa l	Fe, NM 87:	505			Santa Fe, N	NM :	87505	5		3 State Oil & Gas Lease No. SF - 079051						
WELL	COMPI	LETIO	N OR	RECC	MPL	ETION RE	POF	RT AN	ID LC)G	MARKET V		74				
4 Reason for fil	ing:										5. Lease Nan			nent Name			
☐ COMPLET	ION REP	ORT (Fil	ll in boxes	#1 throu	igh #31	for State and Fed	e wells	s only)			SAN JUAN 28-6 UNIT 6. Well Number.						
C-144 CLOS #33, attach this a	SURE AT	TACHM t to the C-	IENT (Fil -144 closu	ll in boxe re report	es #1 thr	rough #9, #15 Da	ate Rig	g Release	ed and #	32 and/or	130P						
7. Type of Comp	oletion:					□PLUGBACI				ESERVOI	R □ OTHER						
8. Name of Opera	ator										9. OGRID						
Burlington R		es Oil C	Sas Con	npany,	LP						14538	e or W	ıldcat				
PO Box 4298, Fa		NM 8749	99														
12.Location	Unit Ltr	Sect	tion	Towns	hip	Range	Lot		Feet	from the	N/S Line	Feet	from the	E/W Line	County		
Surface:																	
BH:	1115	. T.D. D		1,5,	D . D.			1,		0.1.	100		1.5	F1 . (D	E INVD		
13 Date Spudded		ate T D R	cacned	2/15	/2010	g Released					d (Ready to Pro		RT	. Elevations (D f, GR, etc.)			
18 Total Measur	ed Depth	of Well		19. I	Plug Bac	ck Measured Dep	oth	2	0 Was	Direction	al Survey Made	?	21. Туре	e Electric and (Other Logs Run		
22. Producing In	erval(s), o	of this con	npletion -	Top, Bo	ttom, Na	ame											
23					CAS	ING REC	ORI	D (Re	port a	ıll strin	gs set in w	ell)					
CASING SI	ZE	WEI	GHT LB /	FT		DEPTH SET		I	IOLE S	IZE	CEMENTIN	IG RE	CORD	AMOUN'	ΓPULLED		
			<u>.</u>														
														· · · · · · · · · · · · · · · · · · ·	-,		
							_										
24.	i				L LIN	ER RECORD	1.			25		rubn	NG RECO	ORD			
SIZE	TOP		ВО	TTOM		SACKS CEM	ENT	SCRE	EN	SI	ZE DEPTH SET			T PACKER SET			
												+					
26 Perforation	record (ir	nterval, siz	ze, and nu	mber)		<u> </u>		27. A	CID, S	HOT, FR	ACTURE, CI	EMEN	VT, SQUE	EEZE, ETC.			
								DÉPT	H INTE	RVAL	AMOUNT A	AND K	CIND MAT	TERIAL USED			
28			ln i		1 /51			<u>ODUC</u>			Tw no.	(D		1			
Date First Produc	etion		Produc	tion Met	noa (F16	owing, gas lift, p	итріп	g - Size i	апа қуре	pump)	Well Statu	s (Pro	a, or snut-t	in)			
Date of Test	Hours	Tested	Ch	oke Size		Prod'n For Test Period		Oil - B	Bbl	Ga	s - MCF	W	ater - Bbl.	Gas -	Oıl Ratio		
Flow Tubing Press.	g Casing Pressure Calculated 24- Oil - Bbl Hour Rate			Ga	Gas - MCF		Water - Bbl		Oil Gravity - API - (Corr.)		rr.)						
29 Disposition o	f Gas (Sol	d, used fo	or fuel, ven	ted, etc.,)	<u>.</u>						30. 1	est Witnes	ssed By			
31. List Attachm	ents											l					
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit																	
33. If an on-site burial was used at the well, report the exact location of the on-site burial.																	
I hereby certi	Latitude 36.614005°N Longitude 107.483349°W NAD 1227 \(\text{D1927} \) 1983 I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																
Signature	\mathfrak{I}^{m}	u (3000	Wi		nted ne Jamie Go	odwi	in Ti	itle: F	Regulato	ry Tech.	Date	e: 8/19/20	011			
E-mail Address jamie.l.goodwin@conocophillips.com																	

Subjaski

ConocoPhillips

Pit Closure For	m:
Date: 10/4/	10
Well Name: <u>S</u>	528-6 130P
Footages: 131:	5 FSL, 628 FEL Unit Letter: P
Section: <u>32</u>	T- <u>28</u> -N, R- <u>6</u> -W, County: <u>R. A.</u> State: <u>NN</u>
Contractor Closin	g Pit: Ritter
	•
Construction Inspe	ctor: Norman Faver Date: 10/4/10
Inspector Signature	: Thomas favo

Revised 4/30/10

Goodwin, Jamie L

From: Sent:

Tally, Ethel

Tuesday, September 28, 2010 9:29 AM

To:

GRP:SJBU Regulatory; Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.); Greer, David A; Hines, Derek J (Finney Land Co.); Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt, Elmo F; Stallsmith, Mark R; Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Faver Norman; Jared Chavez; Lowe, Terry; Payne, Wendy F; 'Steve McGlasson; Becker, Joey W; Bowker, Terry D; Gordon Chenault; Baird, Stephen J; Betts, Phillip E; Birchfield, Jack D; Bixler II, Robert D; Crane, Matthew W; Dunn, Gregory L; Errett, Alan D; Fincher, Shawn S; Florez, Ramon M; Hamilton, Clayton C; Haskill, Fred L; Heinen, Bobby B; Hemphill, Brookie G; Hottell, Brent D; Hudman, Patrick W; Jaramillo, Wilfred J; Leboeuf, Davin J; Lockett, Dale E; McKnight, Mark P; Morris, Mike D.; Neuenschwander, Chris C; Proctor, Freddy E; Roberts, Danny Keith; Roberts, Vance L.; Savage, Darrell Q; Thompson, Don R; Wendeborn, Jay C; Young, Toby L; Hockett, Christy R; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E;

Smith, Randall O; Stamets, Steve A; Thacker, LARRY; Work, Jim A

Cc:

'idritt@aol.com'

Subject:

RECLAMATION NOTICE: SAN JUAN 28-6 UNIT 130P

Attachments:

San Juan 28-6 Unit 130P.pdf

JD Ritter will move a tractor to the San Juan 28-6 Unit 130P to start the reclamation process on Friday, October 1, 2010. Please contact Norm Faver @ 320-0670 if you have any questions or concerns.



San Juan 28-6 Unit 130P.pdf (1...

Burlington Resources Well

Network #: 10219735 Activity Code: D250

Rio Arriba County, NM

San Juan 28-6 Unit 130P-BLM surface / BLM minerals

1315' FSL, 628' FEL

SEC. 32, T28N, R06W

Unit Letter 'P'

Lease #: USA SF-079051

Latitude: 36° 36 min 50.02560 sec N (NAD 83)

Longitude: 107° 29 min 00.54600 sec W (NAD83)

Elevation: 6563'

Total Acres Disturbed: 3.03 acres

Access Road: 95.2'

API #: 30-039-30583

Ethel Tally

Project Technician ConocoPhillips-SJBU 3401 E. 30th Farmington NM 87402 (505)599-4027 Ethel.Tally@ConocoPhillips.com

ConocoPhillips

Section:	Reclamation Form:	
Footages: 1315 FSL,628 FEL	Date: 10/29/10	
Letter:P	Well Name: _SJ 28-6 130P	
State: NM		Uni
Reclamation Date:	Section: _32, T28N, R6W, County: State: NM	_R.A
Road Completion Date:		
Seeding Date:		
**PIT MARKER STATUS (When Required): Picture of Marker set needed MARKER PLACED:		
MARKER PLACED:		
LATATUDE: 36.368322 LONGITUDE: 107.290085 Pit Manifold removed 10.5 (DATE onstruction Inspector: Norman Faver Date 10/28/10		
Pit Manifold removed \(\sqrt{C5} \) (DATE onstruction Inspector: Norman Faver \(\sqrt{10/28/10} \)		
Pit Manifold removed \(\sqrt{C5} \) (DATE onstruction Inspector: Norman Faver \(\sqrt{10/28/10} \)	LATATUDE: 36.368322	
onstruction Inspector: Norman Faver Date		
_10/28/10	Pit Manifold removed <u>\\C5</u>	(DATE)
nspector Signature: Thruman fam		Date:
	nspector Signature: Thomas few	









	WELL NAME: San Juan 28-6 Unit 130P	OPEN P	IT INSPE	CTION		Con	ConocoPhillips			
	INSPECTOR DATE *Please request for pit extention after 26 weeks		Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8	Elmer Perry 04/21/10 Week 9
	PIT STATUS	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up
NOIL	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No
LOCATION	Is the temporary well sign on location and visible from access road?	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No
	is the access road in good driving condition? (deep ruts, bladed)	Yes No	☐ Yes ☐ No	Yes No	Yes 🗌 No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☑ No
	Are the culverts free from debris or any object preventing flow?	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☑ Yes ☐ No
ł	is the top of the location bladed and in good operating condition?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No
N N	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes 🗌 No	☐ Yes ☐ No	Yes V No
MPLIA	ts the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No
ខ	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	Yes No	Yes No	Yes 🗀 No	Yes 🗌 No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	✓ Yes 🗌 No
AENTA	Does the pit contain two feet of free board? (check the water levels)	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes 🗌 No	☐ Yes ☐ No	Yes No	Yes 🗀 No	✓ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☑ No
<u>≅</u>	Are the pits free of trash and oil?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes 🗍 No	☐ Yes ☑ No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	✓ Yes 🗌 No
	is there a Manifold on location?	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes 🗀 No			
	Is the Manifold free of leaks? Are the hoses in good condition?	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☑ Yes ☐ No			
ပ္ပဲ (Was the OCD contacted?	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☑ No
	PICTURE TAKEN	Yes No	Yes No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☑ No
	COMMENTS									Rd. needs Bladed Oil in Pıt Fence down for Rıg

.

<u> </u>	WELL NAME:									
	San Juan 28-6 Unit 130P INSPECTOR DATE	04/29/10	Elmer Perry 05/07/10	Elmer Perry 05/13/10	Elmer Perry 05/24/10	Elmer Perry 06/01/10	Elmer Perry 06/04/10	Elmer Perry 06/17/10	Elmer Perry 06/28/10	Jon Berenz 07/12/10
	*Please request for pit extention after 26 weeks PIT STATUS	Week 10 ☑ Drilled ☐ Completed ☐ Clean-Up	Week 11 ☑ Drilled ☐ Completed ☐ Clean-Up	Week 12 Drilled Completed Clean-Up	Week 13 Drilled Completed Clean-Up	Week 14 Drilled Completed Clean-Up	Week 15 Drilled Completed Clean-Up	Week 16 Drilled Completed Clean-Up	Week 17 Drilled Completed Clean-Up	Week 18 Drilled Completed Clean-Up
TION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No
V 201	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No			
	Is the access road in good driving condition? (deep ruts, bladed)	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No			
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No			
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No
OMPLIAN	is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No
Ŭ	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No
AENTAL	Does the pit contain two feet of free board? (check the water levels)	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No			
ENVIRONMENT	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
Ë	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	. ☑ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No
ပ္ပ	Was the OCD contacted?	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	Fence down Rig on Loc. Ditches Plugged	Rd. needs bladed Fence loose Rig on loc.		Rd. needs Bladed Fence loose	Rd. needs bladed Fence loose	Rd. needs bladed	Road needs Bladed	Road needs Bladed Fence needs Repaired	Road needs bladed.

•

	WELL NAME:								•	
	San Juan 28-6 Unit 130P									
	INSPECTOR DATE	Jon Berenz 07/20/10	Jon Berenz 07/27/10	Jon Berenz 08/03/10	Jon Berenz 08/11/10	Jon Berenz 08/18/10	Jon Berenz 08/24/10	Jon Berenz 08/31/10	Jon Berenz 09/07/10	Jon Berenz 09/14/10
	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Dnlled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☑ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Dnilled ☑ Completed ☐ Clean-Up	☐ Drilled ☑ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No
/20 [0 C	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes ☐ No
Γ	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes 🗌 No	☐ Yes ☑ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes 🗌 No
OMPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
Ü	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes □ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No
AENTA	Does the pit contain two feet of free board? (check the water levels)	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes 🗌 No
	Is there a Manifold on location?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
L	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes 🗌 No
o C	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	Location good.	Drill rig on location.	Rig on location.	Road needs bladed. Drill ng on location.	Rd.&loc. Need bladed,fence loose,liner tears,diversion ditch plugged.	Rd.&location need bladed,stains on loc.diversion ditch plugged.	Road needs bladed, diversion ditch plugged,stains on location.	plugged.Rd & location need	Road&location need bladed,diversion ditch plugged.

WELL NAME: San Juan 28-6 Unit 130P INSPECTOR Jon Berenz Jon Berenz Jon Berenz DATE 09/21/10 09/27/10 10/05/10 Week 28 Week 29 Week 30 *Please request for pit extention after 26 weeks Week 31 Week 32 Week 33 Week 34 Week 35 Week 36 Drilled Drilled Drilled ☐ Drilled ☐ Drilled Drilled ☐ Dnlled ☐ Dniled ☐ Drilled ✓ Completed ✓ Completed ☐ Completed Completed ☐ Completed ☐ Completed Completed Completed Completed PIT STATUS Clean-Up Clean-Up ☑ Clean-Up Clean-Up Clean-Un Clean-Up Clean-Up Clean-Up Clean-Up Is the location marked with the proper flagging? ✓ Yes ☐ No ✓ Yes ☐ No Yes No ☐ Yes ☐ No Yes No ☐ Yes ☐ No Yes No ☐ Yes ☐ No Yes No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible ✓ Yes 🗌 No ✓ Yes □ No Yes No Ŏ Yes No Yes No ☐ Yes ☐ No Yes No Yes No Yes No from access road? Is the access road in good driving condition? ☐ Yes 🗸 No Yes V No Yes No Yes No Yes No Yes No ☐ Yes ☐ No Yes No Yes No (deep ruts, bladed) Are the culverts free from debris or any object ☑ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No Yes No ☐ Yes ☐ No ☐ Yes ☐ No Yes No preventing flow? Is the top of the location bladed and in good ☑ Yes ☐ No ✓ Yes ☐ No. ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No Yes No Yes No ☐ Yes ☐ No ☐ Yes ☐ No operating condition? Is the fence stock-proof? (fences tight, barbed ✓ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No Yes No Yes No Yes No Yes I No Yes No wire, fence clips in place? is the pit liner in good operating condition? (no ✓ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No Yes No Yes No ☐ Yes ☐ No Yes No ☐ Yes ☐ No Yes No tears, up-rooting corners, etc.) Is the the location free from trash, oil stains and ✓ Yes 🗌 No ☑ Yes ☐ No Yes No Yes No Yes I No Yes No Yes No ☐ Yes ☐ No Yes No other materials? (cables, pipe threads, etc.) Does the pit contain two feet of free board? (check RONMENT ✓ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No Yes No Yes No Yes No Yes No ☐ Yes ☐ No the water levels) Is there any standing water on the blow pit? Yes V No ☐ Yes ☑ No Yes No Yes No Yes No Yes No Yes No ☐ Yes ☐ No ☐ Yes ☐ No Are the pits free of trash and oil? ✓ Yes ☐ No ✓ Yes 🗌 No Yes No Yes No Yes No ☐ Yes ☐ No Yes No Yes No Yes No Are there diversion ditches around the pits for ☑ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No. Yes No ☐ Yes ☐ No ☐ Yes ☐ No. ☐ Yes ☐ No natural drainage? is there a Manifold on location? ✓ Yes ☐ No Yes No Yes No ☐ Yes ☐ No Yes No ☐ Yes ☐ No Yes No Yes No Yes No Is the Manifold free of leaks? Are the hoses in ✓ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No Yes No Yes No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No. ☐ Yes ☐ No good condition? $\bigcup_{i=1}^{N} \square_i$ Was the OCD contacted? ☐ Yes 🗸 No ☐ Yes ☑ No Yes No Yes No ☐ Yes ☐ No Yes No ☐ Yes ☐ No ☐ Yes ☐ No Yes No Yes No PICTURE TAKEN Yes V No Yes No COMMENTS Road needs bladed, diversion Road needs ditch plugged bladed. PIT CLOSED.

DATE: 10/22/12 RCVD OCT 25'12 OIL CONS. DIV.

WELL NAME: SAN JUAN 28-6 UNIT 130P

API# 30-039-30583 **DIST. 3**

PERMIT #: 8834

ATTACHED: MISSING SURFACE OWNER NOTIFICATION, NMOCD CLOSURE

NOTICE

NMOCD closure notice was not sent to NMOCD due to distribution list not having correct information. This has been corrected by COPC by updating procedures with the correct email addresses and information. The closure notice will be sent directly to Jonathan Kelly and Brandon Powell at the NMOCD.

Jamie Goodwin ConocoPhillips 505-326-9784

Goodwin, Jamie L

From:

Tally, Ethel

Sent:

Tuesday, September 28, 2010 9:29 AM

To:

GRP:SJBU Regulatory; Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface Specialties and Consulting, Ltd.); Greer, David A; Hines, Derek J (Finney Land Co.); Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt, Elmo F; Stallsmith, Mark R; Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Faver Norman; Jared Chavez; Lowe, Terry; Payne, Wendy F; 'Steve McGlasson'; Becker, Joey W; Bowker, Terry D; Gordon Chenault; Baird, Stephen J; Betts, Phillip E; Birchfield, Jack D; Bixler II, Robert D; Crane, Matthew W; Dunn, Gregory L; Errett, Alan D; Fincher, Shawn S; Florez, Ramon M; Hamilton, Clayton C; Haskill, Fred L; Heinen, Bobby B; Hemphill, Brookie G; Hottell, Brent D; Hudman, Patrick W; Jaramillo, Wilfred J; Leboeuf, Davin J; Lockett, Dale E; McKnight, Mark P; Morris, Mike D.; Neuenschwander, Chris C; Proctor, Freddy E; Roberts, Danny Keith; Roberts, Vance L.; Savage, Darrell Q; Thompson, Don R; Wendeborn, Jay C; Young, Toby L; Hockett, Christy R; Kennedy, Jim R;

Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Stamets, Steve A; Thacker, LARRY; Work, Jim A

Cc: 'idritt@aol.com'

Subject:

RECLAMATION NOTICE: SAN JUAN 28-6 UNIT 130P

Attachments:

San Juan 28-6 Unit 130P.pdf

JD Ritter will move a tractor to the San Juan 28-6 Unit 130P to start the reclamation process on Friday, October 1, 2010. Please contact Norm Faver @ 320-0670 if you have any questions or concerns.



San Juan 28-6 Jnit 130P.pdf (1...

Burlington Resources Well

Network #: 10219735 Activity Code: D250

Rio Arriba County, NM

San Juan 28-6 Unit 130P-BLM surface / BLM minerals

1315' FSL, 628' FEL

SEC. 32, T28N, R06W

Unit Letter 'P'

Lease #: USA SF-079051

Latitude: 36° 36 min 50.02560 sec N (NAD 83)

Longitude: 107° 29 min 00.54600 sec W (NAD83)

Elevation: 6563'

Total Acres Disturbed: 3.03 acres