District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

,0606
1000

Alternative Method:

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, closs lease be advised that approval of this request does not relieve the operator of liability should open purronment. Nor does approval relieve the operator of its responsibility to comply with any other	rations result in pollution of surface water, ground water or the				
OperatorWPX Energy Production, LLC	OGRID# 120782				
Address PO Box 640 / 721 S Main Aztec, NM 87410					
Facility or well name. Schalk 32 #24 #3H					
API Number30-039-31108OCD Permit Number					
U/L or Qtr/Qtr <u>L</u> Section <u>32</u> Township <u>31N</u> Range _	4W County Rio Arriba				
Center of Proposed Design Latitude 36 85462N Longitude	<u>-107 28529W</u> NAD. □1927 ⊠ 1983				
Surface Owner 🛮 Federal 🗌 State 🔲 Private 🔲 Tribal Trust or Indian Allotment					
2					
☐ Closed-loop System: Subsection H of 19 15 17.11 NMAC Type of Operation ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to intent)	activities which require prior approval of a permit or notice of				
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other					
☐ Lined ☐ Unlined Liner type Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other					
Liner Seams: Welded Factory Other					
4					
Below-grade tank: Subsection I of 19 15 17 11 NMAC					
Volumebbl Type of fluid					
Tank Construction material					
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off					
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other					
Liner type. Thicknessmil					
5					

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Page 1 of 20

Schalk 32 #2A


<u> </u>	
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school,	hospital,
institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet	
☐ Alternate Please specify As per BLM specifications	
7.	
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19 15 17 11 NMAC	
12"x 24". 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15 3.103 NMAC	
9	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval	office for
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	
10. Siting Criteria (regarding permitting): 19.15 17 10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accepmaterial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appro	
office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dryi	pproval.
above-grade tanks associated with a closed-loop system.	ing paus or
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ⊠ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes ⊠ No
- Topographic map, Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐ Yes ☑ No ☐ NA
- Visual inspection (certification) of the proposed site; Acrial photo, Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits)	☐ Yes ☐ No ☐ NA
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	
Within 500 horizontal fect of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application	Yes No
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	☐ Yes ☑ No
- Written confirmation or verification from the municipality, Written approval obtained from the municipality	
Within 500 feet of a wetland	☐ Yes ⊠ No
- US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☑ No
Within an unstable area	☐ Yes ☑ No
 Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society, Topographic map 	
Within a 100-year floodplain - FEMA map	☐ Yes ⊠ No

11. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. □ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC □ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC □ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC □ Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC □ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API Number or Permit Number
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15 17.13 NMAC Previously Approved Design (attach copy of design) API Number Gapplies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19 15.17.13 NMAC
Proposed Closure: 19 15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC

<u>'</u>		
16' Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids facilities are required.		
Disposal Facility Name Disposal Facility Permit Number		
Disposal Facility Name	Disposal Facility Permit Number	
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information below) \(\square \) No	occur on or in areas that will not be used for future ser	vice and operations?
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	te requirements of Subsection H of 19 15 17.13 NMA(n I of 19.15.17.13 NMAC	C
17. Siting Criteria (regarding on-site closure methods only): 19 15 17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may request considered an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	ire administrative approval from the appropriate dist al Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Da	ita obtained from nearby wells	☐ Yes ☒ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Database search,	ata obtained from nearby wells	☐ Yes ⊠ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Da	ata obtained from nearby wells	⊠ Yes □ No □ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other silake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☒ No
Within 300 feet from a permanent residence, school, hospital, institution, or churchy Visual inspection (certification) of the proposed site, Aerial photo, Satelli		☐ Yes ⊠ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that le watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database, Visual inspection	spring, in existence at the time of initial application.	☐ Yes ⊠ No
Within incorporated municipal boundaries or within a defined municipal fiesh wa adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written appro		☐ Ycs ⊠ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map, Vis	ual inspection (certification) of the proposed site	☐ Yes ⊠ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Minir	ng and Mineral Division	☐ Yes 🛭 No
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geolog Society, Topographic map	gy & Mineral Resources, USGS, NM Geological	☐ Yes 🖾 No
Within a 100-year floodplain - FEMA map		☐ Yes ☑ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection State Reclamation Plan - based upon the appropriate requirements of Subsection	quirements of 19 15 17.10 NMAC of Subsection F of 19 15 17 13 NMAC appropriate requirements of 19 15 17 11 NMAC pad) - based upon the appropriate requirements of 19. 15 17 13 NMAC quirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19 15 17 13 NMAC drill cuttings or in case on-site closure standards cannot H of 19 15 17 13 NMAC in 1 of 19 15 17 13 NMAC	15.17.11 NMAC

Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print). Ben Mitchell Title Regulatory Specialist					
Signature:Date:					
e-mail address ben mitchell@wpxenergy.com Telephone 505-333-1806					
OCD Approval: Permit Application (including closure plan), Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: OCD Permit Number:					
Title: OMPlance Officer OCD Permit Number:					
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:					
22					
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than					
two facilities were utilized.					
Disposal Facility Name Disposal Facility Permit Number					
Disposal Facility Name Disposal Facility Permit Number					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No					
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique					
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983					
25					
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print) Tıtle					
Signature: Date					
a mail address					


WILLIAMS PRODUCTION COMPANY SCHALK 32 #2A 2070' FSL & 660' FWL, SECTION 32, T31N, R4W, NMPM RIO ARRIBA COUNTY, NEW MEXICO ELEVATION: 6955'



LATITUDE: 36.85461° N
LONGITUDE: 107.28500° W

DATUM: NADIGES

Steel T-Posts have been set to define the Edge of Disturbance limits which are 50° offset from the edge of the staked wellpad.





New Mexico OCD District 3 1000 Rio Brazos Rd. Aztec, NM 87410

Attn: Jonathan Kelly,

Please find attached a modification to existing permit for upsizing the pit dimension. If you have questions or concerns pertaining to this modification please contact me directly.

Thank you,

RCVD NOV 8'12 OIL CONS. DIV. DIST. 3

Ben Mitchell

WPX Energy Production, LLC 505-333-1808
Ben.mitchell@wpxenergy.com