

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, N.M. 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, N.M. 87505

Form C-102

Revised July 16, 2010

Submit one copy to appropriate
District Office

AS DRILLED PLAT

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35382	² Pool Code 72319 / 71599	³ Pool Name BLANCO MESAVERDE/BASIN DAKOTA
⁴ Property Code 7223	⁵ Property Name KESSLER COM	⁶ Well Number 3P
⁷ GRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	⁹ Elevation 6002

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	25	30 N	II W	LOT 15	1303	SOUTH	1251	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	25	30 N	II W	LOT 10	2270'	SOUTH	1856'	EAST	SAN JUAN

¹² Dedicated Acres 313.36 (E/2) MV 320.00 (E/2) DK	¹³ Joint or Infill	¹⁴ Consolidation Code	Order No.

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *Marie E. Jaramillo* Date: **11/13/12**

Printed Name: **Marie E. Jaramillo**

Staff Regulatory Tech.

E-mail Address:

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

6/29/11

Date of Survey

Signature and Seal of Professional Surveyor: *Marshall W. Linden*

17078

Certificate Number



COP Deviation Report

KESSLER COM #3P

RCVD NOV 14 '12

OIL CONS. DIV.

DIST. 3

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName KESSLER COM #3P	API / UWI 3004535382	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location 025-030N-011W-P	N/S Dist (ft) 1,303.00	N/S Ref FSL	E/W Dist (ft) 1,251.00	E/W Ref FEL

Survey Data					
Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
8/31/2012	128.00	1.00		Inc-Drop	Mo Te Drilling Inc
8/31/2012	235.00	0.25		Inc-Drop	Mo Te Drilling Inc
9/12/2012	270.00	0.67	189.61	IncAzi-MWD	Scientific Drilling
9/12/2012	332.00	1.05	289.62	IncAzi-MWD	Scientific Drilling
9/12/2012	393.00	2.93	323.29	IncAzi-MWD	Scientific Drilling
9/12/2012	454.00	4.19	329.56	IncAzi-MWD	Scientific Drilling
9/12/2012	515.00	6.34	334.06	IncAzi-MWD	Scientific Drilling
9/12/2012	576.00	7.80	329.93	IncAzi-MWD	Scientific Drilling
9/12/2012	638.00	9.79	330.73	IncAzi-MWD	Scientific Drilling
9/12/2012	699.00	11.85	330.09	IncAzi-MWD	Scientific Drilling
9/12/2012	762.00	13.03	326.13	IncAzi-MWD	Scientific Drilling
9/12/2012	823.00	14.96	323.08	IncAzi-MWD	Scientific Drilling
9/12/2012	886.00	16.64	324.73	IncAzi-MWD	Scientific Drilling
9/12/2012	949.00	17.77	326.43	IncAzi-MWD	Scientific Drilling
9/12/2012	1,011.00	19.80	328.19	IncAzi-MWD	Scientific Drilling
9/12/2012	1,075.00	21.72	325.37	IncAzi-MWD	Scientific Drilling
9/12/2012	1,139.00	23.50	326.43	IncAzi-MWD	Scientific Drilling
9/12/2012	1,203.00	25.18	328.73	IncAzi-MWD	Scientific Drilling
9/12/2012	1,267.00	25.45	328.96	IncAzi-MWD	Scientific Drilling
9/13/2012	1,330.00	25.55	329.64	IncAzi-MWD	Scientific Drilling
9/13/2012	1,393.00	25.51	329.89	IncAzi-MWD	Scientific Drilling
9/13/2012	1,456.00	24.86	329.23	IncAzi-MWD	Scientific Drilling
9/13/2012	1,519.00	24.90	329.53	IncAzi-MWD	Scientific Drilling
9/13/2012	1,582.00	25.24	329.73	IncAzi-MWD	Scientific Drilling
9/13/2012	1,644.00	25.40	329.68	IncAzi-MWD	Scientific Drilling
9/13/2012	1,708.00	25.77	329.06	IncAzi-MWD	Scientific Drilling
9/13/2012	1,771.00	25.84	327.69	IncAzi-MWD	Scientific Drilling
9/13/2012	1,834.00	25.81	326.45	IncAzi-MWD	Scientific Drilling
9/13/2012	1,897.00	25.89	326.21	IncAzi-MWD	Scientific Drilling
9/13/2012	1,960.00	25.81	325.17	IncAzi-MWD	Scientific Drilling
9/13/2012	2,023.00	25.38	324.53	IncAzi-MWD	Scientific Drilling
9/13/2012	2,087.00	24.67	323.99	IncAzi-MWD	Scientific Drilling
9/13/2012	2,150.00	23.03	324.37	IncAzi-MWD	Scientific Drilling
9/13/2012	2,214.00	21.98	328.48	IncAzi-MWD	Scientific Drilling
9/13/2012	2,277.00	21.72	326.16	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions; and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



COP Deviation Report KESSLER COM #3P

Survey Data						
Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company	
9/13/2012	2,340.00	20.82	326.13	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,404.00	20.53	326.03	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,467.00	20.62	328.10	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,531.00	20.28	329.66	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,594.00	21.11	332.16	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,657.00	22.63	331.74	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,721.00	23.51	332.62	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,783.00	22.78	330.59	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,846.00	22.52	329.43	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,910.00	22.80	331.01	IncAzi-MWD	Scientific Drilling	
9/13/2012	2,973.00	22.86	330.76	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,036.00	22.54	330.11	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,098.00	22.01	328.75	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,161.00	21.76	327.59	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,225.00	20.19	325.01	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,287.00	17.85	324.10	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,350.00	15.46	325.09	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,413.00	14.28	327.67	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,476.00	11.78	323.34	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,539.00	9.80	322.93	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,602.00	8.11	320.46	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,665.00	7.76	320.43	IncAzi-MWD	Scientific Drilling	
9/13/2012	3,727.00	5.83	322.77	IncAzi-MWD	Scientific Drilling	
9/14/2012	3,791.00	4.68	328.73	IncAzi-MWD	Scientific Drilling	
9/14/2012	3,853.00	3.35	331.93	IncAzi-MWD	Scientific Drilling	
9/14/2012	3,916.00	2.63	341.79	IncAzi-MWD	Scientific Drilling	
9/14/2012	3,980.00	2.20	345.94	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,042.00	2.08	339.10	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,106.00	2.02	342.17	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,170.00	1.76	340.47	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,233.00	1.93	339.48	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,296.00	1.77	349.60	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,359.00	1.53	347.03	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,423.00	1.57	346.99	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,486.00	1.51	338.93	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,555.00	1.36	341.79	IncAzi-MWD	Scientific Drilling	
9/14/2012	4,610.00	1.24	344.07	Projection	Scientific Drilling	
9/18/2012	6,548.00	0.50		Inc-MWD	Aztec Well Servicing Co Inc	
9/19/2012	6,975.00	0.50		Inc-MWD	Aztec Well Servicing Co Inc	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
9/20/2012	7,324 00	2 50		Inc-MWD	Aztec Well Servicing Co Inc

I, the undersigned, certify that I acting in my capacity as Alberto Agnew for ConocoPhillips Company, am authorized by said Company to make this report, and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

BEN TOLMAN

Subscribed and sworn to me this

11/13/12

Mary E. Gamallo

Notary Public in and for San Juan County, New Mexico

My Commission expires

11/28/14



RCVD NOV 14 '12
OIL CONS. DIV.

DIST. 3

ConocoPhillips

SJB (NM West)
SEC 25-T30N-R11W
Kessler Com 3P

OH

Design: OH

API # 3004535382

Standard Survey Report

19 September, 2012


This survey is correct to the best of my knowledge and is supported by actual field data.

Carla K. King


Notarized this date 19th of September, 2012.

Chrystal D. Wollerman

Notary Signature
County of Natrona
State of Wyoming



Scientific Drilling



Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Kessler Com 3P
Project:	SJB (NM West)	TVD Reference:	GL 6002' & KB 15' @ 6017.0ft (AWS 730)
Site:	SEC 25-T30N-R11W	MD Reference:	GL 6002' & KB 15' @ 6017.0ft (AWS 730)
Well:	Kessler Com 3P	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 2003.21 Single User Db

Project	SJB (NM West), San Juan County, New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site	SEC 25-T30N-R11W		
Site Position:		Northing:	2,105,082.33 ft
From:	Lat/Long	Easting:	467,058.94 ft
Position Uncertainty:	0.0 ft	Slot Radius:	"
		Latitude:	36° 47' 6.641 N
		Longitude:	107° 56' 44.965 W
		Grid Convergence:	-0.07 °

Well	Kessler Com 3P, 1303' FSL 1251' FEL		
Well Position	+N/-S	0.0 ft	Northing: 2,102,906.40 ft
	+E/-W	0.0 ft	Easting: 469,504.68 ft
Position Uncertainty	0.0 ft	Wellhead Elevation:	ft
		Latitude:	36° 46' 45.151 N
		Longitude:	107° 56' 14.869 W
		Ground Level:	6,002.0 ft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination	Dip Angle	Field Strength
			(°)	(°)	(nT)
	BGGM2012	2012/09/07	9.86	63.42	50,565

Design	OH				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W	Direction	
	(ft)	(ft)	(ft)	(°)	
	0.0	0.0	0.0	328.20	

Survey Program	Date	2012/09/19			
From	To	Survey (Wellbore)	Tool Name	Description	
(ft)	(ft)				
270.0	4,555.0	Survey #1 (OH)	MWD SDI	MWD - Standard ver 1.0.1	

Survey										
Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Vertical Section	Dogleg Rate	Build Rate	Turn Rate	
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	(°/100ft)	(°/100ft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
270.0	0.67	189.61	270.0	-1.6	-0.3	-1.2	0.25	0.25	0.00	
First SDI MWD Survey										
332.0	1.05	289.62	332.0	-1.7	-0.9	-1.0	2.16	0.61	161.31	
393.0	2.93	323.29	393.0	-0.3	-2.3	1.0	3.50	3.08	55.20	
454.0	4.19	329.56	453.8	2.9	-4.4	4.8	2.16	2.07	10.28	
515.0	6.34	334.06	514.6	7.8	-7.0	10.3	3.59	3.52	7.38	
576.0	7.80	329.93	575.1	14.4	-10.5	17.8	2.53	2.39	-6.77	
638.0	9.79	330.73	636.4	22.7	-15.2	27.3	3.22	3.21	1.29	
699.0	11.85	330.09	696.3	32.6	-20.9	38.7	3.38	3.38	-1.05	
762.0	13.03	326.13	757.8	44.1	-28.1	52.3	2.31	1.87	-6.29	
823.0	14.96	323.08	817.0	56.2	-36.6	67.0	3.39	3.16	-5.00	
886.0	16.64	324.73	877.6	70.0	-46.7	84.1	2.76	2.67	2.62	

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Kessler Com 3P
Project:	SJB (NM West)	TVD Reference:	GL 6002' & KB 15' @ 6017.0ft (AWS 730)
Site:	SEC 25-T30N-R11W	MD Reference:	GL 6002' & KB 15' @ 6017.0ft (AWS 730)
Well:	Kessler Com 3P	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 2003.21 Single User Db

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
949.0	17.77	326.43	937.8	85.4	-57.2	102.7	1.96	1.79	2.70
1,011.0	19.80	328.19	996.5	102.2	-68.0	122.7	3.40	3.27	2.84
1,075.0	21.72	325.37	1,056.3	121.2	-80.5	145.4	3.38	3.00	-4.41
1,139.0	23.50	326.43	1,115.4	141.5	-94.2	170.0	2.85	2.78	1.66
1,203.0	25.18	328.73	1,173.7	163.8	-108.4	196.3	3.01	2.63	3.59
1,267.0	25.45	328.96	1,231.6	187.2	-122.5	223.7	0.45	0.42	0.36
1,330.0	25.55	329.64	1,288.4	210.5	-136.4	250.8	0.49	0.16	1.08
1,393.0	25.51	329.89	1,345.3	234.0	-150.0	277.9	0.18	-0.06	0.40
1,456.0	24.86	329.23	1,402.3	257.1	-163.6	304.7	1.12	-1.03	-1.05
1,519.0	24.90	329.53	1,459.5	279.9	-177.1	331.2	0.21	0.06	0.48
1,582.0	25.24	329.73	1,516.5	303.0	-190.6	357.9	0.56	0.54	0.32
1,644.0	25.40	329.68	1,572.6	325.9	-204.0	384.4	0.26	0.26	-0.08
1,708.0	25.77	329.06	1,630.3	349.6	-218.1	412.1	0.71	0.58	-0.97
1,771.0	25.84	327.69	1,687.0	373.0	-232.5	439.5	0.95	0.11	-2.17
1,834.0	25.81	326.45	1,743.7	396.0	-247.4	466.9	0.86	-0.05	-1.97
1,897.0	25.89	326.21	1,800.4	418.9	-262.6	494.4	0.21	0.13	-0.38
1,960.0	25.81	325.17	1,857.1	441.6	-278.1	521.8	0.73	-0.13	-1.65
2,023.0	25.38	324.53	1,913.9	463.8	-293.8	549.0	0.81	-0.68	-1.02
2,087.0	24.67	323.99	1,971.9	485.8	-309.6	576.0	1.17	-1.11	-0.84
2,150.0	23.03	324.37	2,029.5	506.5	-324.5	601.4	2.61	-2.60	0.60
2,214.0	21.98	328.48	2,088.7	526.8	-338.0	625.9	2.95	-1.64	6.42
2,277.0	21.72	326.16	2,147.1	546.6	-350.7	649.3	1.43	-0.41	-3.68
2,340.0	20.82	326.13	2,205.8	565.6	-363.4	672.2	1.43	-1.43	-0.05
2,404.0	20.53	326.03	2,265.7	584.3	-376.0	694.7	0.46	-0.45	-0.16
2,467.0	20.62	328.10	2,324.7	602.9	-388.1	716.9	1.16	0.14	3.29
2,531.0	20.28	329.66	2,384.7	622.0	-399.6	739.2	1.00	-0.53	2.44
2,594.0	21.11	332.16	2,443.6	641.5	-410.4	761.5	1.92	1.32	3.97
2,657.0	22.63	331.74	2,502.1	662.2	-421.5	784.9	2.43	2.41	-0.67
2,721.0	23.51	332.62	2,561.0	684.4	-433.2	809.9	1.48	1.38	1.38
2,783.0	22.78	330.59	2,618.0	705.8	-444.8	834.2	1.74	-1.18	-3.27
2,846.0	22.52	329.43	2,676.1	726.8	-456.9	858.5	0.82	-0.41	-1.84
2,910.0	22.80	331.01	2,735.2	748.2	-469.1	883.1	1.05	0.44	2.47
2,973.0	22.86	330.76	2,793.2	769.6	-481.0	907.5	0.18	0.10	-0.40
3,036.0	22.54	330.11	2,851.3	790.7	-493.0	931.8	0.65	-0.51	-1.03
3,098.0	22.01	328.75	2,908.7	811.0	-505.0	955.3	1.19	-0.85	-2.19
3,161.0	21.76	327.59	2,967.2	830.9	-517.3	978.8	0.79	-0.40	-1.84
3,225.0	20.19	325.01	3,026.9	850.0	-530.0	1,001.7	2.85	-2.45	-4.03
3,287.0	17.85	324.10	3,085.6	866.4	-541.7	1,021.9	3.80	-3.77	-1.47
3,350.0	15.46	325.09	3,145.9	881.1	-552.2	1,039.9	3.82	-3.79	1.57
3,413.0	14.28	327.67	3,206.8	894.6	-561.2	1,056.0	2.15	-1.87	4.10
3,476.0	11.78	323.34	3,268.2	906.3	-569.2	1,070.2	4.26	-3.97	-6.87
3,539.0	9.80	322.93	3,330.1	915.8	-576.2	1,082.0	3.15	-3.14	-0.65
3,602.0	8.11	320.46	3,392.3	923.5	-582.3	1,091.7	2.75	-2.68	-3.92
3,665.0	7.76	320.43	3,454.7	930.2	-587.8	1,100.3	0.56	-0.56	-0.05
3,727.0	5.83	322.77	3,516.2	935.9	-592.4	1,107.6	3.14	-3.11	3.77
3,791.0	4.68	328.73	3,580.0	940.7	-595.7	1,113.4	1.99	-1.80	9.31
3,853.0	3.35	331.93	3,641.8	944.5	-597.9	1,117.8	2.17	-2.15	5.16
3,916.0	2.63	341.79	3,704.7	947.5	-599.2	1,121.0	1.40	-1.14	15.65
3,980.0	2.20	345.94	3,768.7	950.1	-600.0	1,123.6	0.72	-0.67	6.48
4,042.0	2.08	339.10	3,830.6	952.3	-600.7	1,125.9	0.45	-0.19	-11.03
4,106.0	2.02	342.17	3,894.6	954.4	-601.4	1,128.1	0.20	-0.09	4.80
4,170.0	1.76	340.47	3,958.6	956.4	-602.1	1,130.1	0.42	-0.41	-2.66
4,233.0	1.93	339.48	4,021.5	958.3	-602.8	1,132.1	0.27	0.27	-1.57
4,296.0	1.77	349.60	4,084.5	960.3	-603.3	1,134.1	0.58	-0.25	16.06

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Kessler Com 3P
Project:	SJB (NM West)	TVD Reference:	GL 6002' & KB 15' @ 6017.0ft (AWS 730)
Site:	SEC 25-T30N-R11W	MD Reference:	GL 6002' & KB 15' @ 6017.0ft (AWS 730)
Well:	Kessler Com 3P	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 2003.21 Single User Db

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,359.0	1.53	347.03	4,147.5	962.1	-603.7	1,135.8	0.40	-0.38	-4.08
4,423.0	1.57	346.99	4,211.4	963.8	-604.1	1,137.4	0.06	0.06	-0.06
4,486.0	1.51	338.93	4,274.4	965.4	-604.6	1,139.1	0.36	-0.10	-12.79
4,555.0	1.36	341.79	4,343.4	967.0	-605.2	1,140.7	0.24	-0.22	4.14
Last SDI MWD Survey									

Design Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates			
		+N/-S (ft)	+E/-W (ft)	Comment	
270.0	270.0	-1.6	-0.3	First SDI MWD Survey	
4,555.0	4,343.4	967.0	-605.2	Last SDI MWD Survey	

Checked By: _____ Approved By: _____ Date: _____