

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED  
OMB No. 1004-0135  
Expires July 31, 1996

5. Lease Serial No.  
NMNM-76867

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.  
28

8. Well Name and No.  
West Bisti 32-K #1

9. API Well No.  
30-045-28558

10. Field and Pool, or Exploratory Area  
Bisti Lower Gallup

11. County or Parish, State  
San Juan, New Mexico

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well  
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator  
Elm Ridge Resources, Inc.

3a. Address  
PO Box 156, Bloomfield, NM 87413

3b. Phone No. (include area code)  
505-632-3476

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
2310' FSL & 1650' FWL  
Sec. 32-T26N-R13W

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans <input checked="" type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once Testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Elm Ridge Resources intends to P & A the above referenced well using the attached procedure.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Amy Mackey	Title Production Assistant
Signature <i>Amy Mackey</i>	Date April 13, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by Original Signed: Stephen Mason	Title	Date APR 20 2005
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

NMOCGD

## Plugging Program for West Bisti 32-K #1

Plug 1: Set retainer at 4986'. Pump 24 sack plug below retainer, and spot ~~2~~ sacks above retainer, to cover perforations and top of Gallup.

Plug 2: Spot 17 sack balanced plug from 2318-2218' to cover 100' across Cliff House top.

Plug 3: Spot ~~27~~<sup>1135</sup> sack balanced plug from 1570-~~1382~~<sup>1135</sup> to cover across both Pictured Cliffs and Fruitland Coal tops.

Plug 4: Spot 17 sack balanced plug from 416-~~316~~<sup>surface</sup> to cover ~~100'~~<sup>the O, U Alamo</sup> across surface casing shoe inside 5-1/2" casing.

~~Plug 5: Spot 6 sack plug from 50' to surface inside 5-1/2" surface casing.~~

# Elm Ridge Resources

## Pertinent Data Sheet

**Well Name:** West Bisti 32-K #1  
**Footage:** 2310' FSL and 1650' FWL  
**Location:** Section 32, T26N, R13W  
**County:** San Juan County, NM  
**API#:** 30-045-28558

**Field:** Bisti Lower Gallup

**Elevation:** 6455' GL

**TD:** 5350' KB

**PBTD:** 5297' KB

**Completed:** 4/4/92

### Casing Record:


Hole Size	Casing Size	Wt.	Grade	Depth Set	Cement
12-1/4"	8-5/8"	24#	J-55	366'	271 ft <sup>3</sup> (Circ. To Surface)
7-7/8"	5-1/2"	15.5#	J-55	5344'	1883 ft <sup>3</sup> (Circ. To Surface)

### Formation Tops:

Fruitland Coal 1432'  
Pictured Cliffs 1520'  
Cliff House 2268'  
Gallup 5036'

**Perforations:** Lower Gallup: 5135-5145'

Wellbore Diagram  
West Bisti 32-K #1  
SW/4 Sec. 32, T26N, R13W  
San Juan County Co., NM  
API #30-045-28558



West Bisti Coal 32-k #1  
4/12/2005