District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit of	r below-grade tank Closure of a pit or below-grac	ie tank 🔼				
Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com						
Address: 3401 East 30th Street, Farmington, New Mexico, 87402						
Facility or well name: Newberry # 9A API #: _	30045263860000 U/L c	or Qtr/Qtr <u>C</u> Sec <u>5</u> T <u>31N</u> R <u>12W</u>				
County: San Juan Latitude	36.93261 Longitude -108.12111	NAD: 1927 🛛 1983 🔲				
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐						
Pit	Below-grade tank					
Type: Drilling Production Disposal	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil					
Workover  Emergency	Construction material: Fiberglass					
Lined Unlined	Double-walled, with leak detection? Yes \(\beta\) If not, explain why not.					
Liner type: Synthetic Thickness mil Clay		, - F				
Pit Volume bbl						
TR Volume	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	1				
high water elevation of ground water.)	l '	(10 points)				
	100 feet or more	( 0 points) 0				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0				
Distance to the control of the contr	Less than 200 feet	(20 points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points) 10				
	Danking Score (Total Baints)	10				
	Ranking Score (Total Points)					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if						
your are burying in place) onsite 🔲 offsite 🗀 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and						
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.						
(5) Attach soil sample results and a diagram of sample locations and excavations.						
Additional Comments:						
The soils tested clean and no soil remediation was required						
	NA .					
	· · · · · · · · · · · · · · · · · · ·					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines a general permit , or an (attached) alternative OCD-approved plan .						
Date: 5/5/65						
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or						
regulations.						
Approval:						
Approval:  Printed Name/Title Signature Date:						

CLIENT: BUMINATON	Env	IROTECH	Inc.		LOCA	OH MOITE	
Resauvas S	5796 FARMIN	TAL SCIENTISTS & U.S. HIGHWAY 64- GTON, NEW MEXICO DNE: (505) 632-06	-3014 87401			C.G.C. NO	,
FIELD REPOR	T: CLOSU	RE VE	RIFIC	ATION	PAGE	No: <u> </u>	of
LOCATION: NAME: New Dec.	1				DATE E	STARTED: 4	15/05
QUAD/UNIT: SEC: 05 TWP: 31N RNG: 12W PM: NMPM CNTY: ST ST: NM					l	NMENTAL M	
QTR/FOOTAGE:							
EXCAVATION APPROX12	•						1
DISPOSAL FACILITY:	•						
LAND USE:		<del></del>					
FIELD NOTES & REMARI							
DEPTH TO GROUNDWATER:O							
NMOCD RANKING SCORE:		E STD: _ [BUO	PPM			CK ONE	<del></del>
SUIT AND EXCANATION DESCRIPTION:			-	PIT ABANDONED STEEL TANK INSTALLED			
API 30-045-26386	1.43						
Decondary may	Secondary liner held alot of water. At 3' below pit no rigible signs . I contamination. Crew OK's to set up steel tank.						
EDICI AMERICA . C	en ok, I to ent	up steel	tank.				
No soil	mmoved from	location.					
•							
	TIME SAMPLE I.D.	LAB No: W		CULATIONS ml. FREON C	ILUTION	READING	CALC. ppm
SCALE	1200 3' Below	1	5	20	l	0.0058	40.3
0 FT		OVM		דות	ממ		
PIT PERIME		RESULTS		P11	PR	OFILE	
	. N SAMPL	PID (ppi					
A 2 Delas 1 ppm							
	4						
	5						
			0'	F		<del>}</del>	
BG tank							
LAB SAMPLES							
SAMPLE ANALYSIS TIME							
				Y = Sam	ple P	bint	
TRAVEL NOTES:							
CALLOUT:		ONS	HE:				

۲.

.



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-021-071

Sample No.:

1

Date Reported:

4/18/2005

Sample ID:

3' Below BG Tank

Date Sampled:

4/15/2005

Sample Matrix:

Soil

Date Analyzed:

4/15/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

40.2

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Newberry #9A

Analyst

Review Barrett