<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 05

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes ☐ No X

Type of action. Registration of a pic-	or below-grade talk Cosure of aprical below-g	rude tunk 1k
Operator:Energen Resources CorporationTelephone: _505.325.6800anddress:vdonaghe@energen.comAddress:2198 Bloomfield Highway – Farmington, NM 87401		
Address:2198 Bloomfield Highway - Farmington, NM 87401		
Facility or well name: _Federal 28-9-28 #2API #: _30	_API #: _30-045-32091U/L or Qtr/Qtr _ D Sec _28 T _28N R _09W	
County:San Juan Latitude36.68778 Longitude 107.79972 NAD: 1927 X 1983		
Surface Owner: FederalX State Private Indian		
<u>Pit</u>	Below-grade tank	
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	
Workover	Construction material:	
Lined <b>X</b> Unlined □	Double-walled, with leak detection? Yes  If not, explain why not.	
Liner type: Synthetic X Thickness_12_mil Clay		
Pit Volume _5000bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 10
	100 feet or more	( 0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	( 0 points) 0
water source, or less than 1000 feet from all other water sources.)	140	( o points)
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 0
inigation canais, ditches, and pereninal and epitemeral watercourses.)	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	10
	Ranking Score (Total Tollits)	
To this is a risk of a way (1) Associated by the state of		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite X offsite I foffsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No X Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
Energen Resources built a lined pit according to "OCD Pit and Below-grade Tank Guidelines", as issued on November 1, 2004. Energen closed this pit in accordance		
with BLM and "OCD Pit and Below-grade Tank Guidelines". See APD for cut & fill diagram.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit, or an (attached) alternative OCD-approved plan.		
Date: _05/20/05		
Printed Name/Title _Doug Thomas ( ) Signature		
Jigilland		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: DEPUTY OIL & GAS INSPECTOR, DIST. AS Signature   Cultivaries		
Jate:		