District I.
1625 N. French Dr., Hobbs, NM 88240
District II.
1301 W. Grand Avenue, Artesia, NM 88210
District III.
1000 Rio Brazos Road, Aztec, NM 87410
District IV.
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No
of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Type of action. Registration of a	pit of below-grade tank Closure of a pit of below-grad	Walter E.					
Operator: Burlington Resources Teleph	one: (505) 326-9841 e-mail address: LH	lasely@br-inc.com					
Address: 3401 East 30th Street, Farmington, New Mexico, 87402		·					
Facility or well name: Ruple No. 1X API #:							
County: San Juan Latitude	36.87861 Longitude -107.93882	NAD: 1927 🛛 1983 🗀					
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐							
<u>Pit</u>	Below-grade tank						
Type: Drilling ☐ Production ☐ Disposal ☐	Volume: 40 bbl Type of fluid: Produced Water	and Incidental Oil					
Workover ☐ Emergency ☐	Construction material: Fiberglass						
Lined Unlined	Double-walled, with leak detection? Yes X If not,	, explain why not.					
Liner type: Synthetic Thickness mil Clay							
Pit Volumebbl							
	Less than 50 feet	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasons	50 feet or more, but less than 100 feet	(10 points)					
high water elevation of ground water.)	100 feet or more	(0 points) 20					
	100 leet of finite	(o points)					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)					
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 20					
Distance to surface water: (horizontal distance to all wetlands, playas	Less than 200 feet	(20 points)					
,	200 feet or more, but less than 1000 feet	(10 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 0					
	Ranking Score (Total Points)	40					
	Ranking Store (Total Folias)	<u> </u>					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite. If offsite, name of facility Envirotech LF #2. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface ft. and attach sample results.							
Additional Comments:		5/6/2					
Auditorial Comments.		A SUL					
		15 10 20 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5					
		(2 10 0) oj					
		William Wall					
		M. S. Z. Mar					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .							
Date: C/29/05							
5 /// 1/)							
Trined Name Title							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
OEPUTY OIL & GAS INSPECTOR, DIST.							
Printed Name/Title Signature	JUL - 1 20	05					
Printed Name/Title Signature Date: Date:							



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

92115-021-087

Sample No.:

- 1

Date Reported:

Project #:

2113-021-00

Sample ID:

Bottom @ 14' depth

orted: 6/22

6/22/2005 6/21/2005

Sample Matrix:

Soil

Date Sampled: Date Analyzed:

6/21/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

65.2

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Ruple No. 1X

Analyst

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-087

Sample No.:

2

Date Reported:

6/22/2005

Sample ID:

4 Pt Composite of Walls

Date Sampled:

6/21/2005

Sample Matrix:

Soil

Date Analyzed:

6/21/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

•	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

31.9

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Ruple No. 1X

Analyst

Review (



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:

Burlington Resources

Project #:

92115-021-087

Sample ID:

QA/QC

Date Reported:

6/22/2005

Laboratory Number:

01-24-TPH.QA/QC

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed: Date Extracted: 1/24/2005

Preservative: Condition:

N/A N/A

Analysis Needed:

1/24/2005

Calibration

I-Cal Date

C-Cal Date

I-Cal RF: C-Cal RF:

% Difference Accept. Range

TPH

05-22-04

1/24/2005

1,735

1,389

19.9% +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

5.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate

% Difference Accept. Range

TPH

2,471

2,352

4.8%

+/- 30%

Spike Conc. (mg/Kg)

Sample

Spike Added

Spike Result

% Recovery Accept Range

TPH

2,471

2,000

5,030

112.5%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Ruple No. 1X

OUTSME 12.11. i		Env	IROTECH	I INC.	· · · · · · · · · · · · · · · · · · ·	T	A T T T T T		
CLIENT: Burlington Resources		ENVIRONME	NTAL SCIENTISTS	& ENGINEERS			LOCATION NO:		
		5796 FARMIN	U.S. HIGHWAY IGTON, NEW MED ONE: (505) 632-	64-3014 ICO 87401			C.O.C. NO		
FIELD REPOR	T:	CLOSU	RE V	ERIFIC	ATION	PAGE	No: 1	of l	
LOCATION: NAME: Ruple WELL #: 1X PIT: QUAD/UNIT: O SEC: 24 TWP: 31N RNG: 1000 PM: NMM CNTY: SJ ST:NM					DATE	DATE STARTED: 4/20/05 DATE FINISHED: 4/21/05			
QUAD/UNIT: O SEC: 24 TWP: 31N RNG: 100 PM: NMM CNTY: SJ ST:NM QTR/FOOTAGE: US4 FSL /1980 FEL CONTRACTOR: LBR					ENVIRO SPECIA	ENVIRONMENTAL MPM			
EXCAVATION APPROX20	FT.	x	T. x _14	FT. DEI	EP. CUB	C YAR	DAGE: _	7 Le 4053	
DISPOSAL FACILITY: E								•	
LAND USE:		LEASI	E: FF	E	F	ORMATI	ON:		
FIELD NOTES & REMAR									
DEPTH TO GROUNDWATER: 20									
NMOCD RANKING SCORE: 40	NMOC	D TPH CLOSUR	RE STD: 10	O PPM	ł		ECK ONE		
SOIL AND EXCAVATION	N DESC	CRIPTION:			1		ABANDON El Tank	EU INSTALLED	
5 He is surrounded by	priva	de rosidonu	s. Les	Hepner de	£ ox-site	intor	سديا ن		
results. Will let	LtR	excurate.	Completed	sampling	i ulzıl	05. ef	B6T	A.	
								-	
*			FIEI	_D 418.1 CAL	_CULATIONS				
	TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION			
SCALE	1155	Bottone 14'			20		0.0094		
0 FT	1205	4 Pt Walls	1	5	20	(0.0016	21.1	
PIT PERIME	ETER		OVM RESULT	C C	PI	r PR	OFILE		
		SAMP		EADSPACE (ppm)					
	•	7 13' b	alou 312	2u	20/05 20/05				
		3 Bethon	e14' 27	(J	21/05				
Seperativ	.	644 P4 1	Wells 15		21/05		$\overline{}$		
0 1/1/1/10	in V-	(r).			18	1 0		:	
* \(\frac{1}{\pi}\)									
LAB SAMPLES SAMPLE ANALYSIS TIME									
					x = Bottom	, , ,			
// /					0 = 4 P+	. Walls			
TRAVEL NOTES: CALLOUT:		_	· O	NSITE:					