1625 N. French Dr., Hobbs, NM 88240 **District II** 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

regulations.

BEFUTY OIL & GAS INSPECTOR, DIST. (3)

## State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No ... Type of action: Registration of a pit or below-grade tank \(\Boxed{\Boxesia}\) Closure of a pit or below-grade tank \(\Boxed{\Boxesia}\) Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Grambling C No. 200 API #: 30045270540000 \_\_\_ U/L or Qtr/Qtr \_\_A Sec \_\_12 \_T \_\_30N \_R 12W NAD: 1927 🖾 1983 🔲 County: San Juan \_\_\_\_ Latitude \_\_36.83042 \_\_\_\_\_ Longitude \_\_ -107 82888 Surface Owner: Federal ☑ State ☐ Private ☐ Indian ☐ Below-grade tank Type: Drilling Production Disposal Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil Construction material: Fiberglass Lined Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness \_\_\_\_\_mil Clay \_\_\_ No. Tank in place prior to Rule 50. Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more ( 0 points) 0 Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No ( 0 points) 0 water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more ( 0 points) 10 10 Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite [ ] If offsite, name of facility \_\_\_\_\_\_. (3) Attach a general description of remedial action taken; in the distance of facility \_\_\_\_\_. end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface \_\_\_\_\_\_ft. and attach sample esults. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Below Grade Tank B The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 6/29/65 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or

otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

JUL -1 2005



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-021-080

Sample No.:

1

Date Reported:

6/13/2005

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

6/13/2005

Sample Matrix:

Soil

Date Analyzed:

6/13/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

22.2

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Grambling C No. 200, BGT B

Analvst

Review/



## **EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT**

Client:

**Burlington Resources** 

Project #:

92115-021-080

Sample ID:

QA/QC

Date Reported:

6/13/2005

Laboratory Number:

01-24-TPH.QA/QC

Date Sampled: Date Analyzed:

1/24/2005

N/A

Sample Matrix: Preservative:

Freon-113 N/A

Date Extracted:

1/24/2005

Condition:

N/A

Analysis Needed:

TPH

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

% Difference Accept. Range

05-22-04

1/24/2005

1.735

1,389

19.9% +/- 10%

Blank Conc. (mg/Kg)

Concentration

**Detection Limit** 

**TPH** 

ND

5.0

Duplicate Conc. (mg/Kg)

Sample

**Duplicate** 

% Difference Accept. Range

**TPH** 

2,471

2,352

4.8%

+/- 30%

Spike Conc. (mg/Kg)

Sample

Spike Added Spike Result

% Recovery Accept Range

**TPH** 

2,471

2.000

5,030

112.5%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis os Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Grambling C No. 200, BGT B

Review ()

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865

CLIENT: Butenjton Resource	R. 15 ava 1  ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014				LOCATION NO:			
FIELD REPOR	PI	NGTON, NEW ME IONE: (505) 632	-0615	ATION	PAGE No:	The state of the s		
LOCATION: NAME: Grambling C WELL #: 200 PIT:					DATE STARTED: 6/13/05			
QUAD/UNIT: A SEC: 12 TWP: 30N RNG: 10W PM: NMPM CNTY: ST ST: NM  QTR/FUUTAGE: CONTRACTOR: LOR						upm		
EXCAVATION APPROX FT. x FT. DEEP. CUBIC YARDAGE:  DISPOSAL FACILITY: REMEDIATION METHOD:  LAND USE: LEASE: FF. x FT. DEEP. CUBIC YARDAGE:  REMEDIATION METHOD:  LEASE: FF. x FF. x FT. DEEP. CUBIC YARDAGE:								
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 101' FT. 15° FROM WELLHEAD.  DEPTH TO GROUNDWATER: 0 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 10								
SOIL AND EXCAVATION DESCRIPTION:					CHECK ONE:  PIT ABANDONED  STEEL TANK INSTALLED			
BGT B  Blowert pit. BGT set on surface. No visible signs of continuisation present. No soil reported from site.  FIELD 418.1 CALCULATIONS  TIME SAMPLE I.D. LAB No: WEIGHT (g) ML. FREON DILUTION READING CALC. ppm								
SCALE 0 FT	TIME SAMPLE 1.D.  1300 3 balow					22.2		
PIT PERIM	PAME	OVM RESULT	S EADSPACE (ppm)	PIT	PROFILE			
Separ the	13' but 2 3 4 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6	LAB SAMPL	PAPEL	X= Sample	χ ×			
TRAVEL NOTES: CALLOUT: ONSITE:								