

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Burlington Resources</u> Telephone: <u>(505) 326-9841</u> e-mail address: <u>LHasely@br-inc.com</u>		
Address: <u>3401 East 30th Street, Farmington, New Mexico, 87402</u>		
Facility or well name: <u>Hunsaker No. 1</u> API #: <u>30045102490000</u> U/L or Qtr/Qtr <u>N</u> Sec <u>26</u> T <u>31N</u> R <u>9W</u>		
County: <u>San Juan</u> Latitude <u>36.86441</u> Longitude <u>-107.75402</u> NAD: 1927 <input checked="" type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: <u>60</u> bbl Type of fluid: <u>Produced Water and Incidental Oil</u> Construction material: <u>Fiberglass</u> Double-walled, with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
Ranking Score (Total Points)		10

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility Envirotech LF # 2. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
<i>Remediated</i>

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 7/11/05

Printed Name/Title Mr. Ed Hasely, Environmental Advisor

Signature *Ed Hasely*

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title _____ Signature _____ Date: _____

CLIENT: <u>Burlington Resources</u>	ENVIROTECH INC. <small>ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0815</small>	LOCATION NO: _____ C.O.C. NO: _____
-------------------------------------	---	--

FIELD REPORT: CLOSURE VERIFICATION	PAGE No: <u>1</u> of <u>1</u>
---	-------------------------------

LOCATION: NAME: <u>Hunsaker</u> WELL #: <u>1</u> PIT: _____ QUAD/UNIT: <u>N</u> SEC: <u>26</u> TWP: <u>31N</u> RNG: <u>9W</u> PM: <u>NMPM</u> CNTY: <u>SJ ST: NM</u> QTR/FOOTAGE: _____ CONTRACTOR: <u>L&R</u>	DATE STARTED: <u>7/5/05</u> DATE FINISHED: <u>7/6/05</u> ENVIRONMENTAL SPECIALIST: <u>MPM</u>
--	---

EXCAVATION APPROX. <u>34</u> FT. x <u>21</u> FT. x <u>14</u> FT. DEEP.	CUBIC YARDAGE: <u>120</u>	
DISPOSAL FACILITY: <u>Envirotech LF #2</u> REMEDIATION METHOD: <u>Landfarm</u>		
LAND USE: _____ LEASE: <u>SF 078506</u> FORMATION: <u>MV</u>		

FIELD NOTES & REMARKS: DEPTH TO GROUNDWATER: <u>0</u> NEAREST WATER SOURCE: <u>0</u> NEAREST SURFACE WATER: <u>10</u> NMOC D RANKING SCORE: <u>10</u> NMOC D TPH CLOSURE STD: <u>1000</u> PPM SOIL AND EXCAVATION DESCRIPTION:	PIT LOCATED APPROXIMATELY <u>120</u> FT. <u>35°</u> FROM WELLHEAD. <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> CHECK ONE : <input type="checkbox"/> PIT ABANDONED <input checked="" type="checkbox"/> STEEL TANK INSTALLED </div>
---	--

Contamination encountered beneath secondary liner to approx 12' depth. L&R will continue excavation.

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	ML. FREON	DILUTION	READING	CALC. ppm
7/5 1407	Bottom e 14'	1	5	20	1	0.092	638
7/5 1411	4 Pt Comp	1	5	20	1	0.174	1210
7/6 0955	4 Pt Comp	1	5	20	1	0.026	180

SCALE

 0 FT

PIT PERIMETER

OVM RESULTS

PIT PROFILE

	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>7/5 13' below</td><td>727 ppm</td></tr> <tr><td>7/5 214' depth</td><td>83 ppm</td></tr> <tr><td>7/5 34 Pt Comp</td><td>30 ppm</td></tr> <tr><td>7/6 44 Pt Comp</td><td>19 ppm</td></tr> <tr><td>5</td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	7/5 13' below	727 ppm	7/5 214' depth	83 ppm	7/5 34 Pt Comp	30 ppm	7/6 44 Pt Comp	19 ppm	5																				LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME																									<p style="margin-top: 10px;">x = 4 Pt Comp o = Bottom</p>
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																																													
7/5 13' below	727 ppm																																																													
7/5 214' depth	83 ppm																																																													
7/5 34 Pt Comp	30 ppm																																																													
7/6 44 Pt Comp	19 ppm																																																													
5																																																														
LAB SAMPLES																																																														
SAMPLE ID	ANALYSIS	TIME																																																												

TRAVEL NOTES:	CALLOUT: _____	ONSITE: _____
---------------	----------------	---------------

**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**

Client:	Burlington Resources	Project #:	92115-021-093
Sample No.:	1	Date Reported:	7/6/2005
Sample ID:	Bottom @ 14' depth	Date Sampled:	7/5/2005
Sample Matrix:	Soil	Date Analyzed:	7/5/2005
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------

Total Petroleum Hydrocarbons	638	5.0
-------------------------------------	------------	------------

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Hunsaker No. 1**



Analyst



Review

EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS


Client:	Burlington Resources	Project #:	92115-021-093
Sample No.:	3	Date Reported:	7/6/2005
Sample ID:	Walls, 4 Point Composite	Date Sampled:	7/6/2005
Sample Matrix:	Soil	Date Analyzed:	7/6/2005
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	180	5.0


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Hunsaker No. 1



Analyst



Review