<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II :
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 **District IV** 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No 🗌

Type of action: Registration of a pit of	r below-grade tank 🔲 Closure of a pit or below-grad	le tank 🗵 📗 🔍					
Operator: Burlington Resources Telephone:	(505) 326-9841 e-mail address: LH	lasely@br-inc.com					
Address: 3401 East 30 th Street, Farmington, New Mexico, 87402							
Facility or well name: Riddle No. 1R							
	36.84642 Longitude -107.79193	NAD: 1927 ⊠ 1983 □					
Surface Owner: Federal State Private Indian							
Surface Owner: Federal State Private Indian							
Type: Drilling Production Disposal		and Incidental Oil 19 70 77					
Workover Emergency	Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil Construction material: Fiberglass						
Lined Unlined	Double-walled, with leak detection? Yes \(\sigma \) If not, explain why not.						
Liner type: Synthetic Thicknessmil Clay _	Double-waned, with leak detection? Tes M it not, explain why not.						
Pit Volumebbl	Less than 50 feet	(20 points)					
Depth to ground water (vertical distance from bottom of pit to seasonal		1 10' Fill 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)					
	100 feet or more	(0 points) 9 5 + 5 10)					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)					
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0					
Distance to surface waters (beginned distance to all waters or place	Less than 200 feet	(20 points)					
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)					
irrigation canais, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 10					
	Ranking Score (Total Points)	10					
		<u> </u>					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's		•					
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end							
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo	w ground surface ft. and attach sample	results.					
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.						
Additional Comments:							
Below Grade Tank C							
The soils tested clean and no soil remediation was required.							
11.11	•						
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .							
Date: 7/11/05							
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: JUL 15 2005							
Printed Name/Title Signature	Date:						
Jighatut Julie Jul							



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-099

Sample No.:

1

Date Reported:

7/7/2005

Sample ID:

Discreet, 3' Below BG Tank

Date Sampled:

7/7/2005

Sample Matrix:

Soil

Date Analyzed:

7/7/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

87.4

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Riddle No. 1R, BGT C

Analyst

Rev(ev

CLIENT: Brinston Pesourus	ENV ENVIRONME 5796 FARMIN PH	C.C.C. NO:					
FIELD REPOR LOCATION: NAME: LIDOR QUAD/UNIT: D SEC: QTR/FUUTAGE:350' FNL	WELL 4 TWP: 30N RNG	#: 1R PIT:	NTY: ST ST: MM	DATE STARTED:	7/7/05		
EXCAVATION APPROXFT. xFT. DEEP. CUBIC YARDAGE:							
SOIL AND EXCAVATION DESCRIPTION: BOT C Located northeast of compressor. No visible signs of contamination present. N. soil removed from around BOT C. FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB No: WEIGHT (g) ML. FREON DILUTION READING CALC. ppm							
SCALE O FT PIT PERIM	1231 3' below		20	PROFILE	87.4		
Note:		LE FIELD HEADSPACE PID (ppm) 12 PPM 12 PPM	13	X			
TRAVEL NOTES: CALLOUT.	Separater BGT A		X= Sample	Point.			